

Resource All Data Report

ID Number: 0834-0053

BASICS DATA

ID Number: **0834-0053** Year Built: **1908** Data Source: **Permit**

Number Extended Street Quad Type of Address

505 **G Street** **NE** **Current**

Name(s) Type of Name

Rowhouse, 505 G Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0053 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1908** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1908** **Permit** **2750 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Volland, Edward O.**

Orig Construction **Builder** **Pumphrey & Palmer**

Orig Construction **Owner** **Pumphrey & Palmer**

Construction Notes:

One of four rowhouses constructed from the same permit (#0054).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 4)**

Relate to Street: **Face on Setback Line**

Massing: **Row Building/Canted Bay**

Footprint: **L-Shaped**

Number Stories: **2**

Bays Wide: **2**

Height:

Width: **18**

Depth/Length: **34**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Contributing Status

Outbuilding Notes:

STYLE/EXTERIOR DATA

Architectural Style(s)

Queen Anne

Exterior & Architectural Notes:

March 2010: This two-story, two-bay, Queen Anne-style rowhouse was constructed by Pumphrey and Palmer from the design of Edward O. Volland in 1908. It is one of four rowhouses constructed from the same permit (#0054). The dwelling is constructed of brick and is set on a solid concrete foundation; the façade (north elevation) is faced with stretcher-bond pressed brick. A sloping roof caps the dwelling and is highlighted by a molded metal cornice, a plain brick frieze, and a molded metal architrave. A single-leaf paneled wood door with stained glass light is located in the westernmost bay of the first story on the façade. This opening is highlighted by a rectangular one-light transom and a rock-faced concrete-lug lintel. Metal steps with metal hand rails provide access to the main entrance. A three-sided, canted bay with rounded edges projects from the easternmost bay of the façade and rises the full height of the dwelling. The bay shares the material treatment of the main block. All openings on the façade hold 1/1, double-hung, vinyl-sash windows with rock-faced concrete sills and lintels.

A two-story, two-bay ell is located on the eastern end of the rear (south) elevation and is original. The rear elevation has been faced with horizontal siding and is fenestrated with a 1/1, double-hung, vinyl-sash window. An exterior-side chimney is located on the west elevation of the ell and has a plain cap. An original porch has been enclosed on the first story and is capped by a shed roof. The wood-frame appendage is faced with horizontal vinyl siding and holds a single-leaf wood door with lights in the eastern end bay. The opening is highlighted by a single-light rectangular transom. The elevation is further fenestrated by 1/1, double-hung, vinyl-sash windows.

Site Notes:

March 2010: This rowhouse is located on the south side of G Street, N.E. and is set back approximately ten feet from the brick sidewalk. The dwelling is adjacent to 503 and 507 G Street, N.E. The front yard is planted with mature shrubs and foundation plantings and is bordered by a concrete retaining wall and milled point metal fence. A brick walkway leads from the sidewalk and travels toward the primary entrance. A small yard is located at the rear of the dwelling and is bounded by a wood privacy fence. An alleyway is also located to the south of the property.

NOTABLE FEATURES DATA

Component	Feature
-----------	---------

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Pressed Brick		Stretcher Bond	
Structure Component	Material	Feature		Source
Foundation	Concrete			
Walls	Brick			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Facade	Rectangular	Dbl-Hung	1/1	Vinyl
Door Location	Aperture Shape	Type	Panels	Material
Main Door	Rectangular	Single	Paneled	Wood/Glass
Notable Interior Plan(s)		Notable Interior Feature(s)		

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Tuesday, June 25, 2013

ID_Number: 0834-0053 Page 2

Neighborhood: **Capitol Hill**

Subdivision:

Ward/ANC:

Zoning:

Contributing:

Historic District(s)

Designation Event(s)

Survey(s)

Capitol Hill F & G Streets (2010)

Level(s) of Investigation

Permit Research

Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Path: **C:\Users\CHRS\Documents\CHRS**

Databases\F&G Street - 2 to 11th

St\Database\Pictures\Square 0834

File: **505_G_Street_NE_facade_looking_SE.JPG**

Date::

Photog:

Code::

R:

Fr:



Caption:

Path: **C:\Users\CHRS\Documents\CHRS**

Databases\F&G Street - 2 to 11th

St\Database\Pictures\Square 0834

File: **505_G_Street_NE_facade_looking_SW.JPG**

Date::

Photog:

Code::

R:

Fr:



Caption:

Path: **C:\Users\CHRS\Documents\CHRS**

Databases\F&G Street - 2 to 11th

St\Database\Pictures\Square 0834

File: **505_G_Street_NE_rear_looking_NE.JPG**

Date::

Photog:

Code::

R:

Fr:



PHOTOS - B/W OR NON-DIGITIZED

Photo Code

Roll

Frame(s)

Date

Photographer

Caption

MISCELLANEOUS NOTES DATA

Notes:

--

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
07/08/1908	0054	Build	

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/6/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0054

BASICS DATA

ID Number: **0834-0054** Year Built: **1908** Data Source: **Permit**

Number	Extended	Street	Quad	Type of Address
--------	----------	--------	------	-----------------

507		G Street	NE	Current
------------	--	-----------------	-----------	----------------

507	-507B	G Street	NE	Current
------------	--------------	-----------------	-----------	----------------

Name(s)	Type of Name
---------	--------------

Rowhouse, 507 G Street, N.E.	Common
-------------------------------------	---------------

TaxCode1	TaxCode2	TaxCode3	Type	Explain
----------	----------	----------	------	---------

0834/0054			Square/Lot	Current
------------------	--	--	-------------------	----------------

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use	Start	Source	Stop	Source	Explain
--------------	-------	--------	------	--------	---------

Residential (Single-Family)	1908	Permit			Original
------------------------------------	-------------	---------------	--	--	-----------------

Residential (Multi-Family)					Current
-----------------------------------	--	--	--	--	----------------

CONSTRUCTION DATA

Construction Event	Start	Source	Stop	Source	Cost Source
--------------------	-------	--------	------	--------	-------------

Orig Construction	1908	Permit			2750 Permit
--------------------------	-------------	---------------	--	--	--------------------

Construction Event	Association	Associated Name
--------------------	-------------	-----------------

Orig Construction	Architect	Volland, Edward O.
--------------------------	------------------	---------------------------

Orig Construction	Builder	Pumphrey & Palmer
--------------------------	----------------	------------------------------

Orig Construction	Owner	Pumphrey & Palmer
--------------------------	--------------	------------------------------

Construction Notes:

One of four rowhouses constructed from the same permit (#0054).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**
Streetscape: **Intact**
Relate to Othr Bldgs: **Row (1 of 4)**
Relate to Street: **Face on Setback Line**
Massing: **Row Building/Canted Bay**
Footprint: **L-Shaped**

Cross Reference Notes:

Number Stories: **2 plus basement**

Bays Wide: **2**

Height:

Outbuilding Type

Contributing Status

Width: **18**

Depth/Length: **34**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Outbuilding Notes:

Lot SqFt:

Acreage:

Has Driveway: ☐

STYLE/EXTERIOR DATA

Architectural Style(s)

Queen Anne

Exterior & Architectural Notes:

March 2010: This two-story, two-bay, Queen Anne-style rowhouse was constructed by Pumphrey and Palmer from the design of Edward O. Volland in 1908. It is one of four rowhouses constructed from the same permit (#0054). The dwelling is constructed of brick and is set on a solid concrete foundation; the façade (north elevation) is faced with stretcher-bond pressed brick. A sloping roof caps the dwelling and is highlighted by a molded metal cornice, a plain brick frieze, and a molded metal architrave. A single-leaf paneled wood door is located in the westernmost bay of the first story on the façade. This opening is highlighted by a rectangular one-light transom and a rock-faced concrete-lug lintel. Concrete steps with metal hand rails provide access to the main entrance. Below these steps, the foundation is pierced by a single-leaf paneled wood door. A three-sided, canted bay with rounded edges projects from the easternmost bay of the façade and rises the full height of the dwelling. The bay shares the material treatment of the main block. All openings on the façade hold 1/1, double-hung, vinyl-sash windows with rock-faced concrete sills and lintels.

The rear (south) elevation is fenestrated with a 1/1, double-hung, vinyl-sash window on the second story. The opening is highlighted by a lug sill and a two-course rowlock brick segmental arch. A two-story, two-bay brick ell is located on the eastern end of the rear (south) elevation and is original. An exterior-side chimney is located on the west elevation of the ell and has a corbeled cap. A single-leaf paneled metal door with lights is located in the eastern end bay and is highlighted by a single-light rectangular transom and a two-course rowlock brick segmental arch. This entry is accessed by stairs with metal hand rails. An opening on the second story has an identical door that leads onto a balcony. The balcony has square metal balusters and is supported by angled metal posts that connect to the first story of the ell. The western bay on the first story holds paired one-light vinyl casement windows with a rowlock brick sill. The second story opening holds a 1/1, double-hung, vinyl-sash window with a two-course rowlock brick segmental arch.

Site Notes:

March 2010: This rowhouse is located on the south side of G Street, N.E. and is set back approximately ten feet from the brick sidewalk. The dwelling is adjacent to 505 and 509 G Street, N.E. The front yard is planted with mature shrubs and is bordered by a brick retaining wall and milled point metal fence. Concrete steps and a concrete walkway lead from the sidewalk and travel toward the primary and basement entrances. A small yard is located at the rear of the dwelling. An alleyway is also located to the south of the property.

NOTABLE FEATURES DATA

Component

Feature

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Pressed Brick		Stretcher Bond	

Structure Component	Material	Feature	Source
Foundation	Concrete		
Walls	Brick		
Materials Notes:			

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Facade	Rectangular	Dbl-Hung	1/1	Vinyl
Door Location	Aperture Shape	Type	Panels	Material
Basement	Rectangular	Single	Paneled	Wood
Main Door	Rectangular	Single	Paneled	Wood
Notable Interior Plan(s)		Notable Interior Feature(s)		

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: Capitol Hill	Historic District(s)
Subdivision:	
Ward/ANC:	
Zoning:	Designation Event(s)
Contributing:	
Survey(s)	Level(s) of Investigation
Capitol Hill F & G Streets (2010)	Permit Research
	Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**
File: **507_G_Street_NE_facade_looking_SE.JPG**
Date:: Photog:
Code:: R: Fr:



Caption:

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 507_G_Street_NE_facade_looking_SW.JPG
Date:: Photog:
Code:: R: Fr:



Caption:

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 507_G_Street_NE_rear_looking_NE.JPG
Date:: Photog:
Code:: R: Fr:



PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
07/08/1908	0054	Build	

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/6/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0055

BASICS DATA

ID Number: **0834-0055** Year Built: **1908** Data Source: **Permit**

Number Extended Street Quad Type of Address

509 **G Street** **SE Current**

Name(s) Type of Name

Rowhouse, 509 G Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0055 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1908** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1908** **Permit** **2750 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Volland, Edward O.**

Orig Construction **Builder** **Pumphrey & Palmer**

Orig Construction **Owner** **Pumphrey & Palmer**

Construction Notes:

One of four rowhouses constructed from the same permit (#0054).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 4)**

Relate to Street: **Face on Setback Line**

Massing: **Row Building/Canted Bay**

Footprint: **L-Shaped**

Number Stories: **2 plus basement**

Bays Wide: **2**

Height:

Width: **18**

Depth/Length: **34**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Contributing Status

Outbuilding Notes:

STYLE/EXTERIOR DATA

Architectural Style(s)

Queen Anne

Exterior & Architectural Notes:

March 2010: This two-story, two-bay, Queen Anne-style rowhouse was constructed by Pumphrey and Palmer from the design of Edward O. Volland in 1908. It is one of four rowhouses constructed from the same permit (#0054). The dwelling is constructed of brick and is set on a solid concrete foundation; the façade (north elevation) is faced with stretcher-bond pressed brick. A sloping roof caps the dwelling and is highlighted by a molded metal cornice, a plain brick frieze, and a molded metal architrave. A single-leaf flush wood door with three lights is located in the westernmost bay of the first story on the façade. This opening is highlighted by a rectangular one-light transom and a rock-faced concrete-lug lintel. Metal steps with metal hand rails provide access to the main entrance. A three-sided, canted bay with rounded edges projects from the easternmost bay of the façade and rises the full height of the dwelling. The bay shares the material treatment of the main block. A one-light wood window with rock-faced concrete-lug lintel pierces the foundation of the bay. All other openings on the façade hold 1/1, double-hung, wood-sash windows with rock-faced concrete sills and lintels.

The rear (south) elevation is fenestrated with a 2/2, double-hung, wood-sash windows on the first and second stories. The openings are highlighted by a concrete-lug sill and a two-course rowlock brick segmental arch. The foundation is pierced by a single-leaf paneled wood door with a two-course rowlock brick segmental arch. A two-story, two-bay brick ell is located on the eastern end of the rear (south) elevation and is original. An exterior-side chimney is located on the west elevation of the ell and has a corbeled cap. The foundation is pierced by a single-light blind wood window with a concrete sill and two-course rowlock brick segmental arch. A single-leaf paneled wood door with lights is located in the eastern end bay of the first story and is highlighted by a rectangular transom and a two-course rowlock brick segmental arch. This entry is accessed concrete steps and decking supported by brick piers. The deck has square metal balusters and the steps have metal hand rails. The ell is further fenestrated by 2/2 and 6/6, double-hung, wood-sash windows with concrete sills and two-course rowlock brick segmental arches.

Site Notes:

March 2010: This rowhouse is located on the south side of G Street, N.E. and is set back approximately ten feet from the brick sidewalk. The dwelling is adjacent to 507 and 511 G Street, N.E. The small, grassy front yard is planted with shrubs and is bordered by a stone retaining wall. Concrete steps and a concrete walkway lead from the sidewalk and travel toward the primary entrance. A small yard is located at the rear of the dwelling and an alleyway is also located to the south of the property.

NOTABLE FEATURES DATA

Component	Feature
-----------	---------

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Pressed Brick		Stretcher Bond	
Structure Component	Material	Feature		Source
Foundation	Concrete			
Walls	Brick			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Basemt Windows	Rectangular	Fixed	Boarded	Wood
Facade	Rectangular	Dbl-Hung	1/1	Wood
Door Location	Aperture Shape	Type	Panels	Material

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Historic District(s)

Subdivision:

Ward/ANC:

Zoning:

Contributing:

Designation Event(s)

Survey(s)

Level(s) of Investigation

Capitol Hill F & G Streets (2010)

Permit Research

Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **509_G_Street_NE_facade_looking_SE.JPG**

Date:: Photog:

Code:: R: Fr:



Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **509_G_Street_NE_facade_looking_SW.JPG**

Date:: Photog:

Code:: R: Fr:



Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **509_G_Street_NE_rear_looking_NE.JPG**

Date:: Photog:

Code:: R: Fr:



PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
07/08/1908	0054	Build	

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/6/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0056

BASICS DATA

ID Number: **0834-0056** Year Built: **1908** Data Source: **Permit**

Number Extended Street Quad Type of Address

511 **G Street** **NE** **Current**

Name(s) Type of Name

Rowhouse, 511 G Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0056 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1908** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1908** **Permit** **2750 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Volland, Edward O.**

Orig Construction **Builder** **Pumphrey & Palmer**

Orig Construction **Owner** **Pumphrey & Palmer**

Construction Notes:

One of four rowhouses constructed from the same permit (#0054).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 4)**

Relate to Street: **Face on Setback Line**

Massing: **Row Building/Canted Bay**

Footprint: **L-Shaped**

Number Stories: **2 plus basement**

Bays Wide: **2**

Height:

Width: **18**

Depth/Length: **34**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Garage

Contributing Status

Contributing

Outbuilding Notes:

March 2010: A one-story, one-bay garage is located south of the dwelling and was constructed ca. 1925. Noted on the 1928 Sanborn map, the garage is constructed of five-course, American-bond brick and is set on a solid foundation. A

sloping roof caps the garage. The primary opening on the façade (south elevation) holds a roll-up paneled metal door. A wooden deck is located on the roof of the garage and has square wood balusters. This deck is accessed via wood steps with wood hand rails.

STYLE/EXTERIOR DATA

Architectural Style(s)

Queen Anne

Exterior & Architectural Notes:

March 2010: This two-story, two-bay, Queen Anne-style rowhouse was constructed by Pumphrey and Palmer from the design of Edward O. Volland in 1908. It is one of four rowhouses constructed from the same permit (#0054). The dwelling is constructed of brick and is set on a solid concrete foundation; the façade (north elevation) is faced with stretcher-bond pressed brick. A sloping roof caps the dwelling and is highlighted by a molded metal cornice, a plain brick frieze, and a molded metal architrave. A single-leaf paneled wood door with a single light is located in the westernmost bay of the first story on the façade. This opening is highlighted by a rectangular one-light transom and a rock-faced concrete-lug lintel. Concrete steps with metal hand rails provide access to the main entrance. Below these steps, the foundation is pierced by a single-leaf door that was obscured by a metal security door. A three-sided, canted bay with rounded edges projects from the easternmost bay of the façade and rises the full height of the dwelling. The bay shares the material treatment of the main block. All openings on the façade hold 1/1, double-hung, wood-sash windows with rock-faced concrete sills and lintels.

The rear (south) elevation is fenestrated with 1/1, double-hung, wood-sash windows with rowlock brick sills and two-course rowlock brick segmental arches. A two-story, two-bay brick ell is located on the eastern end of the rear (south) elevation and is original. An exterior-side chimney is located on the west elevation of the ell. A single-leaf wood French door is located in the eastern end bay on the first story and is highlighted by a blind transom and a two-course rowlock brick segmental arch. Wooden decking provides access to the door. The first story is further fenestrated by a 2/2, double-hung, wood-sash window with a rowlock brick sill and a two-course rowlock brick segmental arch. The second story openings hold 1/1, double-hung, wood-sash windows with rowlock brick sills and two-course rowlock brick segmental arches.

Site Notes:

March 2010: This rowhouse is located on the south side of G Street, N.E. and is set back approximately ten feet from the brick sidewalk. The dwelling is adjacent to 509 and 513 G Street, N.E. The small, grassy front yard is planted with small shrubs and is bordered by a metal fence. Concrete steps and a concrete walkway lead from the sidewalk and travel toward the primary and basement entrances. A small yard enclosed by a staggered wood fence and a garage are located at the rear of the dwelling. An alleyway is also located to the south of the property.

NOTABLE FEATURES DATA

Component	Feature
-----------	---------

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Pressed Brick		Stretcher Bond	
Structure Component	Material	Feature		Source
Foundation	Concrete			
Walls	Brick			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Facade	Rectangular	Dbl-Hung	1/1	Wood
Door Location	Aperture Shape	Type	Panels	Material
Basement	Rectangular	Single	Full Glass	Wood

Main Door Rectangular Single Paneled Wood/Glass

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Historic District(s)

Subdivision:

Ward/ANC:

Zoning:

Contributing:

Designation Event(s)

Survey(s)

Level(s) of Investigation

Capitol Hill F & G Streets (2010)

**Permit Research
Reconnaissance Survey**

PHOTOS - DIGITIZED

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 511_G_Street_NE_facade_looking_SE.JPG
Date:: Photog:
Code:: R: Fr:**



Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 511_G_Street_NE_facade_looking_SW.JPG
Date:: Photog:
Code:: R: Fr:**



Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 511_G_Street_NE_garage_looking_NW.JPG
Date:: Photog:
Code:: R: Fr:**



Caption:

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 511_G_Street_NE_rear_looking_N.JPG

Date:: Photog:

Code:: R: Fr:



PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
07/08/1908	0054	Build	

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/6/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0029

BASICS DATA

ID Number: **0834-0029** Year Built: **1895** Data Source: **Permit**

Number Extended Street Quad Type of Address

513 **G Street** **NE Current**

Name(s) Type of Name

Rowhouse, 513 G Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0029 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1895** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1895** **Permit** **2500 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Beall, R.J., Jr.**

Orig Construction **Builder** **Middaugh, Ray E.**

Orig Construction **Owner** **Middaugh, Ray E.**

Construction Notes:

One of six rowhouses constructed from the same permit (#0812).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 3)**

Relate to Street: **Face on Setback Line**

Massing: **Row Bldg (Rect. Bay)**

Footprint: **L-Shaped**

Number Stories: **2 plus basement**

Bays Wide: **2**

Height:

Width: **18**

Depth/Length: **32**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Contributing Status

Outbuilding Notes:

STYLE/EXTERIOR DATA

Architectural Style(s)

Queen Anne

Exterior & Architectural Notes:

March 2010: This two-story, two-bay, Queen Anne-style rowhouse was constructed by Ray E. Middaugh from the design of R.J. Beall, Jr. in 1895. It is one of six rowhouses constructed from the same permit (#0812). The dwelling is constructed of brick and is set on a solid concrete and brick foundation; the façade (north elevation) is faced with stretcher-bond pressed brick. A sloping roof caps the dwelling and is highlighted by a molded metal cornice with rounded modillions and a skinteled brick frieze. A four-course molded brick watertable spans the façade above the foundation, and two-course brick sill courses run below the first and second story openings. Brick string courses also bisect the first and second story openings. A single-leaf paneled wood door with lights is located in the westernmost bay of the first story on the façade. This opening is highlighted by a blind semicircular one-light transom and a soldier brick semicircular arch topped by rowlock brick molding. Brick steps with metal hand rails provide access to the main entrance. A three-sided rectangular bay with slightly chamfered corners projects from the easternmost bay of the façade and rises the full height of the dwelling. The bay shares the material treatment of the main block and is capped by a pyramidal roof of asphalt shingles. All openings on the façade hold single or paired 6/6, double-hung, wood-sash windows with concrete sills and soldier brick segmental arches topped by rowlock brick molding. The foundation is pierced by paired two-light fixed wood windows with a concrete sill.

A two-story, two-bay brick ell is located on the western end of the rear (south) elevation and is original. The ell sits on a solid foundation and is capped by a sloping roof. An exterior-side chimney is located on the east elevation of the ell. The elevation was partially obscured by rear fencing. A single-leaf paneled wood door with lights and a one-light transom is located in the western end bay on the first story. The second story is fenestrated by a 6/6, double-hung, wood-sash window with a rowlock brick sill.

Site Notes:

March 2010: This rowhouse is located on the south side of G Street, N.E. and is set back approximately ten feet from the brick sidewalk. The dwelling is adjacent to 511 and 515 G Street, N.E. The small, grassy front yard is planted with mature shrubs, foundation plantings, and landscaping and is bordered by a milled point metal fence. Brick steps and a brick walkway lead from the sidewalk and travel toward the primary entrance. A small yard enclosed by a staggered wood privacy fence is located at the rear of the dwelling. An alleyway is also located to the south of the property.

NOTABLE FEATURES DATA

Component

Feature

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Pressed Brick		Stretcher Bond	
Structure Component	Material	Feature		Source
Foundation	Concrete			
Walls	Brick			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Basemt Windows	Rectangular	Fixed	2 Lite	Wood
Facade	Rectangular	Dbl-Hung	6/6 Double	Wood
Facade	Rectangular	Dbl-Hung	6/6	Wood
Door Location	Aperture Shape	Type	Panels	Material
Main Door	Rectangular	Single	Paneled	Wood/Glass

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

--

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Subdivision:

Ward/ANC:

Zoning:

Contributing:

Historic District(s)

Designation Event(s)

Survey(s)

Level(s) of Investigation

Capitol Hill F & G Streets (2010)

Permit Research

Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **513_G_Street_NE_facade_looking_looking_S
E.JPG**

Date:: Photog:

Code:: R: Fr:



Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **513_G_Street_NE_facade_looking_SW.JPG**

Date:: Photog:

Code:: R: Fr:



Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **513_G_Street_NE_rear_looking_NE.JPG**

Date:: Photog:

Code:: R: Fr:



PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

--

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
11/20/1895	0812	Build	

Permit Notes:

--

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

--

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/6/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0030

BASICS DATA

ID Number: **0834-0030** Year Built: **1895** Data Source: **Permit**

Number Extended Street Quad Type of Address

515 **G Street** **NE Current**

Name(s) Type of Name

Rowhouse, 515 G Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0030 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1895** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1895** **Permit** **2500 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Beall, R.J., Jr.**

Orig Construction **Builder** **Middaugh, Ray E.**

Orig Construction **Owner** **Middaugh, Ray E.**

Construction Notes:

One of six rowhouses constructed from the same permit (#0812).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 3)**

Relate to Street: **Face on Setback Line**

Massing: **Row Bldg (Rect. Bay)**

Footprint: **L-Shaped**

Number Stories: **2 plus basement**

Bays Wide: **2**

Height:

Width: **18**

Depth/Length: **32**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Contributing Status

Outbuilding Notes:

STYLE/EXTERIOR DATA

Architectural Style(s)

Queen Anne

Exterior & Architectural Notes:

March 2010: This two-story, two-bay, Queen Anne-style rowhouse was constructed by Ray E. Middaugh from the design of R.J. Beall, Jr. in 1895. It is one of six rowhouses constructed from the same permit (#0812). The dwelling is constructed of brick and is set on a solid concrete and brick foundation; the façade (north elevation) is faced with stretcher-bond pressed brick. A sloping roof caps the dwelling and is highlighted by a molded metal cornice with rounded modillions and a skinteled brick frieze. A four-course molded brick watertable spans the façade above the foundation, and two-course brick sill courses run below the first and second story openings, which are also bisected by brick string courses. A single-leaf paneled wood door is located in the westernmost bay of the first story on the façade. This opening is highlighted by a semicircular one-light transom and a soldier brick semicircular arch topped by rowlock brick molding. Metal steps with gas pipe hand rails provide access to the main entrance. The second story holds a 2/2, double-hung, wood-sash window with a concrete sill and soldier brick segmental arch capped by header brick molding. A three-sided rectangular bay with slightly chamfered corners projects from the easternmost bay of the façade and rises the full height of the dwelling. The bay shares the material treatment of the main block and is capped by a hipped roof of slate shingles. Openings on the bay hold single or paired 1/1, double-hung, wood-sash windows with concrete sills and soldier brick segmental arches topped by header brick molding. The foundation is pierced by paired one-light fixed wood windows with a rowlock brick segmental arch.

A two-story, two-bay brick ell is located on the western end of the rear (south) elevation and is original. The ell sits on a solid foundation and is capped by a sloping roof. The rear elevation was partially obscured by rear fencing. The second story is visible and is fenestrated by a 2/2, double-hung, wood-sash window with a header brick sill and a two-course rowlock brick segmental arch.

Site Notes:

March 2010: This rowhouse is located on the south side of G Street, N.E. and is set back approximately ten feet from the brick sidewalk. The dwelling is adjacent to 511 and 515 G Street, N.E. The small, grassy front yard is planted with mature shrubs, foundation plantings, and landscaping and is bordered by a milled point metal fence. Brick steps and a brick walkway lead from the sidewalk and travel toward the primary entrance. A small yard enclosed by a staggered wood privacy fence is located at the rear of the dwelling. An alleyway is also located to the south of the property.

NOTABLE FEATURES DATA

Component

Feature

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Pressed Brick		Stretcher Bond	
Structure Component	Material	Feature		Source
Foundation	Concrete			
Walls	Brick			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Basemt Windows	Rectangular	Fixed	1	Wood
Facade	Rectangular	Dbl-Hung	2/2	Wood
Facade	Rectangular	Dbl-Hung	1/1 Double	Wood
Facade	Rectangular	Dbl-Hung	1/1	Wood
Door Location	Aperture Shape	Type	Panels	Material
Main Door	Rectangular	Single	Paneled	Wood

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Historic District(s)

Subdivision:

Ward/ANC:

Zoning:

Contributing:

Designation Event(s)

Survey(s)

Level(s) of Investigation

Capitol Hill F & G Streets (2010)

Permit Research

Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **515_G_Street_NE_facade_looking_SE.JPG**

Date:: Photog:

Code:: R: Fr:



Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **515_G_Street_NE_facade_looking_SW.JPG**

Date:: Photog:

Code:: R: Fr:



Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **515_G_Street_NE_rear_looking_NE.JPG**

Date:: Photog:

Code:: R: Fr:



PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
11/20/1895	0812	Build	

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/6/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0031

BASICS DATA

ID Number: **0834-0031** Year Built: **1895** Data Source: **Permit**

Number Extended Street Quad Type of Address

517 **G Street** **NE Current**

Name(s) Type of Name

Rowhouse, 517 G Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0031 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1895** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1895** **Permit** **2500 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Beall, R.J., Jr.**

Orig Construction **Builder** **Middaugh, Ray E.**

Orig Construction **Owner** **Middaugh, Ray E.**

Construction Notes:

One of six rowhouses constructed from the same permit (#0812).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row End (1 of 3)**

Relate to Street: **Face on Setback Line**

Massing: **Row Bldg (Rect. Bay)**

Footprint: **L-Shaped**

Number Stories: **2 plus basement**

Bays Wide: **2**

Height:

Width: **18**

Depth/Length: **32**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Contributing Status

Outbuilding Notes:

STYLE/EXTERIOR DATA

Architectural Style(s)

Queen Anne

Exterior & Architectural Notes:

March 2010: This two-story, two-bay, Queen Anne-style rowhouse was constructed by Ray E. Middaugh from the design of R.J. Beall, Jr. in 1895. It is one of six rowhouses constructed from the same permit (#0812). The dwelling is constructed of brick and is set on a solid concrete and brick foundation; the façade (north elevation) is faced with stretcher-bond pressed brick. A sloping roof caps the dwelling and is highlighted by a molded metal cornice with rounded modillions and a skinteled brick frieze. A four-course molded brick watertable spans the façade above the foundation, and two-course brick sill courses run below the first and second story openings, which are also bisected by brick string courses. A single-leaf paneled wood door is located in the westernmost bay of the foundation level on the façade. This opening is highlighted by a one-light wood window. A semicircular one-light transom with a soldier brick semicircular arch topped by rowlock brick molding caps the doorway. Brick steps lead down to the main entrance. The second story holds a 1/1, double-hung, vinyl-sash window with a concrete sill and soldier brick segmental arch capped by header brick molding. A three-sided rectangular bay with slightly chamfered corners projects from the easternmost bay of the façade and rises the full height of the dwelling. The bay shares the material treatment of the main block and is capped by a pyramidal roof of asphalt shingles. Openings on the first story of the bay hold two-light fixed vinyl windows and one-light fixed vinyl windows with false muntins. The second story openings hold single and paired 1/1, double-hung, vinyl-sash windows. All openings are highlighted by concrete sills and soldier brick segmental arches topped by header brick molding. The east (side) elevation is faced with horizontal vinyl siding. An interior brick chimney with corbeled cap is located on this elevation.

A two-story, two-bay brick ell is located on the western end of the rear (south) elevation and is original. The ell sits on a solid foundation and is capped by a sloping roof. The rear elevation was partially obscured by rear fencing. The second story is visible and is fenestrated by a 1/1, double-hung sash window (materials not visible) with a brick sill and a two-course rowlock brick segmental arch.

Site Notes:

March 2010: This end-unit rowhouse is located on the south side of G Street, N.E. and is set back approximately ten feet from the brick sidewalk. The west (side) elevation of the dwelling is adjacent to 515 G Street, N.E. The small front yard is landscaped and planted with immature shrubs and trees; it is bordered by a metal picket fence to the west and a wooden picket fence to the north and east. A brick walkway lead from the sidewalk and travels toward the primary entrance. A small yard is located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component	Feature
-----------	---------

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Pressed Brick		Stretcher Bond	
Structure Component	Material	Feature		Source
Foundation	Concrete			
Walls	Brick			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Facade	Rectangular	Dbl-Hung	1/1	Vinyl
Facade	Rectangular	Fixed	1	Vinyl
Facade	Rectangular	Fixed	2 Lite	Vinyl
Door Location	Aperture Shape	Type	Panels	Material
Main Door	Rectangular	Single	Paneled	Wood

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Historic District(s)

Subdivision:

Ward/ANC:

Zoning:

Contributing:

Designation Event(s)

Survey(s)

Level(s) of Investigation

Capitol Hill F & G Streets (2010)

**Permit Research
Reconnaissance Survey**

PHOTOS - DIGITIZED

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **517_G_Street_NE_facade_looking_SE.JPG**

Date:: Photog:

Code:: R: Fr:



Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **517_G_Street_NE_facade_looking_SW.JPG**

Date:: Photog:

Code:: R: Fr:



Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **517_G_Street_NE_rear_looking_NE.JPG**

Date:: Photog:

Code:: R: Fr:



PHOTOS - B/W OR NON-DIGITIZED

Photo Code

Roll

Frame(s)

Date

Photographer

Caption

MISCELLANEOUS NOTES DATA

Notes:

--

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
11/20/1895	0812	Build	

Permit Notes:

--

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

--

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/6/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0034

BASICS DATA

ID Number: **0834-0034** Year Built: **1895** Data Source: **Permit**

Number	Extended	Street	Quad	Type of Address
638	-638.5	6th Street	NE	Current
638		6th Street	NE	Current

Name(s)	Type of Name
Rowhouse, 638 8th Street, N.E.	Common

TaxCode1	TaxCode2	TaxCode3	Type	Explain
0834/0034			Square/Lot	Current

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**
Desig. Status: **Historic** Quality:
Purpose: **Rowhouse** Condition: **Good**

Function/Use	Start	Source	Stop	Source	Explain
Residential (Single-Family)	1895	Permit			Original
Residential (Multi-Family)					Current

CONSTRUCTION DATA

Construction Event	Start	Source	Stop	Source	Cost Source
Orig Construction	1895	Permit			2500 Permit

Construction Event	Association	Associated Name
Orig Construction	Architect	Beall, R.J., Jr.
Orig Construction	Builder	Middaugh, Ray E.
Orig Construction	Owner	Middaugh, Ray E.

Construction Notes:

One of six rowhouses constructed from the same permit (#0812).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**
 Streetscape: **Intact**
 Relate to Othr Bldgs: **Row (1 of 3)**
 Relate to Street: **Face on Setback Line**
 Massing: **Row Building/Oriel**
 Footprint: **L-Shaped**

Cross Reference Notes:



Number Stories: **2 plus basement**
 Bays Wide: **3**

	Outbuilding Type	Contributing Status
Height:	Shed	Non-Contributing
Width: 18		
Depth/Length: 32		
SqFt:		

Volume:
 Lot Width
 Lot Depth/Length:
 Lot SqFt:
 Acreage:

Has Driveway: ☐

Outbuilding Notes:

March 2010: A one-story, one-bay wood-frame shed (ca. 1990) is located west of the dwelling. An asymmetrical side-gabled roof of asphalt shingles caps the dwelling which is faced with horizontal wood siding.

STYLE/EXTERIOR DATA

Architectural Style(s)

Queen Anne

Exterior & Architectural Notes:

March 2010: This two-story, three-bay Queen Anne-style rowhouse was constructed by Ray E. Middaugh from the design of R.J. Beall, Jr. in 1895. It is one of six rowhouses constructed from the same permit (#0812). The brick dwelling sits on a solid concrete and brick foundation and is capped by a sloped roof fronted on the façade (east elevation) by a false mansard of slate shingles set between two brick firewalls. A molded and boxed metal cornice with modillions completes the roof. The façade is faced with pressed stretcher-bond brick and a two-course brick sill course spans the façade below the first-story window openings. Another brick belt course bisects the first story window openings, and a molded metal sill course runs below the second-story openings. The northernmost bay of the foundation is pierced by a single-leaf wood-frame glass door with a soldier-brick segmental arch capped by brick molding. The foundation is further pierced by 1/1, double-hung, vinyl-sash windows with soldier brick segmental arches capped by brick molding. The northernmost bay of the first story holds a single-leaf wood-frame glass door with a one-light transom highlighted by a rusticated concrete-lug lintel. This door leads to an interior vestibule with a single-leaf paneled wood door. The door is accessed via metal steps with gas pipe railings. The first story is further fenestrated by 1/1, double-hung, vinyl-sash widows with concrete-lug sills and rusticated concrete-lug lintels. The second story holds a bowed metal oriel window with a gadrooned support. The oriel is capped by a pyramidal roof of slate shingles and shares the cornice of the main block. The oriel is fenestrated with three 1/1, double-hung, wood-sash windows with arabesque ornamentation below.

A two-story, two-bay ell constructed of brick is located on the northern end of the rear (west) elevation and is original. The ell is capped by a sloping roof and an exterior brick chimney with a parged cap is located at the southwest corner. The west elevation has been parged and painted with a mural on the first story. Openings in the northernmost bay on the first and second stories hold single-leaf wood-frame doors highlighted by single-light transoms. The southernmost bays on both stories hold 1/1, double-hung, vinyl-sash windows with concrete sills. A one-story wood porch spans the elevation on the second story and is supported by square wood posts. Square wood balusters encircle the porch.

Site Notes:

March 2010: This rowhouse is located on the west side of 6th Street, N.E. and is set back approximately ten feet from the brick sidewalk. The dwelling is adjacent to 630 and 640 6th Street, N.E. The flat front yard is planted with immature shrubs and trees and is bounded by metal bow and picket fencing. A brick walkway leads from the sidewalk and travels toward the primary and basement entrances. A yard enclosed by wood privacy fencing and a shed are located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component	Feature
-----------	---------

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Mansard (False)	Slate		Shingled	
Sloped	Not Visible		Not Visible	

Wall Component	Material	Color	Treatment	Source
Facade	Pressed Brick		Stretcher Bond	

Structure Component	Material	Feature	Source
Foundation	Concrete & Brick		
Walls	Brick		

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Facade	Rectangular	Dbl-Hung	1/1	Vinyl
Oriel	Rectangular	Dbl-Hung	1/1	Wood

Door Location	Aperture Shape	Type	Panels	Material
Basement	Rectangular	Single	Full Glass	Wood
Main Door	Rectangular	Recessed	Paneled	Wood
Main Door	Rectangular	Single	Full Glass	Wood

Notable Interior Plan(s)	Notable Interior Feature(s)

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: Capitol Hill	Historic District(s)
Subdivision:	
Ward/ANC:	
Zoning:	Designation Event(s)
Contributing:	
Survey(s)	Level(s) of Investigation
Capitol Hill F & G Streets (2010)	Permit Research
	Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Path: **C:\Users\CHRS\Documents\CHRS Databases\F&G Street - 2 to 11th St\Database\Pictures\Square 0834**

File: **638-638.5_6th_Street_NE_facade_looking_NW.jpg**

Date:: Photog:

Code:: R: Fr:



Caption:

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 638-
638.5_6th_Street_NE_facade_looking_SW.jpg

Date:: Photog:

Code:: R: Fr:




Caption:

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 638-638.5_6th_Street_NE_rear (2).jpg

Date:: Photog:

Code:: R: Fr:



PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
11/20/1895	0812	Build	

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/6/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0033

BASICS DATA

ID Number: **0834-0033** Year Built: **1895** Data Source: **Permit**

Number Extended Street Quad Type of Address

640 **6th Street** **NE Current**

Name(s) Type of Name

Rowhouse, 640 6th Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0033 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1895** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1895** **Permit** **2500 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Beall, R.J., Jr.**

Orig Construction **Builder** **Middaugh, Ray E.**

Orig Construction **Owner** **Middaugh, Ray E.**

Construction Notes:

One of six rowhouses constructed from the same permit (#0812).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 3)**

Relate to Street: **Face on Setback Line**

Massing: **Row Building/Oriel**

Footprint: **L-Shaped**

Number Stories: **2 plus basement**

Bays Wide: **3**

Height:

Width: **18**

Depth/Length: **32**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Contributing Status

Outbuilding Notes:

STYLE/EXTERIOR DATA

Architectural Style(s)

Queen Anne

Exterior & Architectural Notes:

March 2010: This two-story, three-bay Queen Anne-style rowhouse was constructed by Ray E. Middaugh from the design of R.J. Beall, Jr. in 1895. It is one of six rowhouses constructed from the same permit (#0812). The brick dwelling sits on a solid concrete and brick foundation and is capped by a sloped roof fronted on the façade (east elevation) by a false mansard of slate shingles set between two brick firewalls. A molded and boxed metal cornice with modillions completes the roof. The façade is faced with pressed stretcher-bond brick and a two-course brick sill course spans the façade below the first-story window openings. Another brick belt course bisects the first story window openings, and a molded metal sill course runs below the second-story openings. The southernmost bay of the foundation is pierced by a single-leaf wood-frame glass door with a soldier-brick segmental arch capped by brick molding. The foundation is further pierced by a 1/1, double-hung, vinyl-sash window with a soldier brick segmental arch capped by brick molding. The northernmost bay of the first story holds a single-leaf wood-frame glass door with a one-light transom highlighted by a rusticated concrete-lug lintel. The door is accessed via metal steps with gas pipe railings. The first story is further fenestrated by 1/1, double-hung, vinyl-sash windows with concrete-lug sills and rusticated concrete-lug lintels. The second story holds a bowed metal oriel window with a gadrooned support. The oriel is capped by a pyramidal roof of slate shingles and shares the cornice of the main block. The oriel is fenestrated with three 1/1, double-hung, vinyl-sash windows with arabesque ornamentation below.

A two-story, two-bay ell constructed of brick is located on the northern end of the rear (west) elevation and is original. A single-leaf wood-frame glass door is located in the northernmost bay and a 1/1, double-hung, sash window (materials not visible) is located in the southernmost bay on the first story. Both have two-course rowlock brick segmental arches. A wood deck projects from the first story and has steps that lead to the brick-paved patio at the rear of the dwelling. An addition (ca. 1990) spans the second story. The addition is faced with horizontal siding and is supported by outer walls that rise from the ground level. The west elevation is fenestrated with tripled 1/1, double-hung, vinyl-sash windows.

Site Notes:

March 2010: This rowhouse is located on the west side of 6th Street, N.E. and is set back approximately ten feet from the brick sidewalk. The dwelling is adjacent to 638 and 642 6th Street, N.E. The flat front yard is planted with immature shrubs and is bounded by metal bow and picket fencing. A brick walkway leads from the sidewalk and travels toward the primary and basement entrances. A yard enclosed by wood fencing is located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component

Feature

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Mansard (False)	Slate		Shingled	
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Pressed Brick		Stretcher Bond	
Structure Component	Material	Feature		Source
Foundation	Concrete & Brick			
Walls	Brick			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Facade	Rectangular	Dbl-Hung	1/1	Vinyl
Door Location	Aperture Shape	Type	Panels	Material
Basement	Rectangular	Single	Full Glass	Wood
Main Door	Rectangular	Single	Full Glass	Wood

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Historic District(s)

Subdivision:

Ward/ANC:

Zoning:

Contributing:

Designation Event(s)

Survey(s)

Level(s) of Investigation

Capitol Hill F & G Streets (2010)

Permit Research

Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **640_6th_Street_NE_facade_looking_NW.JPG**

Date:: Photog:

Code:: R: Fr:



Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **640_6th_Street_NE_facade_looking_SW.JPG**

Date:: Photog:

Code:: R: Fr:



Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **640_6th_Street_NE_rear_looking_E.JPG**

Date:: Photog:

Code:: R: Fr:



PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
11/20/1895	0812	Build	

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/6/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0032

BASICS DATA

ID Number: **0834-0032** Year Built: **1895** Data Source: **Permit**

Number Extended Street Quad Type of Address

642 **6th Street** **NE Current**

Name(s) Type of Name

Rowhouse, 642 6th Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0032 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1895** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1895** **Permit** **2500 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Beall, R.J., Jr.**

Orig Construction **Builder** **Middaugh, Ray E.**

Orig Construction **Owner** **Middaugh, Ray E.**

Construction Notes:

One of six rowhouses constructed from the same permit (#0812).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 3)**

Relate to Street: **Face on Setback Line**

Massing: **Row Building/Oriel**

Footprint: **L-Shaped**

Number Stories: **2 plus basement**

Bays Wide: **3**

Height:

Width: **18**

Depth/Length: **32**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Contributing Status

Outbuilding Notes:

STYLE/EXTERIOR DATA

Architectural Style(s)

Queen Anne

Exterior & Architectural Notes:

March 2010: This two-story, three-bay Queen Anne-style rowhouse was constructed by Ray E. Middaugh from the design of R.J. Beall, Jr. in 1895. It is one of six rowhouses constructed from the same permit (#0812). The brick dwelling sits on a solid concrete and brick foundation and is capped by a sloped roof fronted on the façade (east elevation) by a false mansard of slate shingles set between two brick firewalls. A molded and boxed metal cornice with modillions completes the roof. The façade is faced with pressed stretcher-bond brick and a two-course brick sill course spans the façade below the first-story window openings. Another brick belt course bisects the first story window openings, and a molded metal sill course runs below the second-story openings. The foundation is pierced by twelve-light glass-block windows with soldier brick segmental arches capped by brick molding. The northernmost bay of the first story holds a single-leaf paneled wood door with lights and a one-light transom highlighted by a rusticated concrete-lug lintel. The door is accessed via brick steps with metal railings. The first story is further fenestrated by 1/1, double-hung, vinyl-sash windows with concrete-lug sills and rusticated concrete-lug lintels. The second story holds a bowed metal oriel window with a gadrooned support. The oriel is capped by a pyramidal roof of slate shingles and shares the cornice of the main block. The oriel is fenestrated with three 1/1, double-hung, vinyl-sash windows with arabesque ornamentation below.

A two-story, two-bay ell constructed of brick is located on the northern end of the rear (west) elevation and is original. The ell is capped by a sloping roof and an exterior brick chimney with a parged cap is located at the southwest corner. The elevation was partially obscured by rear fencing, but fenestration on the second story includes 2/2, double-hung, wood-sash windows with concrete sills.

Site Notes:

March 2010: This rowhouse is located on the west side of 6th Street, N.E. and is set back approximately ten feet from the brick sidewalk. The dwelling is adjacent to 640 and 644 6th Street, N.E. The flat front yard is planted with immature shrubs and is bounded by metal bow and picket fencing. Brick steps lead from the sidewalk and travel toward the primary entrance. A yard enclosed by wood fencing is located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component	Feature
-----------	---------

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Mansard (False)	Slate		Shingled	
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Pressed Brick		Stretcher Bond	
Structure Component	Material	Feature		Source
Foundation	Concrete & Brick			
Walls	Brick			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Basemt Windows	Rectangular	Fixed	12	Glass Bloc
Facade	Rectangular	Dbl-Hung	1/1	Vinyl
Door Location	Aperture Shape	Type	Panels	Material
Main Door	Rectangular	Single	Paneled	Wood/Glass

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Historic District(s)

Subdivision:

Ward/ANC:

Zoning:

Designation Event(s)

Contributing:

Survey(s)

Level(s) of Investigation

Capitol Hill F & G Streets (2010)

Permit Research

Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **642_6th_Street_NE_facade_looking_NW.jpg**

Date:: Photog:

Code:: R: Fr:



Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **642_6th_Street_NE_facade_looking_SW.jpg**

Date:: Photog:

Code:: R: Fr:



Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **642_6th_Street_NE_rear (2).jpg**

Date:: Photog:

Code:: R: Fr:



PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Tuesday, June 25, 2013

ID_Number: 0834-0032 Page 3

Notes:

--

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
-------------------	--------	------	---------

11/20/1895	0812	Build	
------------	------	-------	--

Permit Notes:

--

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

--

SIGNIFICANCE DATA

Study Unit

--

Code	Criteria
------	----------

--	--

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/26/2010	Litowitz (DDL), Dana	Record Updated
4/7/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0067

BASICS DATA

ID Number: **0834-0067** Year Built: **1904** Data Source: **Permit**

Number Extended Street Quad Type of Address

501 **G Street** **NE** **Current**

Name(s) Type of Name

Single Dwelling, 501 G Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0067 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Residential** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1904** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1904** **Permit** **2000 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Ettinger, F.J.**

Orig Construction **Builder** **Ettinger, F.J.**

Orig Construction **Owner** **Knighton, John H.**

Construction Notes:

One of two dwellings constructed from the same permit (#1066).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Attached (1 side)**

Relate to Street: **Face on Setback Line**

Massing: **Row Building/Canted Bay**

Footprint: **Rectangular (w/ side bays)**

Number Stories: **2.5**

Bays Wide: **2**

Height:

Width: **18**

Depth/Length:

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Contributing Status

Outbuilding Notes:

STYLE/EXTERIOR DATA

Architectural Style(s)

Queen Anne

Exterior & Architectural Notes:

March 2010: This two-and-one-half-story, two-bay, Queen Anne-style single dwelling was designed and constructed in 1904 by F.J. Ettinger. It is one of two dwellings constructed from the same permit (#1066). The dwelling is constructed of brick and is set on a solid concrete foundation; the façade (north elevation) is faced with stretcher-bond pressed brick. A sloping roof caps the dwelling and is highlighted by a molded metal cornice with brick dentil molding. An interior-side brick chimney rises from the west (side) elevation of the dwelling and has a corbeled cap. Recessed brick spandrel panels are located above the second story window openings. A single-leaf paneled door with lights is located in the easternmost bay of the first story on the façade. This opening is highlighted by a rectangular one-light transom and a rock-faced concrete-lug lintel. Concrete steps with brick and concrete wing walls provide access to a concrete stoop with solid brick and concrete balusters at the main entrance. A three-sided, canted bay projects from the westernmost bay of the façade and rises the full height of the dwelling. The bay shares the material treatment of the main block but additionally has two-course sill courses below the first and second story window openings. A rectangular single-light wood window with concrete sill is located below a plain metal frieze that complements the cornice on the bay. The bay is also capped by a pyramidal roof of slate shingles and a metal finial. All other openings on the façade hold 1/1, double-hung, vinyl-sash windows with concrete sills and rock-faced concrete-lug lintels.

The west (side) elevation received the same treatment as the projecting bay on the façade. A two-story, two-bay, three-sided canted bay projects from the center of the west elevation. This bay has brick dentil molding below the molded cornice. All openings on the elevation hold 1/1, double-hung, vinyl-sash windows with concrete sills and rock-faced concrete-lug lintels.

The rear (south) elevation was not fully visible due to fencing, but it is fenestrated with 1/1, double-hung, vinyl-sash windows with concrete-lug sills and two-course rowlock brick segmental arches on the second story.

Site Notes:

March 2010: This end-unit dwelling is located on the south side of G Street, N.E., southeast of the intersection of G and 5th Streets, N.E. It is set back approximately fifteen feet from the brick sidewalk. The east (side) elevation is adjacent to 503 G Street, N.E. The front and side yard are landscaped and planted with mature shrubs and foundation plantings; they are bordered by a milled point metal fence. A concrete and brick walkway leads from the sidewalk and travels toward the primary entrance. The rear yard holds a patio of concrete pavers and is enclosed by a wood privacy fence.

NOTABLE FEATURES DATA

Component	Feature
-----------	---------

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Pressed Brick		Stretcher Bond	
Structure Component	Material	Feature		Source
Foundation	Concrete			
Walls	Brick			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Facade	Rectangular	Dbl-Hung	1/1	Vinyl
Facade	Rectangular	Fixed	1	Vinyl
Door Location	Aperture Shape	Type	Panels	Material
Main Door	Rectangular	Single	Paneled	Unknown w/Lights

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

--

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Historic District(s)

Subdivision:

Ward/ANC:

Zoning:

Contributing:

Designation Event(s)

Survey(s)

Level(s) of Investigation

Capitol Hill F & G Streets (2010)

Permit Research

Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **501_G_Street_NE_facade_looking_SE.JPG**

Date:: Photog:

Code:: R: Fr:



Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **501_G_Street_NE_rear_looking_NE.JPG**

Date:: Photog:

Code:: R: Fr:



PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

--

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
01/16/1904	1066	Build	

Permit Notes:

--

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

--

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/6/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0068

BASICS DATA

ID Number: **0834-0068** Year Built: **1904** Data Source: **Permit**

Number Extended Street Quad Type of Address

503 **G Street** **NE Current**

Name(s) Type of Name

Single Dwelling, 503 G Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0068 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Residential** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1904** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1904** **Permit** **2000 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Ettinger, F.J.**

Orig Construction **Builder** **Ettinger, F.J.**

Orig Construction **Owner** **Knighton, John H.**

Construction Notes:

One of two dwellings constructed from the same permit (#1066).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Attached**

Relate to Street: **Face on Setback Line**

Massing: **Row Building/Canted Bay**

Footprint: **L-Shaped**

Number Stories: **2.5 plus basement**

Bays Wide: **2**

Height:

Width: **18**

Depth/Length:

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Contributing Status

Outbuilding Notes:

STYLE/EXTERIOR DATA

Architectural Style(s)

Queen Anne

Exterior & Architectural Notes:

March 2010: This two-and-one-half-story, two-bay, Queen Anne-style single dwelling was designed and constructed in 1904 by F.J. Ettinger. It is one of two dwellings constructed from the same permit (#1066). The dwelling is constructed of brick and is set on a solid concrete foundation; the façade (north elevation) is faced with stretcher-bond pressed brick. A sloping roof caps the dwelling and is highlighted by a molded metal cornice with brick dentil molding. Recessed brick spandrel panels are located above the second story window openings. A single-leaf paneled wood door is located in the easternmost bay of the first story on the façade. This opening is highlighted by a rectangular one-light transom and a rock-faced concrete-lug lintel. Concrete steps with concrete wing walls provide access to a concrete stoop with solid brick and concrete balusters at the main entrance. A three-sided, canted bay projects from the westernmost bay of the façade and rises the full height of the dwelling. The bay shares the material treatment of the main block but additionally has two-course sill courses below the first and second story window openings. A rectangular single-light wood window with concrete sill is located below a plain metal frieze that complements the cornice on the bay. The bay is also capped by a pyramidal roof of slate shingles and a metal finial. A one-light blind windows pierces the foundation and has a rock-faced concrete-lug lintel. The first story on the bay holds a one-light metal window with a rock-faced concrete-lug lintel. All other openings on the façade hold 1/1, double-hung, metal-sash windows with concrete sills and rock-faced concrete-lug lintels.

A two-story, two-bay ell is located on the eastern end of the rear (south) elevation and is original. The rear has been parged. An exterior-side chimney is located on the west elevation of the ell and has a parged cap. A recessed single-leaf wood-frame glass door is located in the eastern end bay of the first story of the ell. The rear is further fenestrated by 1/1, double-hung, vinyl-sash windows with concrete sills.

Site Notes:

March 2010: This single dwelling is located on the south side of G Street, N.E. and is set back approximately fifteen feet from the brick sidewalk. The dwelling is adjacent to 501 and 505 G Street, N.E. The front yard is planted with mature shrubs and is bordered by a milled point metal fence. A brick walkway leads from the sidewalk and travels toward the primary entrance. The rear yard holds a concrete paved patio and is enclosed by a wood chain link metal fence.

NOTABLE FEATURES DATA

Component	Feature
-----------	---------

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Pressed Brick		Stretcher Bond	
Structure Component	Material	Feature		Source
Foundation	Concrete			
Walls	Brick			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Facade	Rectangular	Dbl-Hung	1/1	Metal
Facade	Rectangular	Fixed	1	Metal
Facade	Rectangular	Fixed	1	Wood
Door Location	Aperture Shape	Type	Panels	Material
Main Door	Rectangular	Single	Paneled	Wood

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Historic District(s)

Subdivision:

Ward/ANC:

Zoning:

Designation Event(s)

Contributing:

Survey(s)

Level(s) of Investigation

Capitol Hill F & G Streets (2010)

**Permit Research
Reconnaissance Survey**

PHOTOS - DIGITIZED

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **503_G_Street_NE_facade_looking_SE.JPG**

Date:: Photog:

Code:: R: Fr:



Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **503_G_Street_NE_facade_looking_SW.JPG**

Date:: Photog:

Code:: R: Fr:



Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **503_G_Street_NE_rear_looking_N.JPG**

Date:: Photog:

Code:: R: Fr:



PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Tuesday, June 25, 2013

ID_Number: 0834-0068 Page 3

Notes:

--

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
01/16/1904	1066	Build	

Permit Notes:

--

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

--

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/6/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0050

BASICS DATA

ID Number: **0834-0050** Year Built: **1909** Data Source: **Permit**

Number Extended Street Quad Type of Address

647 **5th Street** **NE Current**

Name(s) Type of Name

Single Dwelling, 647 5th Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0050 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Residential** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1909** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1909** **Permit** **3000 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Volland, Edward O.**

Orig Construction **Builder** **Gottwals, M.L.**

Orig Construction **Owner** **Norway, Fred A.**

Construction Notes:

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Attached (1 side)**

Relate to Street: **Face on Setback Line**

Massing: **Row Building/Canted Bay**

Footprint: **Rectangular**

Number Stories: **2 plus basement**

Bays Wide: **3**

Height:

Width: **17**

Depth/Length: **55**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Contributing Status

Outbuilding Notes:

STYLE/EXTERIOR DATA

Architectural Style(s)

Queen Anne

Exterior & Architectural Notes:

March 2010: This two-story, two-bay Queen Anne-style rowhouse was constructed in 1909 by M.L. Gottwals from the design of Edward O. Volland from permit #1351. The six-course American-bond brick structure sits on a solid concrete foundation. The dwelling is capped by a sloping roof that is complemented by a false mansard of slate fish scale shingles set between two brick firewalls on the façade (west elevation). The mansard features a molded metal cornice with modillions and dentils. The façade is faced with stretcher-bond brick. The foundation is pierced in the northernmost bay by a single-leaf paneled metal door with lights. The northernmost bay of the first story holds a single-leaf paneled wood door with one-light transom and a concrete-lug lintel. The entry is accessed via metal steps with metal hand rails. A three-sided canted bay rises the full height of the dwelling and projects from the southern end bay. The bay shares the material treatment of the main block and is capped by a pyramidal roof of slate fish scale shingles. The foundation is pierced by two-light vinyl sliding windows with concrete sills and concrete-lug lintels. The façade is fenestrated with 1/1, double-hung, vinyl-sash windows with concrete sills and concrete-lug lintels or splayed brick lintels with keystones.

The north (side) elevation is fenestrated with two-light vinyl sliding windows on the foundation and 2/2, double-hung, wood-sash windows on the other stories. All openings are highlighted by concrete sills and two-course rowlock brick segmental arches.

The rear (east) elevation holds single-leaf wood French doors in the northernmost bay on the basement, first, and second stories. The doors on the first and second stories feature one-light transoms and two-course rowlock brick segmental arches. The foundation is further pierced by two-light vinyl sliding windows with rowlock brick sills and two-course rowlock brick segmental arches. Openings on the first story hold a 1/1, double-hung, vinyl-sash window and a two-light vinyl sliding window above a one-light opening. Both windows have concrete sills and two-course rowlock brick segmental arches. The second story holds a 1/1, double-hung, vinyl-sash window with a concrete sill and a two-course rowlock brick segmental arch. A one-story metal porch projects from the first story of the elevation. It is supported by round metal posts and is encircled by metal balusters. The porch is accessed via metal steps in the northern end bay.

Site Notes:

March 2010: This end-unit rowhouse is located on the east side of 5th Street, N.E. and is set back approximately ten feet from the concrete sidewalk. The south (side) elevation is adjacent to 645 5th Street, N.E. and the north (side) elevation is adjacent to a brick alley. The flat front yard contains mature shrubs and trees and is bounded by a brick retaining wall and metal picket fencing. A brick walkway leads from the sidewalk and travels toward the primary and basement entrances. A yard bordered by wood privacy fencing is located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component	Feature
-----------	---------

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Mansard (False)	Slate		Shingled	
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Brick		Stretcher Bond	
Structure Component	Material	Feature		Source
Foundation	Concrete			
Walls	Brick			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Basemt Windows	Rectangular	Sliding	2 Lite	Vinyl
Facade	Rectangular	Dbl-Hung	1/1	Vinyl
Door Location	Aperture Shape	Type	Panels	Material

Basement	Rectangular	Single	Paneled	Metal/Glas
Main Door	Rectangular	Single	Paneled	Wood

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Historic District(s)

Subdivision:

Ward/ANC:

Zoning:

Designation Event(s)

Contributing:

Survey(s)

Level(s) of Investigation

Capitol Hill F & G Streets (2010)

Permit Research
Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 647_5th_Street_NE_facade_looking_E.JPG**
Date:: Photog:
Code:: R: Fr:



Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 647_5th_Street_NE_facade_looking_SE.JPG**
Date:: Photog:
Code:: R: Fr:



Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 647_5th_Street_NE_rear.JPG**
Date:: Photog:
Code:: R: Fr:



PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
08/28/1909	1351	Build	

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/8/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0046

BASICS DATA

ID Number: **0834-0046** Year Built: **1909** Data Source: **Permit**

Number Extended Street Quad Type of Address

639 **5th Street** **NE Current**

Name(s) Type of Name

Rowhouse, 639 5th Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0046 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1909** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1909** **Permit** **3000 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Volland, Edward O.**

Orig Construction **Builder** **Gottwals, M.L.**

Orig Construction **Owner** **Norway, Fred A.**

Construction Notes:

One of four rowhouses constructed from the same permit (#1352).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 4)**

Relate to Street: **Face on Setback Line**

Massing: **Row Building/Front Porch**

Footprint: **L-Shaped**

Number Stories: **2.5 plus basement**

Bays Wide: **3**

Height:

Width: **17**

Depth/Length: **34**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Garage

Contributing Status

Contributing

Outbuilding Notes:

March 2010: A one-story, one-bay garage constructed ca. 1925 is located east of the dwelling. This six-course American-bond brick structure sits on a solid foundation and is capped by a sloped roof with a molded metal cornice. The façade (east

elevation) is pierced by a roll-up paneled metal door with lights highlighted by a paneled metal lintel.

STYLE/EXTERIOR DATA

Architectural Style(s)

Classical Revival

Exterior & Architectural Notes:

March 2010: This two-and-a-half-story, three-bay Classical Revival-style rowhouse was constructed in 1909 by M.L. Gottwals from the design of Edward O. Volland. It is one of four similar rowhouses constructed from the same permit (#1352). The brick structure sits on a solid concrete foundation. The dwelling is capped by a sloping roof that is fronted by a false mansard of slate fish scale shingles between two brick firewalls on the façade (west elevation). The mansard is pierced by hipped dormers with slate shingles that hold twelve-light fixed wood windows. A molded metal cornice with modillions and dentils completes the roof. The façade is faced with stretcher-bond brick. The foundation is pierced by a vinyl sliding window and a 1/1, double-hung, vinyl-sash window with concrete-lug lintels. The northernmost bay of the first story holds a single-leaf paneled wood door with lights and a one-light wood transom with a concrete-lug lintel. All other openings on the façade hold 1/1, double-hung, wood-sash windows with concrete sills. Openings on the first story have concrete-lug lintels while openings on the second story have splayed brick lintels with concrete keystones. A one-story, one-bay porch projects from the façade and is set on a brick pier foundation. The porch has a sloped roof with overhanging eaves and a molded cornice and is supported by square brick posts. Metal balusters encircle the porch, which is accessed via concrete steps in the northern end bay.

A two-story, two-bay brick ell is located on the south bay of the rear (east) elevation and is original. An exterior brick chimney with a corbeled cap is located in the northeast corner of the ell, which is capped by a sloped roof. A two-story porch with a shed roof has been enclosed by vinyl siding. The first story holds a single-leaf door with lights in the southern end bay and 1/1, double-hung, vinyl-sash windows and one-light fixed vinyl windows in other openings. The second story holds sliding vinyl windows.

Site Notes:

March 2010: This rowhouse is located on the east side of 5th Street, N.E. and is set back approximately ten feet from the concrete sidewalk. The dwelling is adjacent to 637 and 641 5th Street, N.E. The flat, raised front yard contains mature shrubs and foundation plantings and is bounded by a stone retaining wall. Concrete steps lead from the sidewalk and travel toward the primary entrance. A yard bordered by wood privacy fencing and a garage are located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component Feature

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Mansard (False)	Slate		Shingled	
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Brick & Stone		Stretcher Bond	
Structure Component	Material	Feature		Source
Foundation	Concrete & Brick			
Walls	Brick & Stone			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Basemt Windows	Rectangular	Sliding	2 Lite	Vinyl
Facade	Rectangular	Dbl-Hung	1/1	Wood
Door Location	Aperture Shape	Type	Panels	Material
Main Door	Rectangular	Single	Paneled	Wood/Glass

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Historic District(s)

Subdivision:

Ward/ANC:

Zoning:

Designation Event(s)

Contributing:

Survey(s)

Level(s) of Investigation

Capitol Hill F & G Streets (2010)

**Permit Research
Reconnaissance Survey**

PHOTOS - DIGITIZED

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 639_5th_Street_NE_facade_looking_NE.JPG**

Date:: Photog:

Code:: R: Fr:



Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 639_5th_Street_NE_facade_looking_SE.JPG**

Date:: Photog:

Code:: R: Fr:



Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 639_5th_Street_NE_garage.JPG**

Date:: Photog:

Code:: R: Fr:



Caption:

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\

File: 639_5th_Street_NE_rear.JPG

Date:: Photog:

Code:: R: Fr:



PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
-------------------	--------	------	---------

08/28/1909	1352	Build	
------------	------	-------	--

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/7/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0047

BASICS DATA

ID Number: **0834-0047** Year Built: **1909** Data Source: **Permit**

Number Extended Street Quad Type of Address

641 **5th Street** **NE Current**

Name(s) Type of Name

Rowhouse, 641 5th Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0047 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1909** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1909** **Permit** **3000 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Volland, Edward O.**

Orig Construction **Builder** **Gottwals, M.L.**

Orig Construction **Owner** **Norway, Fred A.**

Construction Notes:

One of four rowhouses constructed from the same permit (#1352).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 4)**

Relate to Street: **Face on Setback Line**

Massing: **Row Building/Front Porch**

Footprint: **L-Shaped**

Number Stories: **2.5 plus basement**

Bays Wide: **3**

Height:

Width: **17**

Depth/Length: **34**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Garage

Contributing Status

Contributing

Outbuilding Notes:

March 2010: A one-story, one-bay garage constructed ca. 1925 is located east of the dwelling. This six-course American-bond brick structure sits on a solid foundation and is capped by a sloped roof of corrugated metal. The façade (east elevation) is

faced with aluminum siding and is pierced by a roll-up paneled metal door.

STYLE/EXTERIOR DATA

Architectural Style(s)

Classical Revival

Exterior & Architectural Notes:

March 2010: This two-and-a-half-story, three-bay Classical Revival-style rowhouse was constructed in 1909 by M.L. Gottwals from the design of Edward O. Volland. It is one of four similar rowhouses constructed from the same permit (#1352). The brick structure sits on a solid concrete foundation and is capped by a sloping roof that is fronted by a false mansard of slate fish scale shingles between two brick firewalls on the façade (west elevation). The mansard is pierced by a gabled dormer that holds twelve-light fixed wood windows. A molded metal cornice with modillions and dentils completes the roof. The façade is faced with stretcher-bond brick. The northernmost bay of the first story holds a single-leaf paneled wood door with a semicircular light and a one-light wood transom with a concrete-lug lintel. All other openings on the façade hold 1/1, double-hung, vinyl-sash windows with concrete sills. Openings on the first story have concrete-lug lintels while openings on the second story have splayed brick lintels with concrete keystones. A one-story, one-bay porch projects from the façade and is set on a brick pier foundation infilled with brick. The foundation is pierced with one-light vinyl awning windows. The porch has a sloped roof with overhanging eaves and a molded cornice and is supported by square brick posts. Metal balusters encircle the porch, which is accessed via concrete steps in the northern end bay.

A two-story, two-bay brick ell is located on the north bay of the rear (east) elevation and is original. A brick chimney with a corbeled cap is located in the southeast corner of the ell, which is capped by a sloped roof. A two-story porch with a shed roof is located on the east elevation of the ell. The porch is supported by wood posts and encircled by square wood balusters. The rear was obscured by garages, but a single-leaf wood-frame glass door with a one-light transom and a 1/1, double-hung, sash window are located on the second story.

Site Notes:

March 2010: This rowhouse is located on the east side of 5th Street, N.E. and is set back approximately ten feet from the concrete sidewalk. The dwelling is adjacent to 639 and 643 5th Street, N.E. The flat, raised front yard contains mature shrubs and foundation plantings and is bounded by a stone retaining wall. Concrete steps lead from the sidewalk and travel toward the primary entrance. A yard bordered by wood privacy fencing and a garage are located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component Feature

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Mansard (False)	Slate		Shingled	
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Brick		Stretcher Bond	
Structure Component	Material	Feature		Source
Foundation	Concrete			
Walls	Brick			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Basemt Windows	Rectangular	Awning	1	Vinyl
Dormer	Rectangular	Fixed	12	Wood
Facade	Rectangular	Dbl-Hung	1/1	Vinyl
Door Location	Aperture Shape	Type	Panels	Material
Main Door	Rectangular	Single	Paneled	Wood/Glass

Notable Interior Plan(s) _____

Notable Interior Feature(s) _____

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Historic District(s) _____

Subdivision:

Ward/ANC:

Zoning:

Designation Event(s) _____

Contributing:

Survey(s)

Level(s) of Investigation _____

Capitol Hill F & G Streets (2010)

Permit Research

Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **641_5th_Street_NE_facade_looking_E.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **641_5th_Street_NE_facade_looking_SE.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **641_5th_Street_NE_garage_looking_NW.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\

File: 641_5th_Street_NE_rear_looking_W.JPG

Date:: Photog:

Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
-------------------	--------	------	---------

08/28/1909	1352	Build	
------------	------	-------	--

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/8/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0048

BASICS DATA

ID Number: **0834-0048** Year Built: **1909** Data Source: **Permit**

Number Extended Street Quad Type of Address

643 **5th Street** **NE Current**

Name(s) Type of Name

Rowhouse, 643 5th Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0048 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1909** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1909** **Permit** **3000 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Volland, Edward O.**

Orig Construction **Builder** **Gottwals, M.L.**

Orig Construction **Owner** **Norway, Fred A.**

Construction Notes:

One of four rowhouses constructed from the same permit (#1352).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 4)**

Relate to Street: **Face on Setback Line**

Massing: **Row Building/Front Porch**

Footprint: **L-Shaped**

Number Stories: **2.5 plus basement**

Bays Wide: **3**

Height:

Width: **17**

Depth/Length: **34**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Contributing Status

Outbuilding Notes:

STYLE/EXTERIOR DATA

Architectural Style(s)

Classical Revival

Exterior & Architectural Notes:

March 2010: This two-and-a-half-story, three-bay Classical Revival-style rowhouse was constructed in 1909 by M.L. Gottwals from the design of Edward O. Volland. It is one of four similar rowhouses constructed from the same permit (#1352). The brick structure sits on a solid concrete foundation and is capped by a sloping roof that is fronted by a false mansard of slate fish scale shingles between two brick firewalls on the façade (west elevation). The mansard is pierced by hipped dormers with slate shingles that hold twelve-light fixed wood windows. A molded metal cornice with modillions and dentils completes the roof. The façade is faced with stretcher-bond brick. The northern end bay of the foundation is pierced by a two-light vinyl sliding window with a concrete-lug lintel. The northernmost bay of the first story holds a single-leaf paneled wood door with a one-light wood transom and a concrete-lug lintel. All other openings on the façade hold 1/1, double-hung, vinyl-sash windows with concrete sills. Openings on the first story have concrete-lug lintels while openings on the second story have splayed brick lintels with concrete keystones. A one-story, one-bay porch projects from the façade and is set on a brick pier foundation infilled with brick. The foundation is pierced with a six-light wood window on the façade. The porch has a sloped roof with overhanging eaves and a molded cornice and is supported by square brick posts. Metal balusters encircle the porch, which is accessed via concrete steps in the northern end bay.

The rear (east) elevation was partially obscured by rear fencing, but a 1/1, double-hung, vinyl-sash window with a two-course rowlock brick segmental arch is located on the second story. A two-story, two-bay brick ell is located on the south bay of the elevation and is original. A brick chimney with a corbeled cap is located in the northeast corner of the ell, which is capped by a sloped roof. A two-story porch with a shed roof is located on the east elevation of the ell. The porch is supported by wood posts and encircled by square wood balusters. A single-leaf door with a one-light transom and a 1/1, double-hung, sash window are located on the second story of the ell.

Site Notes:

March 2010: This rowhouse is located on the east side of 5th Street, N.E. and is set back approximately ten feet from the concrete sidewalk. The dwelling is adjacent to 641 and 645 5th Street, N.E. The flat, raised front yard contains mature shrubs and foundation plantings and is bounded by a stone retaining wall. Concrete steps lead from the sidewalk and travel toward the primary entrance. A yard bordered by wood privacy fencing is located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component

Feature

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Mansard (False)	Slate		Shingled	
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Brick		Stretcher Bond	
Structure Component	Material	Feature		Source
Foundation	Concrete			
Walls	Brick			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Basemt Windows	Rectangular	Sliding	2 Lite	Vinyl
Basemt Windows	Rectangular	Unknown	6	Wood
Facade	Rectangular	Dbi-Hung	1/1	Vinyl
Door Location	Aperture Shape	Type	Panels	Material
Main Door	Rectangular	Single	Paneled	Wood

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

--

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Historic District(s)

Subdivision:

Ward/ANC:

Zoning:

Contributing:

Designation Event(s)

Survey(s)

Level(s) of Investigation

Capitol Hill F & G Streets (2010)

Permit Research

Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **643_5th_Street_NE_facade_looking_NE.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **643_5th_Street_NE_facade_looking_SE.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **643_5th_Street_NE_rear.JPG**

Date:: Photog:

Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
08/28/1909	1352	Build	

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/8/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0049

BASICS DATA

ID Number: **0834-0049** Year Built: **1909** Data Source: **Permit**

Number Extended Street Quad Type of Address

645 **5th Street** **NE Current**

Name(s) Type of Name

Rowhouse, 645 5th Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0049 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1909** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1909** **Permit** **3000 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Volland, Edward O.**

Orig Construction **Builder** **Gottwals, M.L.**

Orig Construction **Owner** **Norway, Fred A.**

Construction Notes:

One of four rowhouses constructed from the same permit (#1352).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 4)**

Relate to Street: **Face on Setback Line**

Massing: **Row Building/Front Porch**

Footprint: **L-Shaped**

Number Stories: **2.5 plus basement**

Bays Wide: **3**

Height:

Width: **17**

Depth/Length: **34**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Contributing Status

Outbuilding Notes:

STYLE/EXTERIOR DATA

Architectural Style(s)

Classical Revival

Exterior & Architectural Notes:

March 2010: This two-and-a-half-story, three-bay Classical Revival-style rowhouse was constructed in 1909 by M.L. Gottwals from the design of Edward O. Volland. It is one of four similar rowhouses constructed from the same permit (#1352). The brick structure sits on a solid concrete foundation and is capped by a sloping roof that is fronted by a false mansard of slate fish scale shingles between two brick firewalls on the façade (west elevation). The mansard is pierced by a gabled dormer that holds twelve-light fixed wood windows. A molded metal cornice with modillions and dentils completes the roof. The façade is faced with stretcher-bond brick. The northernmost bay of the first story holds a single-leaf wood door with an oval light and a one-light wood transom with a concrete-lug lintel. All other openings on the façade hold 1/1, double-hung, vinyl-sash windows with concrete sills. Openings on the first story have concrete-lug lintels while openings on the second story have splayed brick lintels with concrete keystones. A one-story, one-bay porch projects from the façade and is set on a brick pier foundation infilled with brick. The foundation is pierced with a one-light awning window on the façade. The porch has a sloped roof with overhanging eaves and a molded cornice and is supported by square brick posts. Metal balusters encircle the porch, which is accessed via brick steps in the northern end bay.

The rear (east) elevation is fenestrated on the second story by a 3/3, double-hung, wood-sash window with a concrete sill and a two-course rowlock brick segmental arch. A two-story, two-bay brick ell is located on the north bay of the elevation and is original. An exterior brick chimney with a corbeled cap is located in the southeast corner of the ell, which is capped by a sloped roof. A two-story porch with a shed roof has been enclosed by vinyl siding. The first story holds a single-leaf door in the northern end bay and paired 1/1, double-hung, vinyl-sash windows in the southern bay. The second story holds triple 1/1, double-hung, vinyl-sash windows.

Site Notes:

March 2010: This rowhouse is located on the east side of 5th Street, N.E. and is set back approximately ten feet from the concrete sidewalk. The dwelling is adjacent to 643 and 647 5th Street, N.E. The flat, raised front yard contains mature shrubs and foundation plantings and is bounded by a brick retaining wall and metal fencing. Brick steps lead from the sidewalk and travel toward the primary entrance. A yard bordered by wood privacy fencing is located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component

Feature

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Mansard (False)	Slate		Shingled	
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Brick		Stretcher Bond	
Structure Component	Material	Feature		Source
Foundation	Concrete			
Walls	Brick			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Basemt Windows	Rectangular	Awning	1	Unknown
Dormer	Rectangular	Fixed	12	Wood
Facade	Rectangular	Dbl-Hung	1/1	Vinyl
Door Location	Aperture Shape	Type	Panels	Material
Main Door	Rectangular	Single		Unknown w/Lights

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

--

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Historic District(s)

Subdivision:

Ward/ANC:

Zoning:

Contributing:

Designation Event(s)

Survey(s)

Level(s) of Investigation

Capitol Hill F & G Streets (2010)

Permit Research

Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **645_5th_Street_NE_facade_looking_NE.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **645_5th_Street_NE_facade_looking_SE.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **645_5th_Street_NE_rear_looking_W.JPG**

Date:: Photog:

Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
08/28/1909	1352	Build	

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/8/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0027

BASICS DATA

ID Number: **0834-0027** Year Built: **1889** Data Source: **Permit**

Number Extended Street Quad Type of Address

500 F Street NE Current

Name(s) Type of Name

Rowhouse, 500 F Street, N.E. Common

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0027 Square/Lot Current

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) 1889 Permit Historic/Current

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Rear Addition c. 1920 Sanborn Map

Orig Construction 1889 Permit 2143 Permit

Construction Event Association Associated Name

Orig Construction Builder Woltz, Edward

Orig Construction Owner Woltz, Edward

Construction Notes:

One of seven rowhouses constructed from the same permit (#1423).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row End (1 of 7)**

Relate to Street: **Face on Line**

Massing: **Row Bldg (Rect. Bay)**

Footprint: **Rectangular (w/ side bays)**

Number Stories: **3**

Bays Wide: **2**

Height:

Width: **15**

Depth/Length: **35**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Contributing Status

Outbuilding Notes:

STYLE/EXTERIOR DATA

Architectural Style(s)

Queen Anne

Italianate

Exterior & Architectural Notes:

March 2010: This three-story, two-bay Queen Anne-style rowhouse, influenced by the Italianate style, was constructed by Edward Woltz in 1889. It is one of seven rowhouses constructed from the same permit (#1423). The seven-course American-bond brick dwelling is set on a solid brick foundation and is capped by a sloping roof. The roof is complemented by a molded metal cornice and a corbeled brick table. The façade (south elevation) features a three-course brick water table and two-course brick sill courses that run below all window openings. The easternmost bay on the first story holds a single-leaf paneled wood door with a single-light transom. The opening is highlighted by a soldier brick segmental arch capped by header brick molding. A three-story, three-sided rectangular bay projects from the western bay of the façade and received the same material treatment as the main block. All openings on the façade hold single or paired 2/2, double-hung, wood-sash windows with wood sills and soldier brick segmental arches capped by header brick molding.

The west (side) elevation is pierced by a single-leaf paneled wood door with lights in a central bay of the first story. The second story holds a single-leaf wood French door in the southernmost bay. The elevation is further fenestrated by 2/2, double-hung, wood-sash windows with wood sills and soldier brick segmental arches capped by header brick molding. An interior brick chimney with a corbeled cap is located on the elevation. A two-story, three-bay wood porch projects from the first and second stories of the elevation. The porch is set on a solid brick foundation and is capped by a sloped roof supported by square wood posts. Square wood balusters encircle the porch. A three-story, three-sided rectangular bay projects from the northernmost bay of the elevation and received the same material treatment as the main block. The first story on the south elevation of the bay holds a single-leaf paneled wood door with lights and a one-light transom leading onto the porch. The second story holds a single-leaf wood French door leading onto the porch. All other openings on the bay hold single or paired 2/2, double-hung, wood-sash windows with wood sills and soldier brick segmental arches capped by header brick molding.

The rear (north) elevation is fenestrated by a 2/2, double-hung, wood-sash window with a header brick sill and a rowlock brick segmental arch. A one-and-a-half-story, two-bay addition constructed ca. 1920 is located on the rear elevation. This seven-course American-bond brick structure is capped by a shed roof. Brick dentil molding complements the roof on the west elevation of the addition. A single-leaf paneled wood door with a two-course rowlock brick segmental arch is located in the westernmost bay of the north elevation on the first story. All other openings on the addition hold 2/2, double-hung, wood-sash windows with wood sills and two-course rowlock brick segmental arches.

Site Notes:

March 2010: This end-unit rowhouse is located on a corner lot on the north side of F Street, N.E. at the intersection of F Street and 5th Street, N.E. and is set back approximately five feet from the brick sidewalk. The east (side) elevation is adjacent to 502 F Street, N.E. The grassy, sloping yard borders the front, side, and rear elevations and is planted with mature shrubs and foundation plantings. A brick walkway leads from the sidewalk to the main entrance. The yard is enclosed by metal and wood picket fencing.

NOTABLE FEATURES DATA

Component	Feature
-----------	---------

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Brick		American Bond	
Structure Component	Material	Feature		Source
Foundation	Brick			
Walls	Brick			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
-----------------	----------------	------	--------	----------

Facade	Rectangular	Dbl-Hung	2/2 Double	Wood
Facade	Rectangular	Dbl-Hung	2/2	Wood
Door Location	Aperture Shape	Type	Panels	Material
Main Door	Rectangular	Single	Paneled	Wood
Notable Interior Plan(s)			Notable Interior Feature(s)	

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: Capitol Hill	Historic District(s)
Subdivision:	
Ward/ANC:	
Zoning:	Designation Event(s)
Contributing:	
Survey(s)	Level(s) of Investigation
Capitol Hill F & G Streets (2010)	Permit Research
	Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 500_F_Street_NE_facade_looking_N.JPG
Date:: Photog:
Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 500_F_Street_NE_facade_looking_NE.JPG
Date:: Photog:
Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 500_F_Street_NE_rear_looking_SE.JPG
Date:: Photog:
Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
03/11/1889	1423	Build	

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/7/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0026

BASICS DATA

ID Number: **0834-0026** Year Built: **1889** Data Source: **Permit**

Number Extended Street Quad Type of Address

502 **F Street** **NE Current**

Name(s) Type of Name

Rowhouse, 502 F Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0026 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1889** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1889** **Permit** **2143 Permit**

Construction Event Association Associated Name

Orig Construction **Builder** **Woltz, Edward**

Orig Construction **Owner** **Woltz, Edward**

Construction Notes:

One of seven rowhouses constructed from the same permit (#1423).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 7)**

Relate to Street: **Face on Line**

Massing: **Row Bldg (Rect. Bay)**

Footprint: **Rectangular**

Number Stories: **3**

Bays Wide: **2**

Height:

Width: **15**

Depth/Length: **35**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Contributing Status

Outbuilding Notes:

STYLE/EXTERIOR DATA

Architectural Style(s)

Queen Anne

Italianate

Exterior & Architectural Notes:

March 2010: This three-story, two-bay Queen Anne-style rowhouse, influenced by the Italianate style, was constructed by Edward Woltz in 1889. It is one of seven rowhouses constructed from the same permit (#1423). The seven-course American-bond brick dwelling is set on a solid brick foundation and is capped by a sloping roof. The roof is complemented by a molded metal cornice and a corbeled brick table. The façade (south elevation) features a three-course brick water table and two-course brick sill courses that run below all window openings. The easternmost bay on the first story holds a single-leaf paneled wood door with a three-light stained glass transom accessed by a brick stoop. The opening is highlighted by a soldier brick segmental arch capped by header brick molding. A three-story, three-sided rectangular bay projects from the western bay of the façade and received the same material treatment as the main block. All openings on the façade hold single or paired 1/1, double-hung, vinyl-sash windows with false 6/6 muntins. The openings feature rowlock brick sills and soldier brick segmental arches capped by header brick molding.

The rear (north) elevation has been parged and was partially obscured by rear fencing. A single-leaf door with a blind transom is located in the eastern end bay on the first story. The western end bay holds a fixed vinyl window. The eastern bay on the second story holds a multi-light window of glass blocks with a rowlock brick sill. All other openings hold 1/1, double-hung, sash windows (materials not visible) set in segmental openings with wood sills.

Site Notes:

March 2010: This rowhouse is located on the north side of F Street, N.E. and is set back approximately five feet from the brick sidewalk. The dwelling is adjacent to 500 and 504 F Street, N.E. The small yard planted with immature shrubs is bordered by a metal bow and picket fence. A brick walkway leads from the sidewalk to the main entrance. A yard enclosed by wood fencing is located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component

Feature

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Brick		American Bond	
Structure Component	Material	Feature		Source
Foundation	Brick			
Walls	Brick			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Facade	Rectangular	Dbl-Hung	1/1 Double	Vinyl
Facade	Rectangular	Dbl-Hung	1/1	Vinyl
Door Location	Aperture Shape	Type	Panels	Material
Main Door	Rectangular	Single	Paneled	Wood

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Subdivision:

Ward/ANC:

Zoning:

Contributing:

Historic District(s)

Designation Event(s)

Survey(s)

Capitol Hill F & G Streets (2010)

Level(s) of Investigation

Permit Research

Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **502_F_Street_NE_facade_looking_NE.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **502_F_Street_NE_facade_looking_NW (2).JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **502_F_Street_NE_rear.JPG**

Date:: Photog:

Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

--

PERMIT DATA

Tuesday, June 25, 2013

ID_Number: 0834-0026 Page 3

Permit Issue Date	Number	Type	Remarks
03/11/1889	1423	Build	

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/7/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0025

BASICS DATA

ID Number: **0834-0025** Year Built: **1889** Data Source: **Permit**

Number Extended Street Quad Type of Address

504 **F Street** **NE Current**

Name(s) Type of Name

Rowhouse, 504 F Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0025 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1889** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1889** **Permit** **2143 Permit**

Construction Event Association Associated Name

Orig Construction **Builder** **Woltz, Edward**

Orig Construction **Owner** **Woltz, Edward**

Construction Notes:

One of seven rowhouses constructed from the same permit (#1423).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 7)**

Relate to Street: **Face on Line**

Massing: **Row Bldg (Rect. Bay)**

Footprint: **Rectangular**

Number Stories: **3**

Bays Wide: **2**

Height:

Width: **15**

Depth/Length: **35**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Contributing Status

Outbuilding Notes:

STYLE/EXTERIOR DATA

Architectural Style(s)

Queen Anne

Italianate

Exterior & Architectural Notes:

March 2010: This three-story, two-bay Queen Anne-style rowhouse, influenced by the Italianate style, was constructed by Edward Woltz in 1889. It is one of seven rowhouses constructed from the same permit (#1423). The seven-course American-bond brick dwelling is set on a solid brick foundation and is capped by a sloping roof. The roof is complemented by a boxed metal cornice and a corbeled brick table. The façade (south elevation) features a three-course brick water table and two-course brick sill courses that run below all window openings. The easternmost bay on the first story holds a single-leaf wood-frame glass door with a one-light transom accessed via a brick stoop. The opening is highlighted by a soldier brick segmental arch capped by header brick molding. A three-story, three-sided rectangular bay projects from the western bay of the façade and received the same material treatment as the main block. A single-leaf wood-frame glass door with a one-light transom and a soldier-brick segmental arch capped by header brick molding is located on the first story of the east elevation of the projecting bay. All other openings on the façade hold single or paired 1/1, double-hung, wood-sash windows. The openings feature rowlock or concrete brick sills and soldier brick segmental arches capped by header brick molding.

The rear (north) elevation was partially obscured by rear fencing. A single-leaf paneled metal door with a soldier brick segmental arch is located in the eastern end bay on the first story. The western end bay holds a 1/1, double-hung, vinyl-sash window with a soldier brick segmental arch. The second story holds paired one-light fixed vinyl windows with a header brick sill. The third story is fenestrated by 1/1, double-hung, wood-sash windows with rowlock brick sills and two-course rowlock brick segmental arches.

Site Notes:

March 2010: This rowhouse is located on the north side of F Street, N.E. and is set back approximately five feet from the brick sidewalk. The dwelling is adjacent to 502 and 506 F Street, N.E. The small yard planted with immature shrubs is bordered by a metal bow and picket fence and a brick walkway leads from the sidewalk to the main entrance. A yard enclosed by wood fencing is located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component	Feature
-----------	---------

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Brick		American Bond	
Structure Component	Material	Feature		Source
Foundation	Brick			
Walls	Brick			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Facade	Rectangular	Dbl-Hung	1/1	Wood
Facade	Rectangular	Dbl-Hung	1/1 Double	Wood
Door Location	Aperture Shape	Type	Panels	Material
Main Door	Rectangular	Single	Full Glass	Wood

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Subdivision:

Ward/ANC:

Zoning:

Contributing:

Historic District(s)

Designation Event(s)

Survey(s)

Capitol Hill F & G Streets (2010)

Level(s) of Investigation

Permit Research

Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Path: **C:\Users\CHRS\Documents\CHRS**

Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834

File: **504_F_Street_NE_facade_looking_N.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Path: **C:\Users\CHRS\Documents\CHRS**

Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834

File: **504_F_Street_NE_facade_looking_NW.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Path: **C:\Users\CHRS\Documents\CHRS**

Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834

File: **504_F_Street_NE_rear_looking_SE.JPG**

Date:: Photog:

Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code

Roll

Frame(s)

Date

Photographer

Caption

MISCELLANEOUS NOTES DATA

Notes:

--

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
03/11/1889	1423	Build	

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/7/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0024

BASICS DATA

ID Number: **0834-0024** Year Built: **1889** Data Source: **Permit**

Number Extended Street Quad Type of Address

506 **F Street** **NE Current**

Name(s) Type of Name

Rowhouse, 506 F Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0024 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1889** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1889** **Permit** **2143 Permit**

Construction Event Association Associated Name

Orig Construction **Builder** **Woltz, Edward**

Orig Construction **Owner** **Woltz, Edward**

Construction Notes:

One of seven rowhouses constructed from the same permit (#1423).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 7)**

Relate to Street: **Face on Line**

Massing: **Row Bldg (Rect. Bay)**

Footprint: **Rectangular**

Number Stories: **3**

Bays Wide: **2**

Height:

Width: **15**

Depth/Length: **35**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Contributing Status

Outbuilding Notes:

STYLE/EXTERIOR DATA

Architectural Style(s)

Queen Anne

Italianate

Exterior & Architectural Notes:

March 2010: This three-story, two-bay Queen Anne-style rowhouse, influenced by the Italianate style, was constructed by Edward Woltz in 1889. It is one of seven rowhouses constructed from the same permit (#1423). The seven-course American-bond brick dwelling is set on a solid brick foundation and is capped by a sloping roof. The roof is complemented by a molded metal cornice and a corbeled brick table. The façade (south elevation) features a three-course brick water table and two-course brick sill courses that run below all window openings. The easternmost bay on the first story holds a single-leaf paneled wood door with a one-light transom accessed via a concrete stoop. The opening is highlighted by a soldier brick segmental arch capped by header brick molding. A three-story, three-sided rectangular bay projects from the western bay of the façade and received the same material treatment as the main block. All openings on the façade hold single or paired 1/1, double-hung, wood-sash windows. The openings feature wood-clad sills and soldier brick segmental arches capped by header brick molding. The rear (north) elevation was obscured by trees.

Site Notes:

March 2010: This rowhouse is located on the north side of F Street, N.E. and is set back approximately five feet from the brick sidewalk. The dwelling is adjacent to 504 and 508 F Street, N.E. The small, grassy yard planted with immature shrubs is bordered by a brick retaining wall and a metal bow and picket fence and a brick and concrete walkway leads from the sidewalk to the main entrance. A yard enclosed by wood fencing is located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component

Feature

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Brick		American Bond	
Structure Component	Material	Feature		Source
Foundation	Brick			
Walls	Brick			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Facade	Rectangular	Dbl-Hung	1/1 Double	Wood
Facade	Rectangular	Dbl-Hung	1/1	Wood
Door Location	Aperture Shape	Type	Panels	Material
Main Door	Rectangular	Single	Paneled	Wood

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Historic District(s)

Subdivision:

Ward/ANC:

Tuesday, June 25, 2013

ID_Number: 0834-0024 Page 2

Zoning:	Designation Event(s)
Contributing:	
Survey(s)	Level(s) of Investigation
Capitol Hill F & G Streets (2010)	Permit Research
	Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 506_F_Street_NE_facade_looking_NE.JPG
Date:: Photog:
Code:: R: Fr:

Caption:

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 506_F_Street_NE_facade_looking_NW (2).JPG
Date:: Photog:
Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
03/11/1889	1423	Build	

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code

Criteria

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/7/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0023

BASICS DATA

ID Number: **0834-0023** Year Built: **1889** Data Source: **Permit**

Number Extended Street Quad Type of Address

508 **F Street** **NE Current**

Name(s) Type of Name

Rowhouse, 508 F Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0023 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1889** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Rear Addition **c. 1960** **Sanborn Map**

Orig Construction **1889** **Permit** **2143 Permit**

Construction Event Association Associated Name

Orig Construction **Builder** **Woltz, Edward**

Orig Construction **Owner** **Woltz, Edward**

Construction Notes:

One of seven rowhouses constructed from the same permit (#1423).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 7)**

Relate to Street: **Face on Line**

Massing: **Row Bldg (Rect. Bay)**

Footprint: **Rectangular**

Number Stories: **3**

Bays Wide: **2**

Height:

Width: **15**

Depth/Length: **35**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Contributing Status

Outbuilding Notes:

STYLE/EXTERIOR DATA

Architectural Style(s)

Queen Anne

Italianate

Exterior & Architectural Notes:

March 2010: This three-story, two-bay Queen Anne-style rowhouse, influenced by the Italianate style, was constructed by Edward Woltz in 1889. It is one of seven rowhouses constructed from the same permit (#1423). The seven-course American-bond brick dwelling is set on a solid brick foundation and is capped by a sloping roof. The roof is complemented by a molded metal cornice and a corbeled brick table. The façade (south elevation) features a three-course brick water table and two-course brick sill courses that run below all window openings. The easternmost bay on the first story holds a single-leaf paneled wood door with lights and a one-light stained glass transom accessed by a concrete stoop. The opening is highlighted by a soldier brick segmental arch capped by header brick molding. A three-story, three-sided rectangular bay projects from the western bay of the façade and received the same material treatment as the main block. All openings on the façade hold single or paired 1/1, double-hung, vinyl-sash windows. The openings feature concrete sills and soldier brick segmental arches capped by header brick molding.

The rear (north) elevation is fenestrated by 1/1, double-hung, vinyl-sash windows with rowlock brick sills and soldier brick segmental arches, as well as a multi-light glass block window. A one-story, I-shaped addition (ca. 1960) extends from the rear elevation. This appendage is faced with beaded vinyl siding and is capped by a sloped roof. A double-leaf metal-frame glass door with multi-light vinyl side lights and a one-light transom pierces the north elevation.

Site Notes:

March 2010: This rowhouse is located on the north side of F Street, N.E. and is set back approximately five feet from the brick sidewalk. The dwelling is adjacent to 506 and 510 F Street, N.E. The small, grassy yard planted with mature shrubs is bordered by a metal bow and picket fence and a brick walkway leads from the sidewalk to the main entrance. A yard enclosed by wood fencing is located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component	Feature
-----------	---------

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Brick		American Bond	
Structure Component	Material	Feature		Source
Foundation	Brick			
Walls	Brick			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Facade	Rectangular	Dbl-Hung	1/1 Double	Vinyl
Facade	Rectangular	Dbl-Hung	1/1	Vinyl
Door Location	Aperture Shape	Type	Panels	Material
Main Door	Rectangular	Single	Paneled	Wood/Glass
Notable Interior Plan(s)		Notable Interior Feature(s)		

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Subdivision:

Ward/ANC:

Zoning:

Contributing:

Historic District(s)

Designation Event(s)

Survey(s)

Capitol Hill F & G Streets (2010)

Level(s) of Investigation

Permit Research

Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **508_F_Street_NE_facade_looking_NE.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **508_F_Street_NE_facade_looking_NW.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **508_F_Street_NE_rear_looking_SW.JPG**

Date:: Photog:

Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

--

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
03/11/1889	1423	Build	

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/7/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0022

BASICS DATA

ID Number: **0834-0022** Year Built: **1889** Data Source: **Permit**

Number Extended Street Quad Type of Address

510 **F Street** **NE Current**

Name(s) Type of Name

Rowhouse, 510 F Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0022 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1889** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Rear Addition **c. 1990** **Sanborn Map**

Orig Construction **1889** **Permit** **2143 Permit**

Construction Event Association Associated Name

Orig Construction **Builder** **Woltz, Edward**

Orig Construction **Owner** **Woltz, Edward**

Construction Notes:

One of seven rowhouses constructed from the same permit (#1423).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 7)**

Relate to Street: **Face on Line**

Massing: **Row Bldg (Rect. Bay)**

Footprint: **Rectangular**

Number Stories: **3**

Bays Wide: **2**

Height:

Width: **15**

Depth/Length: **35**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Contributing Status

Outbuilding Notes:

STYLE/EXTERIOR DATA

Architectural Style(s)

Queen Anne

Italianate

Exterior & Architectural Notes:

March 2010: This three-story, two-bay Queen Anne-style rowhouse, influenced by the Italianate style, was constructed by Edward Woltz in 1889. It is one of seven rowhouses constructed from the same permit (#1423). The seven-course American-bond brick dwelling is set on a solid brick foundation and is capped by a sloping roof. The roof is complemented by a molded metal cornice and a corbeled brick table. The façade (south elevation) features a three-course brick water table and two-course brick sill courses that run below all window openings. The easternmost bay on the first story holds a single-leaf paneled wood door with a one-light transom accessed by a concrete stoop. The opening is highlighted by a soldier brick segmental arch capped by header brick molding. A three-story, three-sided rectangular bay projects from the western bay of the façade and received the same material treatment as the main block. All openings on the façade hold single or paired 1/1, double-hung, wood-sash windows. The openings feature header brick sills and soldier brick segmental arches capped by header brick molding.

The rear (north) elevation has been parged and was partially obscured by rear fencing. A two-story concrete-block addition that has been parged on the west elevation is located on the rear and was constructed ca. 1990. The first story is fenestrated by a door opening capped by a single-light transom. The second story holds a 6/6, double-hung, wood-sash window flanked by smaller 6/6, double-hung, wood-sash windows with fixed wood windows above. A deck is located atop the addition and is encircled by square wood balusters. A single-leaf wood-frame glass door with side lights and a single-light transom provides access from the third story onto this deck.

Site Notes:

March 2010: This rowhouse is located on the north side of F Street, N.E. and is set back approximately five feet from the brick sidewalk. The dwelling is adjacent to 508 and 512 F Street, N.E. A small front yard planted with mature shrubs is bordered by a metal bow and picket fence and a concrete walkway leads from the sidewalk to the main entrance. A yard enclosed by wood fencing is located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component

Feature

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Brick		American Bond	
Structure Component	Material	Feature		Source
Foundation	Brick			
Walls	Brick			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Facade	Rectangular	Dbl-Hung	1/1 Double	Wood
Facade	Rectangular	Dbl-Hung	1/1	Wood
Door Location	Aperture Shape	Type	Panels	Material
Main Door	Rectangular	Single	Paneled	Wood

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Subdivision:

Ward/ANC:

Zoning:

Contributing:

Historic District(s)

Designation Event(s)

Survey(s)

Capitol Hill F & G Streets (2010)

Level(s) of Investigation

Permit Research

Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **510_F_Street_NE_facade_looking_NE.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **510_F_Street_NE_facade_looking_NW.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **510_F_Street_NE_rear.JPG**

Date:: Photog:

Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
03/11/1889	1423	Build	

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/7/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0021

BASICS DATA

ID Number: **0834-0021** Year Built: **1889** Data Source: **Permit**

Number Extended Street Quad Type of Address

512 **F Street** **NE Current**

Name(s) Type of Name

Rowhouse, 512 F Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0021 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1889** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1889** **Permit** **2143 Permit**

Construction Event Association Associated Name

Orig Construction **Builder** **Woltz, Edward**

Orig Construction **Owner** **Woltz, Edward**

Construction Notes:

One of seven rowhouses constructed from the same permit (#1423).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 7)**

Relate to Street: **Face on Line**

Massing: **Row Bldg (Rect. Bay)**

Footprint: **Rectangular**

Number Stories: **3**

Bays Wide: **2**

Height:

Width: **15**

Depth/Length: **35**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Contributing Status

Outbuilding Notes:

STYLE/EXTERIOR DATA

Architectural Style(s)

Queen Anne

Italianate

Exterior & Architectural Notes:

March 2010: This three-story, two-bay Queen Anne-style rowhouse, influenced by the Italianate style, was constructed by Edward Woltz in 1889. It is one of seven rowhouses constructed from the same permit (#1423). The seven-course American-bond brick dwelling is set on a solid brick foundation and is capped by a sloping roof. The roof is complemented by a molded metal cornice with dentils and a corbeled brick table. The façade (south elevation) features a three-course brick water table and two-course brick sill courses that run below all window openings. The easternmost bay on the first story holds a single-leaf paneled wood door with a three-light transom. The opening is highlighted by a soldier brick segmental arch capped by header brick molding. A three-story, three-sided rectangular bay projects from the western bay of the façade and received the same material treatment as the main block. Openings on the southern elevation of the bay hold 28-light fixed wood windows with concrete sills and soldier brick segmental arches capped by header brick molding. All other openings on the façade hold 6/6, double-hung, wood-sash windows with concrete sills and soldier brick segmental arches capped by header brick molding.

The rear (north) elevation has been parged and is fenestrated by a single-leaf door with a blind transom in the eastern end bay. The western bay holds a multi-light wood window. A one-story, one-bay shed is attached to the elevation in the westernmost bay. This structure is faced with vertical siding and has a sloped roof. All other openings hold 6/6, double-hung, wood-sash windows with concrete or rowlock brick sills.

Site Notes:

March 2010: This rowhouse is located on the north side of F Street, N.E. and is set back approximately five feet from the brick sidewalk. The dwelling is adjacent to 510 and 514 F Street, N.E. A small front yard planted with mature shrubs and foundation plantings is bordered by a metal picket fence and a brick walkway leads from the sidewalk to the main entrance. A yard enclosed by wood fencing is located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component	Feature
-----------	---------

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Brick		American Bond	
Structure Component	Material	Feature		Source
Foundation	Brick			
Walls	Brick			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Facade	Rectangular	Dbl-Hung	6/6	Wood
Facade	Rectangular	Fixed	multi	Wood
Door Location	Aperture Shape	Type	Panels	Material
Main Door	Rectangular	Single	Paneled	Wood

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Subdivision:

Ward/ANC:

Zoning:

Contributing:

Historic District(s)

Designation Event(s)

Survey(s)

Capitol Hill F & G Streets (2010)

Level(s) of Investigation

Permit Research

Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **512_F_Street_NE_facade_looking_N.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **512_F_Street_NE_facade_looking_NE.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **512_F_Street_NE_rear_looking_S.JPG**

Date:: Photog:

Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

--

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
03/11/1889	1423	Build	

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/7/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0094

BASICS DATA

ID Number: **0834-0094** Year Built: **1909** Data Source: **Permit**

Number Extended Street Quad Type of Address

611 **5th Street** **NE Current**

Name(s) Type of Name

Rowhouse, 611 5th Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0094 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1909** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1909** **Permit** **3333 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Pumphrey, George C.**

Orig Construction **Builder** **Pumphrey & Palmer**

Orig Construction **Owner** **Pumphrey & Palmer**

Construction Notes:

One of three rowhouses constructed from the same permit (#3494).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row End (1 of 3)**

Relate to Street: **Face on Setback Line**

Massing: **Row Building/Canted Bay**

Footprint: **Rectangular**

Number Stories: **2 plus basement**

Bays Wide: **2**

Height:

Width:

Depth/Length:

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Garage

Contributing Status

Contributing

Outbuilding Notes:

March 2010: This five-sided, one-story, six-course American-bond brick garage was constructed in 1914 by Jas. Kelley from the design of Thomas McNamara (permit #19). The structure is located east of the primary dwelling and sits on a solid

foundation. The garage is capped by a flat roof that is complemented by metal coping. The façade (east elevation) is pierced by a large paneled wood door with a metal and rowlock brick lintel.

STYLE/EXTERIOR DATA

Architectural Style(s)

Queen Anne

Exterior & Architectural Notes:

March 2010: This two-story, two-bay Queen Anne-style rowhouse was constructed by Pumphrey and Palmer in 1909. It is one of three similar rowhouses constructed from the same permit (#3494). The six-course American-bond brick structure sits on a solid concrete foundation. The dwelling is capped by a sloping roof that is complemented by a molded metal cornice with scroll modillions and a frieze with swag molding on the façade (west elevation). The façade is faced with stretcher-bond brick. The foundation is pierced by a single-leaf, wood-frame glass door in the southern end bay. The southernmost bay of the first story holds a single-leaf wood-frame glass door with a one-light wood transom and a rusticated concrete-lug lintel. The entry is accessed via metal steps with metal hand rails. A three-sided canted bay rises the full height of the dwelling and projects from the northern end bay. The bay shares the material treatment of the main block. All openings on the façade hold 1/1, double-hung, vinyl-sash windows with rusticated concrete-lug sills and lintels. The south (side) elevation has several window openings that have been infilled with brick. The foundation is pierced by two single-light openings with two-course rowlock brick segmental arches.

The rear (east) elevation has an exterior-end brick chimney with a parged cap in the central bay. The southern bay holds a single-leaf door with a one-light transom. The northern end bay holds paired 1/1, double-hung, vinyl-sash windows with a rowlock brick sill. The second story is fenestrated by single-leaf wood-frame glass doors with metal balusters and rowlock brick sills.

Site Notes:

March 2010: This end-unit rowhouse is located on the east side of 5th Street, N.E. and is set back approximately ten feet from the concrete sidewalk. The north (side) elevation is adjacent to 613 5th Street, N.E. and the south (side) elevation is adjacent to a brick alley. The flat, raised front yard contains immature shrubs and trees. The yard is bounded by a stone retaining wall and a metal fence. Concrete steps and a concrete walkway lead from the sidewalk and travel toward the primary and basement entrances. A yard bordered by a concrete-block wall and a garage are located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component	Feature
-----------	---------

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Brick		Stretcher Bond	
Structure Component	Material	Feature		Source
Foundation	Concrete			
Walls	Brick			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Facade	Rectangular	Dbl-Hung	1/1	Vinyl
Door Location	Aperture Shape	Type	Panels	Material
Basement	Rectangular	Single	Full Glass	Wood
Main Door	Rectangular	Single	Full Glass	Wood

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

--

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Historic District(s)

Subdivision:

Ward/ANC:

Zoning:

Designation Event(s)

Contributing:

Survey(s)

Level(s) of Investigation

Capitol Hill F & G Streets (2010)

Permit Research

Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **611_5th_Street_NE_facade_looking_NE.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **611_5th_Street_NE_facade_looking_SE.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **611_5th_Street_NE_rear.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\

File: 611_5th_Street_NE_stable (2).JPG

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\

File: 611_5th_Street_NE_side_looking_NE.JPG

Date:: Photog:

Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
-------------------	--------	------	---------

07/01/1914	19	Garage	
------------	----	--------	--

11/27/1909	3494	Build	
------------	------	-------	--

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/7/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0800

BASICS DATA

ID Number: **0834-0800** Year Built: **1904** Data Source: **Permit**

Number Extended Street Quad Type of Address

623 **5th Street** **NE Current**

Name(s) Type of Name

Apartment Building, 623 5th Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0800 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Residential** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Multi-Family) **1904** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1904** **Permit** **6000 Permit**

Construction Event Association Associated Name

Bursey, Susie H. **Owner** **Bursey, Susie H.**

Orig Construction **Architect** **Bursey, I.B.**

Orig Construction **Builder** **Bursey, I.B.**

Construction Notes:

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Detached**

Relate to Street: **Face on Setback Line**

Massing: **Block**

Footprint: **Rectangular**

Number Stories: **4 plus basement**

Bays Wide: **4**

Height:

Width: **22**

Depth/Length: **53**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type Contributing Status

Garage **Contributing**

Outbuilding Notes:

March 2010: A two-story garage or stable is located east of the primary dwelling and was constructed ca. 1915. The structure now serves as a dwelling. The six-course American-bond brick structure sits on a solid foundation and is capped by a sloping

roof. Two interior brick chimneys with corbeled caps pierce the roof. The garage is fenestrated on the façade (east elevation) by 1/1, double-hung, vinyl-sash and fixed one-light vinyl windows with concrete or rowlock brick sills on the second story. These openings are highlighted by two-course rowlock brick segmental arches or wood lintels. The first story vehicle opening has been infilled with brick, but the concrete and rowlock brick lintel are still visible. A one-light fixed vinyl window is located in this opening. The north (side) elevation holds two one-light vinyl windows with concrete sills and two-course rowlock brick segmental arches.

STYLE/EXTERIOR DATA

Architectural Style(s)

Colonial Revival

Exterior & Architectural Notes:

March 2010: This four-story, four-bay Classical Revival-style rowhouse was constructed by I.B. Bursey in 1904 from permit #2012. The six-course American-bond brick structure sits on a solid concrete foundation. The dwelling is capped by a sloping roof that is complemented by a molded and boxed metal cornice with scroll modillions, dentils, and swag molding on the façade (west elevation). The façade is faced with Flemish-bond pressed brick. The northernmost bay on the first story is pierced by a single-leaf wood-frame glass door with a one-light side light and a rectangular wood transom. The opening, which is accessed via brick steps with brick wing walls, is highlighted by a splayed concrete lintel with a keystone. A one-light vinyl casement window with a concrete sill and splayed concrete lintel is located south of the entryway. The northernmost bays on the second and third stories hold single-leaf paneled wood doors with splayed concrete lintels with keystones. All other openings on the façade hold 1/1, double-hung, vinyl-sash windows with concrete sills and splayed concrete lintels with keystones. A three-story, one-bay porch is located in the northern bay on the façade. The first story is supported by a solid brick foundation which is pierced on the southern elevation by a single-leaf door. Brick piers support a wood porch on the second story. This porch has square wood balusters and a flat roof supported by wood Tuscan columns. The third story porch also has square wood balusters.

The south (side) elevation was not fully visible from the public right-of-way, but openings hold 1/1, double-hung, vinyl-sash windows with concrete sills and three-course rowlock brick segmental arches. Metal fire escapes are attached to this elevation. The north (side) elevation is fenestrated with three 1/1, double-hung, vinyl-sash windows with rowlock brick sills and three-course rowlock brick segmental arches; other openings have been infilled.

The rear (east) elevation was obscured by rear fencing and garages, but a four-story metal porch spans the elevation. This porch was accessed on the second, third, and fourth stories by sliding metal-frame glass doors with one-light transoms. A single-leaf paneled wood door with a one-light transom highlighted by a three-course rowlock brick segmental arch and a window opening with a three-course rowlock brick segmental arch are located in the northernmost bay on the first story.

Site Notes:

March 2010: This apartment building is located on the east side of 5th Street, N.E. and is set back approximately ten feet from the concrete sidewalk. The south (side) elevation is adjacent to an alleyway and the north (side) elevation is adjacent to an asphalt-paved parking area. The sunken front yard contains immature shrubs and is bounded by a brick retaining wall. Brick walkways lead from the sidewalk and travel toward the primary and basement entrances. A concrete walkway leads from the primary brick walkway and travels to the side yard enclosed by wood privacy fencing where a parking area is located. A small yard enclosed by a brick wall and a former garage, now dwellings, are located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component	Feature
-----------	---------

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Pressed Brick		Flemish Bond	
Structure Component	Material	Feature		Source
Foundation	Concrete			
Walls	Brick			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Facade	Rectangular	Casement	1	Vinyl
Facade	Rectangular	Dbl-Hung	1/1	Vinyl
Door Location	Aperture Shape	Type	Panels	Material
Basement	Rectangular	Single		Unknown
First Floor	Rectangular	Single	Paneled	Unknown
Main Door	Rectangular	Single	Full Glass	Wood
Upper Story	Rectangular	Single	Paneled	Unknown
Notable Interior Plan(s)		Notable Interior Feature(s)		

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: Capitol Hill	Historic District(s)
Subdivision:	
Ward/ANC:	
Zoning:	Designation Event(s)
Contributing:	
Survey(s)	Level(s) of Investigation
Capitol Hill F & G Streets (2010)	Permit Research
	Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Undisplayable Image Format

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 623_5th_Street_NE_facade_looking_E.JPG
Date:: Photog:
Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 623_5th_Street_NE_facade_looking_NE.JPG
Date:: Photog:
Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\

File: 623_5th_Street_NE_rear (2).JPG

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\

File: 623_5th_Street_NE_side&facade_looking_SE.
JPG

Date:: Photog:

Code:: R: Fr:

Caption:

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\

File: 623_5th_Street_NE_stable.JPG

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\

File: 619-623_5th_Street_NE_garage&rear.JPG

Date:: Photog:

Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

--

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
06/23/1904	2012	Build	

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/7/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0041

BASICS DATA

ID Number: **0834-0041** Year Built: **1909** Data Source: **Permit**

Number Extended Street Quad Type of Address

629 **5th Street** **NE Current**

Name(s) Type of Name

Rowhouse, 629 5th Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0041 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1909** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1909** **Permit** **3000 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Volland, Edward O.**

Orig Construction **Builder** **Gottwals, M.L.**

Orig Construction **Owner** **Norway, Fred A.**

Construction Notes:

One of five rowhouses constructed from the same permit (#2487).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row End (1 of 5)**

Relate to Street: **Face on Setback Line**

Massing: **Row Building/Canted Bay**

Footprint: **L-Shaped**

Number Stories: **2 plus basement**

Bays Wide: **2**

Height:

Width: **17**

Depth/Length: **34**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Contributing Status

Outbuilding Notes:

STYLE/EXTERIOR DATA

Architectural Style(s)

Queen Anne

Exterior & Architectural Notes:

March 2010: This two-story, two-bay Queen Anne-style rowhouse was constructed in 1909 by M.L. Gottwals from the design of Edward O. Volland. It is one of five rowhouses constructed from the same permit (#2487). The six-course American-bond brick and stone structure sits on a solid concrete and brick foundation. The dwelling is capped by a sloping roof that is complemented by a false mansard of slate fish scale shingles set between two brick firewalls on the façade (west elevation). The mansard features a molded metal cornice with modillions and dentils. An interior-side brick chimney pierces the roof on the south elevation. The façade is faced with stretcher-bond brick. The northernmost bay of the first story holds a single-leaf paneled wood door with lights with one-light transom and a concrete-lug lintel. The entry is accessed via brick steps with metal hand rails. The second story opening holds a 1/1, double-hung, vinyl-sash window with false 8/12 muntins. This window is highlighted by a concrete sill and a splayed brick lintel with a keystone. A three-sided canted bay rises the full height of the dwelling and projects from the southern end bay. The bay shares the material treatment of the main block and is capped by a pyramidal roof of slate fish scale shingles. The foundation is pierced by two-light vinyl sliding windows with concrete-lug lintels. The bay is further fenestrated with 1/1, double-hung, vinyl-sash windows with false 6/9 muntins with concrete sills and concrete-lug lintels or splayed brick lintels with keystones.

The rear (east) elevation is fenestrated with 1/1, double-hung, vinyl-sash windows with false 6/9 muntins with concrete sills and two-course rowlock brick segmental arches. A two-story brick ell is located on the north bay of the rear elevation and is original. The ell is capped by a sloped roof and was partially obscured by rear fencing. The first story holds a large multi-light wood or vinyl window and the second story is pierced by two-leaf wood French doors.

Site Notes:

March 2010: This end-unit rowhouse is located on the east side of 5th Street, N.E. and is set back approximately ten feet from the concrete sidewalk. The north (side) elevation is adjacent to 631 5th Street and the south (side) elevation is adjacent to an asphalt-paved parking area. The flat, raised front yard contains mature shrubs and trees and foundation plantings and is bounded by a brick retaining wall and milled point metal fencing. Brick steps lead from the sidewalk and travel toward the primary entrance. A yard enclosed by wood fencing is located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component	Feature
-----------	---------

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Mansard (False) Sloped	Slate Not Visible		Shingled Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Brick & Stone		Stretcher Bond	
Structure Component	Material	Feature		Source
Foundation Walls	Concrete & Brick Brick & Stone			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Basemt Windows	Rectangular	Unknown	Unknown	Unknown
Facade	Rectangular	Dbl-Hung	1/1	Vinyl
Door Location	Aperture Shape	Type	Panels	Material
Main Door	Rectangular	Single	Paneled	Wood/Glass

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Subdivision:

Ward/ANC:

Zoning:

Contributing:

Historic District(s)

Designation Event(s)

Survey(s)

Capitol Hill F & G Streets (2010)

Level(s) of Investigation

Permit Research

Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **629_5th_Street_NE_facade_looking_NE.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **629_5th_Street_NE_facade_looking_SE.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **629_5th_Street_NE_rear_looking_NW.JPG**

Date:: Photog:

Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Tuesday, June 25, 2013

ID_Number: 0834-0041 Page 3

Notes:

--

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
10/12/1909	2487	Build	

Permit Notes:

--

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks

Bibliographic Notes:

--

SIGNIFICANCE DATA

Study Unit

Code	Criteria

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/7/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0042

BASICS DATA

ID Number: **0834-0042** Year Built: **1909** Data Source: **Permit**

Number Extended Street Quad Type of Address

631 **5th Street** **NE Current**

Name(s) Type of Name

Rowhouse, 631 5th Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0042 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1909** **Permit** **Historic**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1909** **Permit** **3000 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Volland, Edward O.**

Orig Construction **Builder** **Gottwals, M.L.**

Orig Construction **Owner** **Norway, Fred A.**

Construction Notes:

One of five rowhouses constructed from the same permit (#2487).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 5)**

Relate to Street: **Face on Setback Line**

Massing: **Row Building/Front Porch**

Footprint: **L-Shaped**

Number Stories: **2.5 plus basement**

Bays Wide: **3**

Height:

Width: **17**

Depth/Length: **34**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Contributing Status

Outbuilding Notes:

STYLE/EXTERIOR DATA

Architectural Style(s)

Classical Revival

Exterior & Architectural Notes:

March 2010: This two-and-a-half-story, three-bay Classical Revival-style rowhouse was constructed in 1909 by M.L. Gottwals from the design of Edward O. Volland. It is one of five similar rowhouses constructed from the same permit (#2487). The brick and stone structure sits on a solid concrete and brick foundation. The dwelling is capped by a sloping roof that is fronted by a false mansard of slate fish scale shingles between two brick firewalls on the façade (west elevation). The mansard is pierced by a gabled dormer with molded wood cornice and raking that holds twelve-light fixed wood windows. A molded metal cornice with modillions and dentils completes the roof. The façade is faced with stretcher-bond brick. The foundation is pierced by one-light windows with concrete-lug lintels whose materials were not discernible. The northernmost bay of the first story holds a single-leaf wood-frame glass door with a one-light wood transom and a concrete-lug lintel. All other openings on the façade hold 1/1, double-hung, vinyl-sash windows with concrete sills. Openings on the first story have concrete-lug lintels while openings on the second story have splayed brick lintels with concrete keystones. A one-story, one-bay porch projects from the façade and is set on a brick pier foundation. The porch has a sloped roof with a molded cornice and is supported by metal columns atop brick posts. Metal balusters encircle the porch, which is accessed via concrete steps in the northern end bay.

The rear (east) elevation is fenestrated with 1/1, double-hung, vinyl-sash windows with concrete sills and two-course rowlock brick segmental arches. A two-story, two-bay brick ell is located on the south bay of the rear elevation and is original. The ell is capped by a sloped roof. The southern bay on the first story holds a single-leaf door. All other openings hold 1/1, double-hung, wood- or vinyl-sash windows with rowlock brick or concrete sills and two-course rowlock brick segmental arches. A one-story, two-bay wood porch is located on the ell and sits on wood pier foundation. Wood posts support the shed roof of asphalt shingles. Square wood balusters encircle the porch, which is accessed via wood steps.

Site Notes:

March 2010: This rowhouse is located on the east side of 5th Street, N.E. and is set back approximately ten feet from the concrete sidewalk. The dwelling is adjacent to 629 and 633 5th Street, N.E. The flat, raised front yard contains minimal planting and is bounded by a stone retaining wall. Concrete steps lead from the sidewalk and travel toward the primary entrance. A yard bordered by wood fencing is located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component

Feature

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Mansard (False)	Slate		Shingled	
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Brick & Stone		Stretcher Bond	
Structure Component	Material	Feature		Source
Foundation	Concrete & Brick			
Walls	Brick & Stone			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Basemt Windows	Rectangular	Unknown	1	Wood
Dormer	Rectangular	Fixed	12	Wood
Facade	Rectangular	Dbl-Hung	1/1	Vinyl
Door Location	Aperture Shape	Type	Panels	Material
Main Door	Rectangular	Single	Full Glass	Wood

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

--

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Historic District(s)

Subdivision:

Ward/ANC:

Zoning:

Contributing:

Designation Event(s)

Survey(s)

Level(s) of Investigation

Capitol Hill F & G Streets (2010)

Permit Research

Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **631_5th_Street_NE_facade_looking_E.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **631_5th_Street_NE_facade_looking_NE.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **631_5th_Street_NE_facade_looking_SE.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\

File: 631_5th_Street_NE_rear.JPG

Date:: Photog:

Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
-------------------	--------	------	---------

10/12/1909	2487	Build	
------------	------	-------	--

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/7/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0043

BASICS DATA

ID Number: **0834-0043** Year Built: **1909** Data Source: **Permit**

Number Extended Street Quad Type of Address

633 **5th Street** **NE Current**

Name(s) Type of Name

Rowhouse, 633 5th Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0043 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1909** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1909** **Permit** **3000 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Volland, Edward O.**

Orig Construction **Builder** **Gottwals, M.L.**

Orig Construction **Owner** **Norway, Fred A.**

Construction Notes:

One of five rowhouses constructed from the same permit (#2487).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 5)**

Relate to Street: **Face on Setback Line**

Massing: **Row Building/Front Porch**

Footprint: **L-Shaped**

Number Stories: **2.5 plus basement**

Bays Wide: **3**

Height:

Width: **17**

Depth/Length: **34**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Garage

Contributing Status

Contributing

Outbuilding Notes:

March 2010: A one-story, one-bay garage constructed ca. 1925 is located east of the dwelling. This six-course American-bond brick structure sits on a solid foundation and is capped by a sloped roof with a molded metal cornice. The façade (east

elevation) is pierced by a four-leaf paneled wood door highlighted by a metal lintel.

STYLE/EXTERIOR DATA

Architectural Style(s)

Classical Revival

Exterior & Architectural Notes:

March 2010: This two-and-a-half-story, three-bay Classical Revival-style rowhouse was constructed in 1909 by M.L. Gottwals from the design of Edward O. Volland. It is one of five similar rowhouses constructed from the same permit (#2487). The brick and stone structure sits on a solid concrete and brick foundation. The dwelling is capped by a sloping roof that is fronted by a false mansard of slate fish scale shingles between two brick firewalls on the façade (west elevation). The mansard is pierced by hipped dormers with slate shingles that hold twelve-light fixed wood windows. A molded metal cornice with modillions and dentils completes the roof. The façade is faced with stretcher-bond brick. The foundation is pierced by a one-light wood window with a concrete-lug lintel in the southern end bay. The northernmost bay of the first story holds a single-leaf wood door with a one-light wood transom and a concrete-lug lintel. All other openings on the façade hold 1/1, double-hung, vinyl-sash windows with concrete sills. Openings on the first story have concrete-lug lintels while openings on the second story have splayed brick lintels with concrete keystones. A one-story, one-bay porch projects from the façade and is set on a brick pier foundation infilled with concrete block. The porch has a sloped roof with overhanging eaves and a molded cornice with dentils and is supported by fluted metal columns atop brick posts. Turned metal balusters encircle the porch, which is accessed via concrete steps in the northern end bay.

The rear (east) elevation is fenestrated with 1/1, double-hung, vinyl-sash windows with concrete sills and two-course rowlock brick segmental arches. A single-leaf door pierces the foundation. A two-story, two-bay brick ell is located on the north bay of the rear elevation and is original. An interior-side brick chimney with a corbeled cap is located on the south elevation of the ell, which is capped by a sloped roof. The northern bay on the first story holds a single-leaf door with a one-light transom and the southern bay holds a 1/1, double-hung, vinyl-sash window. An enclosed porch is located on the second story of the ell and is faced with vinyl siding. The porch is supported by wood posts and is capped by a shed roof. The east elevation is fenestrated with a 1/1, double-hung, vinyl-sash window. The space below the porch has also been enclosed with mesh screening.

Site Notes:

March 2010: This rowhouse is located on the east side of 5th Street, N.E. and is set back approximately ten feet from the concrete sidewalk. The dwelling is adjacent to 631 and 635 5th Street, N.E. The flat, raised front yard contains minimal planting and is bounded by a stone retaining wall. Concrete steps lead from the sidewalk and travel toward the primary entrance. A yard bordered by wood privacy fencing and a garage are located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component

Feature

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Mansard (False)	Slate		Shingled	
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Brick & Stone		Stretcher Bond	
Structure Component	Material	Feature		Source
Foundation	Concrete & Brick			
Walls	Brick & Stone			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Basemt Windows	Rectangular	Awning	1	Vinyl
Dormer	Rectangular	Fixed	12	Wood
Facade	Rectangular	Dbl-Hung	1/1	Wood
Door Location	Aperture Shape	Type	Panels	Material

Main Door	Rectangular	Single	Wood
Notable Interior Plan(s)		Notable Interior Feature(s)	
Interior Notes: <div style="border: 1px solid black; height: 20px; width: 100%;"></div>			

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: Capitol Hill Subdivision: Ward/ANC: Zoning: Contributing:	Historic District(s) Designation Event(s) Level(s) of Investigation Permit Research Reconnaissance Survey
Survey(s) Capitol Hill F & G Streets (2010)	

PHOTOS - DIGITIZED

Caption:

Path: **C:\Users\CHRS\Documents\CHRS Databases\F&G Street - 2 to 11th St\Database\Pictures\Square 0834**
 File: **633_5th_Street_NE_facade_looking_NE.JPG**
 Date:: Photog:
 Code:: R: Fr:

Caption:

Path: **C:\Users\CHRS\Documents\CHRS Databases\F&G Street - 2 to 11th St\Database\Pictures\Square 0834**
 File: **633_5th_Street_NE_facade_looking_SE.JPG**
 Date:: Photog:
 Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS Databases\F&G Street - 2 to 11th St\Database\Pictures\Square 0834**
 File: **633_5th_Street_NE_garage_looking_NW.JPG**
 Date:: Photog:
 Code:: R: Fr:

Caption:

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 633_5th_Street_NE_rear_looking_NW.JPG
Date:: Photog:
Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
10/12/1909	2487	Build	

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/7/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0044

BASICS DATA

ID Number: **0834-0044** Year Built: **1909** Data Source: **Permit**

Number Extended Street Quad Type of Address

635 **5th Street** **NE Current**

Name(s) Type of Name

Rowhouse, 635 5th Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0044 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1909** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1909** **Permit** **3000 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Volland, Edward O.**

Orig Construction **Builder** **Gottwals, M.L.**

Orig Construction **Owner** **Norway, Fred A.**

Construction Notes:

One of five rowhouses constructed from the same permit (#2487).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 5)**

Relate to Street: **Face on Setback Line**

Massing: **Row Building/Front Porch**

Footprint: **L-Shaped**

Number Stories: **2.5 plus basement**

Bays Wide: **3**

Height:

Width: **17**

Depth/Length: **34**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Contributing Status

Outbuilding Notes:

STYLE/EXTERIOR DATA

Architectural Style(s)

Classical Revival

Exterior & Architectural Notes:

March 2010: This two-and-a-half-story, three-bay Classical Revival-style rowhouse was constructed in 1909 by M.L. Gottwals from the design of Edward O. Volland. It is one of five similar rowhouses constructed from the same permit (#2487). The brick and stone structure sits on a solid concrete and brick foundation. The dwelling is capped by a sloping roof that is fronted by a false mansard of slate fish scale shingles between two brick firewalls on the façade (west elevation). The mansard is pierced by a gabled dormer that holds twelve-light fixed wood windows. A molded metal cornice with modillions and dentils completes the roof. The façade is faced with stretcher-bond brick. The foundation is pierced by a single-leaf paneled wood door with a concrete-lug lintel in the southern end bay and a sliding window in the central bay. The northernmost bay of the first story holds a single-leaf paneled wood door with a one-light wood transom and a concrete-lug lintel. All other openings on the façade hold 1/1, double-hung, vinyl-sash windows with concrete sills. Openings on the first story have concrete-lug lintels while openings on the second story have splayed brick lintels with concrete keystones. A one-story, one-bay porch projects from the façade and is set on a brick pier foundation. The porch has a sloped roof with overhanging eaves and a molded cornice and is supported by square brick columns atop brick posts. Metal balusters encircle the porch, which is accessed via concrete steps in the northern end bay.

The rear (east) elevation is fenestrated with a 2/2, double-hung, wood-sash window with a concrete sill and two-course rowlock brick segmental arch on the second story. A two-story, two-bay brick ell is located on the south bay of the rear elevation and is original. An exterior brick chimney with a corbeled cap is located in the northeast corner of the ell, which is capped by a sloped roof. A two-story porch with a shed roof has been enclosed by vinyl siding. The first story holds a single-leaf door in the southern end bay and 1/1, double-hung, vinyl-sash windows in other openings. The second story holds 1/1, double-hung, wood-sash windows.

Site Notes:

March 2010: This rowhouse is located on the east side of 5th Street, N.E. and is set back approximately ten feet from the concrete sidewalk. The dwelling is adjacent to 633 and 637 5th Street, N.E. The flat, raised front yard contains mature shrubs and foundation plantings and is bounded by a stone retaining wall and milled point metal fencing. Concrete steps lead from the sidewalk and travel toward the primary entrance. A yard bordered by wood privacy fencing and an asphalt-paved parking area are located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component	Feature
-----------	---------

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Mansard (False)	Slate		Shingled	
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Brick & Stone		Stretcher Bond	
Structure Component	Material	Feature		Source
Foundation	Concrete & Brick			
Walls	Brick & Stone			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Basemt Windows	Rectangular	Sliding	2 Lite	Unknown
Dormer	Rectangular	Fixed	12	Wood
Facade	Rectangular	Dbl-Hung	1/1	Wood
Facade	Rectangular	Dbl-Hung	1/1	Wood
Door Location	Aperture Shape	Type	Panels	Material
Main Door	Rectangular	Single		

Notable Interior Plan(s) _____

Notable Interior Feature(s) _____

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Historic District(s) _____

Subdivision:

Ward/ANC:

Zoning:

Designation Event(s) _____

Contributing:

Survey(s)

Level(s) of Investigation

Capitol Hill F & G Streets (2010)

Permit Research

Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **635_5th_Street_NE_facade_looking_NE.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **635_5th_Street_NE_facade_looking_SE.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **635_5th_Street_NE_rear.JPG**

Date:: Photog:

Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
10/12/1909	2487	Build	

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/7/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0045

BASICS DATA

ID Number: **0834-0045** Year Built: **1909** Data Source: **Permit**

Number Extended Street Quad Type of Address

637 **5th Street** **NE Current**

Name(s) Type of Name

Rowhouse, 637 5th Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0045 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1909** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1909** **Permit** **3000 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Volland, Edward O.**

Orig Construction **Builder** **Gottwals, M.L.**

Orig Construction **Owner** **Norway, Fred A.**

Construction Notes:

One of five rowhouses constructed from the same permit (#2487).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 5)**

Relate to Street: **Face on Setback Line**

Massing: **Row Building/Front Porch**

Footprint: **L-Shaped**

Number Stories: **2.5 plus basement**

Bays Wide: **3**

Height:

Width: **17**

Depth/Length: **34**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Contributing Status

Outbuilding Notes:

STYLE/EXTERIOR DATA

Architectural Style(s)

Classical Revival

Exterior & Architectural Notes:

March 2010: This two-and-a-half-story, three-bay Classical Revival-style rowhouse was constructed in 1909 by M.L. Gottwals from the design of Edward O. Volland. It is one of five similar rowhouses constructed from the same permit (#2487). The brick and stone structure sits on a solid concrete and brick foundation. The dwelling is capped by a sloping roof that is fronted by a false mansard of slate fish scale shingles between two brick firewalls on the façade (west elevation). The mansard is pierced by hipped dormers with slate shingles that hold twelve-light fixed wood windows. A molded metal cornice with modillions and dentils completes the roof. The façade is faced with stretcher-bond brick. The foundation is pierced by a window opening with a concrete-lug lintel in the southern end bay. The northernmost bay of the first story holds a single-leaf wood door with a one-light wood transom and a concrete-lug lintel. All other openings on the façade hold 1/1, double-hung, vinyl-sash windows with concrete sills. Openings on the first story have concrete-lug lintels while openings on the second story have splayed brick lintels with concrete keystones. A one-story, one-bay porch projects from the façade and is set on a brick pier foundation with decorative concrete block infill. The porch has a sloped roof with overhanging eaves and a molded cornice and is supported by square brick posts. Metal balusters encircle the porch, which is accessed via concrete steps in the northern end bay.

The rear (east) elevation is fenestrated with a 1/1, double-hung, vinyl-sash window on the first story and a 4/4, double-hung, wood-sash window with a concrete sill on the second story. Both openings have two-course rowlock brick segmental arches. A two-story, two-bay brick ell is located on the north bay of the rear elevation and is original. An exterior brick chimney with a corbeled cap is located in the southeast corner of the ell, which is capped by a sloped roof. A two-story porch with a shed roof has been enclosed by vinyl siding. The first story holds a single-leaf door in the northern end bay and 1/1, double-hung, vinyl-sash windows and one-light fixed vinyl windows in other openings. The second story holds 1/1, double-hung, vinyl-sash windows with false 6/6 muntins.

Site Notes:

March 2010: This rowhouse is located on the east side of 5th Street, N.E. and is set back approximately ten feet from the concrete sidewalk. The dwelling is adjacent to 635 and 639 5th Street, N.E. The flat, raised front yard contains mature trees and shrubs and is bounded by a stone retaining wall and bow and picket metal fence. Concrete steps lead from the sidewalk and travel toward the primary entrance. A yard bordered by wood privacy fencing and an asphalt-paved parking area are located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component

Feature

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Mansard (False)	Slate		Shingled	
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Brick & Stone		Stretcher Bond	
Structure Component	Material	Feature		Source
Foundation	Concrete & Brick			
Walls	Brick & Stone			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Dormer	Rectangular	Fixed	12	Wood
Facade	Rectangular	Dbl-Hung	1/1	Vinyl
Door Location	Aperture Shape	Type	Panels	Material
Main Door	Rectangular	Single		Wood

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

--

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: Capitol Hill	Historic District(s)
Subdivision:	
Ward/ANC:	
Zoning:	Designation Event(s)
Contributing:	
Survey(s)	Level(s) of Investigation
Capitol Hill F & G Streets (2010)	Permit Research
	Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Re-takes\
File: 637_5th_Street_NE_facade_looking_E.JPG**
Date:: Photog:
Code:: R: Fr:

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Re-takes\
File: 637_5th_Street_NE_facade_looking_NE.JPG**
Date:: Photog:
Code:: R: Fr:

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 637_5th_Street_NE_rear_looking_W.JPG**
Date:: Photog:
Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
10/12/1909	2487	Build	

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/21/2010	Litowitz (DDL), Dana	Record Updated
4/7/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0805

BASICS DATA

ID Number: **0834-0805** Year Built: **1892** Data Source: **Permit**

Number Extended Street Quad Type of Address

650 **6th Street** **NE Current**

Name(s) Type of Name

Rowhouse, 650 6th Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0805 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1892** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1892** **Permit** **2000 Permit**

Construction Event Association Associated Name

Orig Construction **Builder** **McClay, C.M.**

Orig Construction **Owner** **McClay, C.M.**

Construction Notes:

One of four rowhouses constructed from the same permit (#2815).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 4)**

Relate to Street: **Face on Setback Line**

Massing: **Row Bldg (Rect. Bay)**

Footprint: **Rectangular**

Number Stories: **2 plus basement**

Bays Wide: **3**

Height:

Width: **19**

Depth/Length: **32**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Contributing Status

Outbuilding Notes:

STYLE/EXTERIOR DATA

Architectural Style(s)

Queen Anne

Italianate

Exterior & Architectural Notes:

March 2010: This two-story, two-bay Queen Anne-style rowhouse displays Italianate influences and is set on a solid brick foundation. The dwelling was constructed by C.M. McClay in 1892 and is one of four rowhouses constructed from the same permit (#2815). The brick dwelling is faced with pressed stretcher-bond brick on the façade (east elevation) and is capped by a sloped roof. A molded metal and corbeled brick cornice complement the roof. A concrete water table is located above the raised foundation, and concrete sill courses span the façade below the first and second story window openings. The foundation is pierced by a single-leaf paneled wood door with a blind transom in the southernmost bay. The southernmost bay of the first story holds a two-leaf wood-frame glass door with a one-light transom. This opening is highlighted by a soldier brick segmental arch capped by header brick molding. The exterior door leads to an interior single-leaf paneled wood door. The entry is accessed via metal steps with gas pipe railings. A three-sided rectangular bay with chamfered corners projects from the northernmost bay of the façade and rises the full height of the dwelling. The bay shares the material treatment of the main block and the foundation level is pierced by 1/1, double-hung, wood-sash windows with concrete sills and splayed brick lintels. All other openings on the façade hold 1/1, double-hung, wood-sash windows with soldier brick segmental arches capped by header brick molding.

The rear (west) elevation was obscured by rear fencing. An interior brick chimney pierces the roof and has a plain cap. The second story of the rear is fenestrated with a 2/2, double-hung, wood-sash window in a segmental opening.

Site Notes:

March 2010: This rowhouse is located on the west side of 6th Street, N.E. and is set back approximately ten feet from the brick sidewalk. The dwelling is adjacent to 648 and 652 6th Street, N.E. A flat front yard landscaped with plants and flowers holds a metal planter urn and is enclosed by a metal bow and picket fence. A concrete walkway leads from the sidewalk and travels toward the primary and basement entrances. A yard enclosed by wood privacy fencing is located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component

Feature

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Pressed Brick		Stretcher Bond	
Structure Component	Material	Feature		Source
Foundation	Brick			
Walls	Brick			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Facade	Rectangular	Dbl-Hung	1/1	Wood
Door Location	Aperture Shape	Type	Panels	Material
Basement	Rectangular	Single	Paneled	Wood
Main Door	Rectangular	Double	Full Glass	Wood
Main Door	Rectangular	Recessed	Paneled	Wood

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Subdivision:

Ward/ANC:

Zoning:

Contributing:

Historic District(s)

Designation Event(s)

Survey(s)

Capitol Hill F & G Streets (2010)

Level(s) of Investigation

Permit Research

Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **650_6th_Street_NE_facade_looking_NW.jpg**

Date:: Photog:

Code:: R: Fr:

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **650_6th_Street_NE_facade_looking_SW
(2).jpg**

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **650_6th_Street_NE_rear.jpg**

Date:: Photog:

Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
06/27/1892	2815	Build	

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/7/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0804

BASICS DATA

ID Number: **0834-0804** Year Built: **1892** Data Source: **Permit**

Number Extended Street Quad Type of Address

652 **6th Street** **NE Current**

Name(s) Type of Name

Rowhouse, 652 6th Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0804 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1892** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1892** **Permit** **2000 Permit**

Construction Event Association Associated Name

Orig Construction **Builder** **McClay, C.M.**

Orig Construction **Owner** **McClay, C.M.**

Construction Notes:

One of four rowhouses constructed from the same permit (#2815).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 4)**

Relate to Street: **Face on Setback Line**

Massing: **Row Bldg (Rect. Bay)**

Footprint: **Rectangular**

Number Stories: **2 plus basement**

Bays Wide: **3**

Height:

Width: **19**

Depth/Length: **32**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Contributing Status

Outbuilding Notes:

STYLE/EXTERIOR DATA

Architectural Style(s)

Queen Anne

Italianate

Exterior & Architectural Notes:

March 2010: This two-story, two-bay Queen Anne-style rowhouse displays Italianate influences and is set on a solid brick foundation. The dwelling was constructed by C.M. McClay in 1892 and is one of four rowhouses constructed from the same permit (#2815). The brick dwelling is faced with pressed stretcher-bond brick on the façade (east elevation) and is capped by a sloped roof. A molded metal and corbeled brick cornice complement the roof. A concrete water table is located above the raised foundation. The foundation is pierced by a single-leaf paneled metal door with a semicircular light in the southernmost bay. The southernmost bay of the first story holds a two-leaf paneled wood door with lights. This opening is highlighted by a one-light transom and rusticated concrete-lug sill. The exterior door leads to an interior single-leaf paneled wood door with an oval light. The entry is accessed via metal steps with gas pipe railings. The second story opening holds a 1/1, double-hung, vinyl-sash window with a concrete sill and a rusticated concrete-lug lintel. A three-sided rectangular bay with rounded corners projects from the northernmost bay of the façade and rises the full height of the dwelling. The bay shares the material treatment of the main block and the foundation level is pierced by 1/1, double-hung, vinyl-sash windows with concrete sills and splayed brick lintels. Concrete sill courses span the bay below the first and second story window openings, and rusticated concrete lintel courses are located above the window openings. All openings on the bay hold 1/1, double-hung, vinyl-sash windows. The rear (west) elevation was not visible from the public right-of-way.

Site Notes:

March 2010: This rowhouse is located on the west side of 6th Street, N.E. and is set back approximately ten feet from the brick sidewalk. The dwelling is adjacent to 650 and 654 6th Street, N.E. A flat front yard landscaped with plants and shrubs holds a metal planter urn. A brick walkway leads from the sidewalk and travels toward the primary and basement entrances. A yard enclosed by wood privacy fencing is located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component	Feature
-----------	---------

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Pressed Brick		Stretcher Bond	
Structure Component	Material	Feature		Source
Foundation	Brick			
Walls	Brick			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Facade	Rectangular	Dbl-Hung	1/1	Vinyl
Door Location	Aperture Shape	Type	Panels	Material
Basement	Rectangular	Single	Paneled	Metal/Glas
Main Door	Rectangular	Double	Paneled	Wood/Glass
Main Door	Rectangular	Recessed	Paneled	Wood/Glass

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Subdivision:

Ward/ANC:

Zoning:

Contributing:

Historic District(s)

Designation Event(s)

Survey(s)

Capitol Hill F & G Streets (2010)

Level(s) of Investigation

Permit Research

Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **652_6th_Street_NE_facade_looking_NW.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **652_6th_Street_NE_facade_looking_SW.JPG**

Date:: Photog:

Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

--

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
-------------------	--------	------	---------

06/27/1892	2815	Build	
-------------------	-------------	--------------	--

Permit Notes:

--

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

--

SIGNIFICANCE DATA

Study Unit

Code

Criteria

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/7/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0803

BASICS DATA

ID Number: **0834-0803** Year Built: **1892** Data Source: **Permit**

Number	Extended	Street	Quad	Type of Address
654	-654.5	6th Street	NE	Current
654		6th Street	NE	Current

Name(s)	Type of Name
Rowhouse, 654 6th Street, N.E.	Common

TaxCode1	TaxCode2	TaxCode3	Type	Explain
0834/0803			Square/Lot	Current

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**
Desig. Status: **Historic** Quality:
Purpose: **Rowhouse** Condition: **Good**

Function/Use	Start	Source	Stop	Source	Explain
Residential (Single-Family)	1892	Permit			Original
Residential (Multi-Family)					Current

CONSTRUCTION DATA

Construction Event	Start	Source	Stop	Source	Cost Source
Orig Construction	1892	Permit			2000 Permit

Construction Event	Association	Associated Name
Orig Construction	Builder	McClay, C.M.
Orig Construction	Owner	McClay, C.M.

Construction Notes:

One of four rowhouses constructed from the same permit (#2815).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**
 Streetscape: **Intact**
 Relate to Othr Bldgs: **Row (1 of 4)**
 Relate to Street: **Face on Setback Line**
 Massing: **Row Bldg (Rect. Bay)**
 Footprint: **Rectangular**

Cross Reference Notes:

Number Stories: **2 plus basement**

Bays Wide: **3**

Height:

Outbuilding Type

Contributing Status

Width: **19**

Depth/Length: **32**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Outbuilding Notes:

Lot SqFt:

Acreage:

Has Driveway: ☐

STYLE/EXTERIOR DATA

Architectural Style(s)

Queen Anne

Italianate

Exterior & Architectural Notes:

March 2010: This two-story, two-bay Queen Anne-style rowhouse displays Italianate influences and is set on a solid brick foundation. The dwelling was constructed by C.M. McClay in 1892 and is one of four rowhouses constructed from the same permit (#2815). The brick dwelling is faced with pressed stretcher-bond brick on the façade (east elevation) and is capped by a sloped roof. A molded metal and corbeled brick cornice complement the roof. A concrete water table is located above the raised foundation, and concrete sill courses span the façade below the first and second story window openings. The foundation is pierced by a single-leaf paneled wood door in the southernmost bay. The southernmost bay of the first story holds a semicircular arched opening highlighted by a soldier brick semicircular arch capped by header brick molding. The opening leads to a weatherboard-faced entryway with a single-leaf paneled wood door. The entry is accessed via metal steps with gas pipe railings. The second story holds a fixed round-headed wood window highlighted by a soldier brick semicircular arch capped by header brick molding. A three-sided rectangular bay with chamfered corners projects from the northernmost bay of the façade and rises the full height of the dwelling. The bay shares the material treatment of the main block and the foundation level is pierced by 1/1, double-hung, vinyl-sash windows with header brick sills and splayed brick lintels. All openings on the bay hold 1/1, double-hung, vinyl-sash windows with soldier brick segmental arches capped by header brick molding. The rear (west) elevation has been parged and is fenestrated on the second story by 1/1, double-hung, vinyl-sash windows in segmental openings with header brick sills.

Site Notes:

March 2010: This rowhouse is located on the west side of 6th Street, N.E. and is set back approximately ten feet from the brick sidewalk. The dwelling is adjacent to 650 and 654 6th Street, N.E. A flat front yard landscaped with plants and shrubs holds a metal planter urn. A brick walkway leads from the sidewalk and travels toward the primary and basement entrances. A yard enclosed by wood privacy fencing is located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component Feature

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Pressed Brick		Stretcher Bond	
Structure Component	Material	Feature		Source
Foundation	Brick			
Walls	Brick			

Materials Notes:

--

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Facade	Rectangular	Dbl-Hung	1/1	Vinyl
Facade	Round-Headed	Unknown	1	Wood
Door Location	Aperture Shape	Type	Panels	Material
Basement	Rectangular	Single	Paneled	Wood
Main Door	Rectangular	Recessed	Paneled	Wood
Notable Interior Plan(s)		Notable Interior Feature(s)		

Interior Notes:

--

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: Capitol Hill	Historic District(s)
Subdivision:	
Ward/ANC:	
Zoning:	Designation Event(s)
Contributing:	
Survey(s)	Level(s) of Investigation
Capitol Hill F & G Streets (2010)	Permit Research Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 654-
654.5_6th_Street_NE_facade_looking_NW.jpg
Date:: Photog:
Code:: R: Fr:

Caption:

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 654-
654.5_6th_Street_NE_facade_looking_W.jpg
Date:: Photog:
Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
06/27/1892	2815	Build	

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/7/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0802

BASICS DATA

ID Number: **0834-0802** Year Built: **1892** Data Source: **Permit**

Number Extended Street Quad Type of Address

656 **6th Street** **NE Current**

Name(s) Type of Name

Rowhouse, 656 6th Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0802 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1892** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1892** **Permit** **2000 Permit**

Construction Event Association Associated Name

Orig Construction **Builder** **McClay, C.M.**

Orig Construction **Owner** **McClay, C.M.**

Construction Notes:

One of four rowhouses constructed from the same permit (#2815).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row End (1 of 4)**

Relate to Street: **Face on Setback Line**

Massing: **Row Bldg (Rect. Bay)**

Footprint: **Rectangular**

Number Stories: **2 plus basement**

Bays Wide: **2**

Height:

Width: **19**

Depth/Length: **32**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Contributing Status

Outbuilding Notes:

STYLE/EXTERIOR DATA

Architectural Style(s)

Queen Anne

Italianate

Exterior & Architectural Notes:

March 2010: This two-story, two-bay Queen Anne-style rowhouse displays Italianate influences and is set on a solid brick foundation. The dwelling was constructed by C.M. McClay in 1892 and is one of four rowhouses constructed from the same permit (#2815). The brick dwelling is faced with pressed stretcher-bond brick on the façade (east elevation) and is capped by a sloped roof. A molded metal and corbeled brick cornice complement the roof. A concrete water table is located above the raised foundation. The foundation is pierced by a single-leaf paneled door with lights and a one-light transom in the southernmost bay. The southernmost bay of the first story holds a single-leaf metal storm door highlighted by a one-light transom and a rusticated concrete-lug lintel. This door leads to an inner vestibule with a two-leaf paneled wood door. The entry is accessed via metal steps with gas pipe railings. The second story opening holds a 1/1, double-hung, vinyl-sash window with a concrete sill and a rusticated concrete-lug lintel. A three-sided rectangular bay with rounded corners projects from the northernmost bay of the façade and rises the full height of the dwelling. The bay shares the material treatment of the main block and is capped by a pyramidal roof of slate shingles with a metal finial. The foundation level is pierced by 1/1, double-hung, vinyl-sash windows with concrete sills and splayed brick lintels. Concrete sill courses span the bay below the first and second story window openings, and rusticated concrete lintel courses are located above the window openings. All openings on the bay hold 1/1, double-hung, vinyl-sash windows.

The north (side) elevation shares the material treatment of the façade. The projecting bay from the façade continues around the corner onto the side elevation. The main block has decorative recessed brick panels and concrete sill courses below window openings. A three-sided rectangular bay projects from the western end bay of the elevation and rises two stories. The foundation is pierced by 1/1, double-hung, vinyl-sash windows, and the remainder of the bay is fenestrated with 1/1, double-hung, vinyl-sash windows with soldier brick segmental arches capped by header brick molding. The rear (west) elevation was partially obscured by rear fencing. An interior brick chimney with a parged cap is located on this elevation, which is fenestrated with 1/1, double-hung, vinyl-sash windows with header brick sills and two-course rowlock brick segmental arches on the second story.

Site Notes:

March 2010: This end-unit rowhouse is located on a corner lot on the west side of 6th Street, N.E. at the intersection of 6th Street and G Street, N.E. and is set back approximately ten feet from the brick sidewalk. The south (side) elevation is adjacent to 652 6th Street, N.E. A flat front and side yard is dotted with plants and immature shrubs and is bounded by a metal bow and picket fence. A brick walkway leads from the sidewalk and travels toward the primary and basement entrances. A yard enclosed by wood privacy fencing is located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component	Feature
-----------	---------

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Pressed Brick		Stretcher Bond	
Structure Component	Material	Feature		Source
Foundation	Brick			
Walls	Brick			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Facade	Rectangular	Dbl-Hung	1/1	Vinyl
Door Location	Aperture Shape	Type	Panels	Material
Basement	Rectangular	Single	Paneled	Wood/Glass
Main Door	Rectangular	Double	Paneled	Wood

Notable Interior Plan(s) _____

Notable Interior Feature(s) _____

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Historic District(s) _____

Subdivision:

Ward/ANC:

Zoning:

Designation Event(s) _____

Contributing:

Survey(s)

Level(s) of Investigation

Capitol Hill F & G Streets (2010)

Permit Research

Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **656_6th_Street_NE_facade_looking_NW.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **656_6th_Street_NE_facade_looking_SW.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **656_6th_Street_NE_rear_looking_SE.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 656_6th_Street_NE_side_looking_S.JPG

Date:: Photog:
Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
06/27/1892	2815	Build	

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/7/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0083

BASICS DATA

ID Number: **0834-0083** Year Built: **1909** Data Source: **Permit**

Number Extended Street Quad Type of Address

613 **5th Street** **NE Current**

Name(s) Type of Name

Rowhouse, 613 5th Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0083 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1909** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1909** **Permit** **3333 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Pumphrey, George C.**

Orig Construction **Builder** **Pumphrey & Palmer**

Orig Construction **Owner** **Pumphrey & Palmer**

Construction Notes:

One of three rowhouses constructed from the same permit (#3494).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 3)**

Relate to Street: **Face on Setback Line**

Massing: **Row Building/Canted Bay**

Footprint: **L-Shaped**

Number Stories: **2 plus basement**

Bays Wide: **2**

Height:

Width:

Depth/Length:

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Contributing Status

Outbuilding Notes:

STYLE/EXTERIOR DATA

Architectural Style(s)

Queen Anne

Exterior & Architectural Notes:

March 2010: This two-story, two-bay Queen Anne-style rowhouse was constructed by Pumphrey and Palmer in 1909. It is one of three similar rowhouses constructed from the same permit (#3494). The six-course American-bond brick structure sits on a solid concrete foundation. The dwelling is capped by a sloping roof that is complemented by a molded metal cornice with scroll modillions and a frieze with swag molding on the façade (west elevation). The façade is faced with stretcher-bond brick. The southernmost bay of the first story holds a single-leaf wood door with a one-light wood transom and a rusticated concrete-lug lintel. The entry is accessed via metal steps with metal hand rails. A three-sided canted bay rises the full height of the dwelling and projects from the northern end bay. The bay shares the material treatment of the main block. All openings on the façade hold 1/1, double-hung, vinyl-sash windows with rusticated concrete-lug sills and lintels.

The rear (east) elevation is fenestrated with 1/1, double-hung, vinyl-sash windows with sills and two-course rowlock brick segmental arches. A two-story, two-bay ell projects from the southernmost bay of the rear elevation and is original to the dwelling. A two-story, two-bay appendage is located on the rear of the ell; this appendage is present on the 1928 Sanborn Fire Insurance Map. The appendage is set on a concrete pier foundation and is clad with aluminum siding. The addition is capped by a shed roof and is fenestrated with 1/1, double-hung, vinyl-sash windows. A single-leaf paneled wood door with diamond lights is located in the southern end bay of the first story and is accessible via steps.

Site Notes:

March 2010: This rowhouse is located on the east side of 5th Street, N.E. and is set back approximately ten feet from the concrete sidewalk. The dwelling is adjacent to 611 and 615 5th Street, N.E. The flat, raised front yard contains mature shrubs and foundation plantings. The yard is bounded by a stone retaining wall and a milled point metal fence. Concrete steps lead from the sidewalk and travel toward the primary entrance. A yard bordered by chain link metal fencing is located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component

Feature

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Brick		Stretcher Bond	
Structure Component	Material	Feature		Source
Foundation	Concrete			
Walls	Brick			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Facade	Rectangular	Dbl-Hung	1/1	Vinyl
Door Location	Aperture Shape	Type	Panels	Material
Main Door	Rectangular	Single		Wood

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Tuesday, June 25, 2013

ID_Number: 0834-0083 Page 2

Neighborhood: **Capitol Hill**

Subdivision:

Ward/ANC:

Zoning:

Contributing:

Historic District(s)

Designation Event(s)

Survey(s)

Capitol Hill F & G Streets (2010)

Level(s) of Investigation

Permit Research

Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **613_5th_Street_NE_facade_looking_NE.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **613_5th_Street_NE_facade_looking_SE.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **613_5th_Street_NE_rear_looking_W.JPG**

Date:: Photog:

Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

--

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
11/27/1909	3494	Build	

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/7/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0084

BASICS DATA

ID Number: **0834-0084** Year Built: **1909** Data Source: **Permit**

Number Extended Street Quad Type of Address

615 **5th Street** **NE Current**

Name(s) Type of Name

Rowhouse, 615 5th Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0084 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1909** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1909** **Permit** **3333 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Pumphrey, George C.**

Orig Construction **Builder** **Pumphrey & Palmer**

Orig Construction **Owner** **Pumphrey & Palmer**

Construction Notes:

One of three rowhouses constructed from the same permit (#3494).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 3)**

Relate to Street: **Face on Setback Line**

Massing: **Row Building/Canted Bay**

Footprint: **L-Shaped**

Number Stories: **2 plus basement**

Bays Wide: **2**

Height:

Width:

Depth/Length:

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Garage

Contributing Status

Contributing

Outbuilding Notes:

March 2010: A one-story, one-bay garage is located east of the primary dwelling and was constructed in 1910 by F.E. Zepp from the design of A.H. Beers (permit #6352). The brick structure is set on a solid concrete foundation. The majority of

the exterior has been parged. The façade (east elevation) is pierced by a roll-up paneled metal vehicular door with a wood lintel. A half story of concrete block was added to the roof of the garage ca. 1990.

STYLE/EXTERIOR DATA

Architectural Style(s)

Queen Anne

Exterior & Architectural Notes:

March 2010: This two-story, two-bay Queen Anne-style rowhouse was constructed by Pumphrey and Palmer in 1909. It is one of three similar rowhouses constructed from the same permit (#3494). The six-course American-bond brick structure sits on a solid concrete foundation. The dwelling is capped by a sloping roof that is complemented by a molded metal cornice with scroll modillions and a frieze with swag molding on the façade (west elevation). The façade is faced with stretcher-bond brick. The southernmost bay of the first story holds a single-leaf paneled wood door with a large one-light wood transom and a rusticated concrete-lug lintel. The entry is accessed via metal steps with metal hand rails. A three-sided canted bay rises the full height of the dwelling and projects from the northern end bay. The bay shares the material treatment of the main block. All openings on the façade hold 1/1, double-hung, vinyl-sash or one-light fixed wood windows with rusticated concrete-lug sills and lintels.

The rear (east) elevation is fenestrated with 1/1, double-hung, vinyl-sash windows with sills and two-course rowlock brick segmental arches. A two-story, two-bay ell projects from the northernmost bay of the rear elevation and is original to the dwelling. An exterior-side brick chimney with a plain cap is located on the southern elevation of the ell. A two-story, two-bay appendage is located on the rear of the ell; this appendage is present on the 1928 Sanborn Fire Insurance Map. The appendage was not fully visible due to rear fencing; it is faced with brick and concrete and is capped by a shed roof with a plain wood frieze. The appendage is fenestrated with 1/1, double-hung, vinyl-sash windows with rowlock brick sills.

Site Notes:

March 2010: This rowhouse is located on the east side of 5th Street, N.E. and is set back approximately ten feet from the concrete sidewalk. The dwelling is adjacent to 613 and 617 5th Street, N.E. The flat, raised front yard contains immature shrubs and foundation plantings and is bounded by a stone retaining wall. Concrete steps lead from the sidewalk and travel toward the primary entrance. A yard bordered by a concrete block wall and a garage are located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component	Feature
-----------	---------

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Brick		Stretcher Bond	
Structure Component	Material	Feature		Source
Foundation	Concrete			
Walls	Brick			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Facade	Rectangular	Dbl-Hung	1/1	Vinyl
Facade	Rectangular	Fixed	1	Wood
Door Location	Aperture Shape	Type	Panels	Material
Main Door	Rectangular	Single	Paneled	Wood

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

--

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Historic District(s)

Subdivision:

Ward/ANC:

Zoning:

Designation Event(s)

Contributing:

Survey(s)

Level(s) of Investigation

Capitol Hill F & G Streets (2010)

Permit Research

Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **615_5th_Street_NE_facade_looking_NE.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **615_5th_Street_NE_facade_looking_SE.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **615_5th_Street_NE_rear.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\

File: 615_5th_Street_NE_garage.JPG

Date:: Photog:

Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
-------------------	--------	------	---------

05/12/1910	6352	Garage	
------------	------	--------	--

11/27/1909	3494	Build	
------------	------	-------	--

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/7/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0092

BASICS DATA

ID Number: **0834-0092** Year Built: **1912** Data Source: **Permit**

Number Extended Street Quad Type of Address

626 **6th Street** **NE Current**

Name(s) Type of Name

Rowhouse, 626 6th Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0092 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1912** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1912** **Permit** **3500 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Powell, J.W.**

Orig Construction **Builder** **Powell, J.W.**

Orig Construction **Owner** **Norway, Fred A.**

Construction Notes:

One of three rowhouses constructed from the same permit (#4713).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 3)**

Relate to Street: **Face on Setback Line**

Massing: **Row Building/Front Porch**

Footprint: **L-Shaped**

Number Stories: **2.5 plus basement**

Bays Wide: **3**

Height:

Width: **18**

Depth/Length: **33**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:



Outbuilding Type

Garage

Contributing Status

Contributing

Outbuilding Notes:

March 2010: A one-story, one-bay garage is located west of the dwelling and was constructed by J.W. Powell in 1914. It is one of two garages constructed from the same permit (#3853). The garage is constructed of concrete faced with 6-course

American-bond brick and is set on a solid foundation. A sloping roof, highlighted by a metal cornice, caps the garage. The façade (west elevation) is pierced by a roll-up paneled metal vehicular door. The south elevation is fenestrated by a single-leaf door with a two-course rowlock brick segmental arch and a window with a concrete sill and a two-course rowlock brick segmental arch.

STYLE/EXTERIOR DATA

Architectural Style(s)

Colonial Revival

Exterior & Architectural Notes:

March 2010: This two-and-a-half-story, three-bay Colonial Revival-style rowhouse was constructed by J.W. Powell in 1912. It is one of three similar rowhouses constructed from the same permit (#4713). The brick structure sits on a solid concrete foundation. The dwelling is capped by a sloping roof that is fronted by a false mansard of asphalt shingles between two brick firewalls on the façade (east elevation). The mansard is pierced by a gabled dormer with molded wood cornice and raking that holds twelve-light fixed wood windows. A molded and boxed metal cornice with scroll modillions completes the roof. The façade is faced with Flemish-bond pressed brick. The foundation is pierced by a single-leaf paneled door in the southernmost bay and a two-light vinyl sliding window with a concrete sill and concrete-lug lintel in the northernmost bay. The southernmost bay of the first story holds a single-leaf flush wood door with one light and a one-light wood transom with a concrete-lug lintel. All other openings on the façade hold 1/1, double-hung, vinyl-sash windows with concrete sills and concrete-lug lintels. A one-story, one-bay porch projects from the façade and is set on a brick pier foundation. The porch has a half-hipped roof with overhanging eaves and is supported by wood Tuscan columns atop brick posts. Wood balusters encircle the porch, which is accessed via concrete steps in the northern end bay.

A two-story, two-bay ell constructed of five-course American-bond brick is located on the southern end of the rear (west) elevation and is original. The ell is capped by a sloping roof and an exterior brick chimney with a parged cap is located at the northwest corner. Openings in the southernmost bay on the first and second stories of the west elevation hold single-leaf paneled wood doors with lights. These openings are highlighted by single-light transoms and brick segmental arches. The northernmost bays on both stories hold 1/1, double-hung, wood-sash windows with concrete sills and brick segmental arches. A two-story, one-bay porch spans the elevation and is supported by square wood piers. The porch has a shed roof supported by wood posts. Wood balusters encircle the porch, which is accessed on the first story via wood steps in the southern end bay.

Site Notes:

March 2010: This rowhouse is located on the west side of 6th Street, N.E. and is set back approximately ten feet from the brick sidewalk. The dwelling is adjacent to 624 and 628 6th Street, N.E. The flat front yard is planted with immature shrubs and is bounded by a brick retaining wall and metal bow and hairpin fencing. Concrete steps and a concrete walkway lead from the sidewalk and travel toward the primary and basement entrances. A yard enclosed by metal chain link fencing and a garage are located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component

Feature

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Mansard (False)	Asphalt		Shingled	
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Pressed Brick		Flemish Bond	
Structure Component	Material	Feature		Source
Foundation	Concrete			
Walls	Brick			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Basemt Windows	Rectangular	Sliding	2 Lite	Vinyl
Dormer	Rectangular	Fixed	12	Wood
Facade	Rectangular	Dbl-Hung	1/1	Vinyl
Door Location	Aperture Shape	Type	Pamels	Material
Basement	Rectangular	Single	Paneled	Wood
Main Door	Rectangular	Flush		Wood/Glass

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Historic District(s)

Subdivision:

Ward/ANC:

Zoning:

Designation Event(s)

Contributing:

Survey(s)

Level(s) of Investigation

Capitol Hill F & G Streets (2010)

Permit Research

Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **626_6th_Street_NE_facade_looking_NW.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **626_6th_Street_NE_facade_looking_SW.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\

File: 626_6th_Street_NE_garage.jpg

Date:: Photog:

Code:: R: Fr:

Caption:

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\

File: 626_6th_Street_NE_rear.jpg

Date:: Photog:

Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
03/28/1914	3853	Garage	
04/17/1912	4713	Build	

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/6/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0091

BASICS DATA

ID Number: **0834-0091** Year Built: **1912** Data Source: **Permit**

Number Extended Street Quad Type of Address

628 **6th Street** **NE Current**

Name(s) Type of Name

Rowhouse, 628 6th Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0091 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1912** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1912** **Permit** **3500 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Powell, J.W.**

Orig Construction **Builder** **Powell, J.W.**

Orig Construction **Owner** **Norway, Fred A.**

Construction Notes:

One of three rowhouses constructed from the same permit (#4713).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 3)**

Relate to Street: **Face on Setback Line**

Massing: **Row Building/Flat Front**

Footprint: **L-Shaped**

Number Stories: **2.5 plus basement**

Bays Wide: **3**

Height:

Width: **18**

Depth/Length: **33**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Garage

Contributing Status

Contributing

Outbuilding Notes:

March 2010: A one-story, one-bay garage is located west of the dwelling and was constructed by J.W. Powell in 1914. It is one of two garages constructed from the same permit (#3853). The garage is constructed of concrete faced with 6-course

American-bond brick and is set on a solid foundation. A sloping roof, highlighted by a metal cornice, caps the garage. The façade (west elevation) is pierced by a roll-up paneled metal vehicular door with a metal lintel.

STYLE/EXTERIOR DATA

Architectural Style(s)

Colonial Revival

Exterior & Architectural Notes:

March 2010: This two-and-a-half-story, three-bay Colonial Revival-style rowhouse was constructed by J.W. Powell in 1912. It is one of three similar rowhouses constructed from the same permit (#4713). The brick structure sits on a solid concrete foundation. The dwelling is capped by a sloping roof that is fronted by a false mansard of slate fish scale shingles between two brick firewalls on the façade (east elevation). The mansard is pierced by two gabled dormers with molded wood cornices and raking that hold twelve-light fixed wood windows. A molded and boxed metal cornice with scroll modillions completes the roof. The façade is faced with Flemish-bond pressed brick. The foundation is pierced by a one-light window in the southern end bay. The foundation is further pierced by a single-leaf paneled wood door with lights. The northernmost bay of the first story holds a single-leaf paneled wood door with lights and is sheltered by a vinyl awning. All other openings on the façade hold 1/1, double-hung, vinyl-sash windows with concrete sills and concrete-lug lintels. The opening in the southernmost bay on the first story is sheltered by a self-supporting metal awning. A one-story, one-bay porch projects from the façade and is set on a brick pier foundation. Turned concrete balusters encircle the porch, which is accessed via concrete steps in the northern end bay.

A two-story, two-bay ell constructed of five-course American-bond brick is located on the northern end of the rear (west) elevation and is original. The ell is capped by a sloping roof and an exterior brick chimney with a parged cap is located at the southwest corner. Openings in the northernmost bay on the first and second stories of the west elevation hold single-leaf doors highlighted by single-light transoms. The southernmost bays on both stories hold 1/1, double-hung, sash windows (materials not visible). A two-story mesh-enclosed wood-frame porch spans the elevation. The porch has a shed roof supported by wood posts. Solid wood balustrades encircle the porch, which is accessed on the first story via a single-leaf wood-frame mesh door.

Site Notes:

March 2010: This rowhouse is located on the west side of 6th Street, N.E. and is set back approximately ten feet from the brick sidewalk. The dwelling is adjacent to 626 and 638 6th Street, N.E. The flat front yard is planted with immature shrubs and trees and is bounded by a concrete retaining wall and metal bow and picket fencing. Concrete steps and a concrete walkway lead from the sidewalk and travel toward the primary and basement entrances. A yard enclosed by wood privacy fencing and a garage are located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component	Feature
-----------	---------

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Mansard (False)	Slate		Shingled	
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Pressed Brick		Stretcher Bond	
Structure Component	Material	Feature		Source
Foundation	Concrete			
Walls	Brick			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Basemt Windows	Rectangular	Awning	1	Vinyl
Dormer	Rectangular	Fixed	12	Wood
Facade	Rectangular	Dbl-Hung	1/1	Vinyl

Door Location	Aperture Shape	Type	Panels	Material
Basement	Rectangular	Single	Paneled	Wood/Glass
Main Door	Rectangular	Single	Paneled	Wood/Glass
Notable Interior Plan(s)			Notable Interior Feature(s)	

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: Capitol Hill	Historic District(s)
Subdivision:	
Ward/ANC:	
Zoning:	Designation Event(s)
Contributing:	
Survey(s)	Level(s) of Investigation
Capitol Hill F & G Streets (2010)	Permit Research
	Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 628_6th_Street_NE_facade_looking_NW.JPG
Date:: Photog:
Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 628_6th_Street_NE_facade_looking_SW.JPG
Date:: Photog:
Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 628_6th_Street_NE_garage_looking_SE.JPG
Date:: Photog:
Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 628_6th_Street_NE_rear_looking_SE.JPG
Date:: Photog:
Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
03/28/1914	3853	Garage	
04/17/1912	4713	Build	

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/6/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0076

BASICS DATA

ID Number: **0834-0076** Year Built: **1907** Data Source: **Permit**

Number Extended Street Quad Type of Address

608 **6th Street** **NE Current**

Name(s) Type of Name

Rowhouse, 608 6th Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0076 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1907** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1907** **Permit** **3200**

Construction Event Association Associated Name

Babbitt, Zeno B. **Owner** **Babbitt, Zeno B.**

Orig Construction **Architect** **Schneider, A. M.**

Construction Notes:

One of eight rowhouses constructed from the same permit (#3857).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row End (1 of 8)**

Relate to Street: **Face on Setback Line**

Massing: **Row Bldg Flat-Fronted**

Footprint: **Rectangular**

Number Stories: **2 plus basement**

Bays Wide: **3**

Height:

Width: **20**

Depth/Length: **28**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Contributing Status

Outbuilding Notes:

STYLE/EXTERIOR DATA

Architectural Style(s)

Classical Revival

Exterior & Architectural Notes:

March 2010: This two-story, three-bay Classical Revival-style rowhouse was constructed by A.M. Schneider in 1907. It is one of eight similar rowhouses constructed from the same permit (#3857). The seven-course American-bond brick and stone structure sits on a solid concrete and brick foundation. The dwelling is capped by a false mansard roof of asphalt shingles with overhanging eaves that is complemented by a molded metal cornice and block modillions. The façade (east elevation) is faced with Flemish-bond brick. A four-course molded brick watertable is located above the foundation, which is pierced by a single-leaf, wood-frame glass door in the southern end bay. The first story holds a single-leaf wood-frame glass door with a one-light transom and a three-course rowlock brick segmental arch in the northernmost bay. This entryway is accessed via metal steps with hand rails. The remainder of the façade is fenestrated with 1/1, double-hung, vinyl-sash windows with concrete sills and splayed brick and concrete arches.

The south (side) elevation received the same material treatment and fenestration as the façade. An exterior-side brick chimney with corbeled cap is located on this elevation. The foundation is pierced by single-light windows (materials not visible). A three-sided, canted bay projects from the western end bay of the elevation and rises two stories. It is capped by a shed roof. Concrete lug lintel courses span the bay above the 1/1, double-hung, vinyl-sash windows on the first and second stories.

A brick parapet wall with metal coping rises from the southern bay of the rear (west) elevation and does not extend the whole width of the elevation. A two-leaf, wood-frame glass door with a one-light rectangular transom is located on the first story of the southernmost bay. This opening is highlighted by a two-course rowlock brick segmental arch. A two-leaf opening in the northern end bay has been partially infilled and now holds a single-leaf wood-frame glass door with a rectangular one-light transom and a 1/1, double-hung, vinyl-sash window with a concrete sill. Both openings are highlighted by a two-course rowlock brick segmental arch. This entry is accessed via metal steps with metal hand rails. A central bay on the second story holds a single-leaf wood-frame glass door with a one-light transom and is highlighted by a two-course rowlock brick segmental arch. The second story is further fenestrated by 1/1, double-hung, vinyl-sash windows with concrete sills and two-course rowlock brick segmental arches. An exterior brick chimney is located on the northernmost bay of this elevation and has a corbeled cap.

Site Notes:

March 2010: This end-unit rowhouse is located on the west side of 6th Street, N.E. and is set back approximately ten feet from the brick sidewalk. The north elevation is adjacent to 610 6th Street and the south elevation is adjacent to a brick alley. The flat, grassy front yard is planted with mature shrubs and is bordered by a metal milled point fence. A concrete walkway leads from the sidewalk and travels toward the primary and basement entrances. A yard, enclosed by a wood privacy fence, is located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component	Feature
-----------	---------

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Mansard (False)	Asphalt		Shingled	
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Brick & Stone		Flemish Bond	
Structure Component	Material	Feature		Source
Foundation	Concrete & Brick			
Walls	Brick & Stone			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Facade	Rectangular	Dbl-Hung	1/1	Vinyl
Door Location	Aperture Shape	Type	Panels	Material
Basement	Rectangular	Single	Full Glass	Wood

Main Door	Rectangular	Single	Full Glass	Wood
Notable Interior Plan(s)			Notable Interior Feature(s)	
<div style="border: 1px solid black; height: 20px; width: 100%;"></div>				

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: Capitol Hill	Historic District(s)
Subdivision:	
Ward/ANC:	
Zoning:	Designation Event(s)
Contributing:	
Survey(s)	Level(s) of Investigation
Capitol Hill F & G Streets (2010)	Permit Research
	Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 608_6th_Street_NE_facade_looking_NW.JPG
Date:: Photog:
Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 608_6th_Street_NE_facade_looking_SW.JPG
Date:: Photog:
Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 608_6th_Street_NE_rear_looking_NE.JPG
Date:: Photog:
Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
06/03/1907	3857	Build	

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/6/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0075

BASICS DATA

ID Number: **0834-0075** Year Built: **1907** Data Source: **Permit**

Number	Extended	Street	Quad	Type of Address
610	-610B	6th Street	NE	Current
610		6th Street	NE	Original

Name(s)	Type of Name
Rowhouse, 610 6th Street, N.E.	Common

TaxCode1	TaxCode2	TaxCode3	Type	Explain
0834/0075			Square/Lot	Current

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**
Desig. Status: **Historic** Quality:
Purpose: **Rowhouse** Condition: **Good**

Function/Use	Start	Source	Stop	Source	Explain
Residential (Single-Family)	1907	Permit			Original
Residential (Multi-Family)					Current

CONSTRUCTION DATA

Construction Event	Start	Source	Stop	Source	Cost Source
Orig Construction	1907	Permit			3200 Permit

Construction Event	Association	Associated Name
Orig Construction	Architect	Schneider, A. M.
Orig Construction	Owner	Babbitt, Zeno B.

Construction Notes:

One of eight rowhouses constructed from the same permit (#3857).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**
Streetscape: **Intact**
Relate to Othr Bldgs: **Row (1 of 8)**
Relate to Street: **Face on Setback Line**
Massing: **Row Building/Front Porch**
Footprint: **Rectangular**

Cross Reference Notes:

Number Stories: **2 plus basement**

Bays Wide: **3**

Height:

Outbuilding Type

Contributing Status

Width: **20**

Depth/Length: **28**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Outbuilding Notes:

STYLE/EXTERIOR DATA

Architectural Style(s)

Classical Revival

Exterior & Architectural Notes:

March 2010: This two-story, three-bay Classical Revival-style rowhouse was constructed by A.M. Schneider in 1907. It is one of eight similar rowhouses constructed from the same permit (#3857). The seven-course American-bond brick and stone structure sits on a solid concrete and brick foundation. The dwelling is capped by a sloping roof that is fronted by a false mansard of asphalt shingles on the façade. The mansard is complemented by a gabled pediment and molded metal cornice with block modillions. The façade (east elevation) is faced with Flemish-bond brick. A four-course molded brick watertable is located above the foundation, which is pierced by a single-leaf, wood-frame glass door in the southern end bay and a 1/1, double-hung, vinyl-sash window in the central bay. The northernmost bay of the first story holds a single-leaf wood-frame glass door with a one-light wood transom. All other openings on the façade hold 6/1, double-hung, wood-sash windows with concrete-lug sills and brick and concrete splayed arches. A one-story, one-bay porch projects from the façade and is set on a brick pier foundation. The half-hipped roof of the porch features overhanging eaves and is supported by wood Tuscan columns. Wood balusters encircle the porch which is accessed via wood steps in the northern end bay.

A two-leaf, sliding glass door with a one-light rectangular transom is located on the first story of the southernmost bay on the rear (west) elevation. This opening is highlighted by a two-course rowlock brick segmental arch. A two-leaf opening in the northern end bay has been partially infilled and now holds a single-leaf wood-frame glass door with a rectangular one-light transom and a 1/1, double-hung, vinyl-sash window with a concrete sill. Both openings are highlighted by a two-course rowlock brick segmental arch. A one-story, one-bay wood deck with wood balusters spans the elevation on the first story and is accessed via wooden steps. The northernmost bay on the second story holds glass blocks and is highlighted by a concrete-lug sill and a two-course rowlock brick segmental arch. The second story is further fenestrated by 1/1, double-hung, vinyl-sash windows with concrete sills and two-course rowlock brick segmental arches. An exterior brick chimney is located on the northernmost bay of this elevation and has a plain cap.

Site Notes:

March 2010: This rowhouse is located on the west side of 6th Street, N.E. and is set back approximately ten feet from the brick sidewalk. The dwelling is adjacent to 608 and 612 6th Street, N.E. The flat, raised front yard contains plants, immature trees, and foundation plantings and is bounded by a brick retaining wall. Brick and concrete steps and a brick walkway lead from the sidewalk and travel toward the primary and basement entrances. A yard, enclosed by a wood privacy fence, is located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component

Feature

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Mansard (False)	Asphalt		Shingled	
Sloped	Not Visible		Not Visible	

Wall Component	Material	Color	Treatment	Source
Facade	Brick & Stone		Flemish Bond	
Structure Component	Material	Feature		Source
Foundation	Concrete & Brick			
Walls	Brick & Stone			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Basemt Windows	Rectangular	Dbl-Hung	1/1	Vinyl
Facade	Rectangular	Dbl-Hung	6/1	Wood
Door Location	Aperture Shape	Type	Pamels	Material
Basement	Rectangular	Single	Full Glass	Wood
Main Door	Rectangular	Single	Full Glass	Wood

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: Capitol Hill	Historic District(s)
Subdivision:	
Ward/ANC:	
Zoning:	Designation Event(s)
Contributing:	
Survey(s)	Level(s) of Investigation
Capitol Hill F & G Streets (2010)	Permit Research
	Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Undisplayable Image Format

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\

File: 610_6th_Street_NE_facade_looking_SW.JPG

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 610_6th_Street_NE_facade_looking_W.JPG

Date:: Photog:
Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 610_6th_Street_NE_rear (2).jpg

Date:: Photog:
Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
06/03/1907	3857	Build	

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/6/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0074

BASICS DATA

ID Number: **0834-0074** Year Built: **1907** Data Source: **Permit**

Number Extended Street Quad Type of Address

612 **6th Street** **NE Current**

Name(s) Type of Name

Rowhouse, 612 6th Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0074 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1907** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1907** **Permit** **3200 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Schneider, A. M.**

Orig Construction **Owner** **Babbitt, Zeno B.**

Construction Notes:

One of eight rowhouses constructed from the same permit (#3857).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 8)**

Relate to Street: **Face on Setback Line**

Massing: **Row Building/Front Porch**

Footprint: **Rectangular**

Number Stories: **2 plus basement**

Bays Wide: **3**

Height:

Width: **20**

Depth/Length: **28**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Contributing Status

Outbuilding Notes:

STYLE/EXTERIOR DATA

Architectural Style(s)

Classical Revival

Exterior & Architectural Notes:

March 2010: This two-story, three-bay Classical Revival-style rowhouse was constructed by A.M. Schneider in 1907. It is one of eight similar rowhouses constructed from the same permit (#3857). The seven-course American-bond brick and stone structure sits on a solid concrete and brick foundation. The dwelling is capped by a sloping roof that is fronted by a false mansard of asphalt shingles on the façade. The mansard is complemented by a molded metal cornice with block modillions. The façade (east elevation) is faced with Flemish-bond brick. A four-course molded brick watertable is located above the foundation, which is pierced by a single-leaf metal door in the southern end bay. The northernmost bay of the first story holds a single-leaf paneled wood door with lights and a one-light transom. All other openings on the façade hold 1/1, double-hung, vinyl-sash windows with false 6/6 muntins, concrete-lug sills, and brick and concrete splayed arches. A one-story, one-bay porch projects from the façade and is set on a concrete block pier foundation that has been infilled with wood lattice. The porch has a half-hipped roof with overhanging eaves and is supported by metal filigree posts. Metal balusters encircle the porch, which is accessed via concrete steps in the northern end bay.

A two-story, full-width five-course American-bond brick addition (ca. 1960s) is located on the rear (west) elevation of the dwelling. An interior brick chimney with a parged cap is located on this elevation. The central bay on the first story holds a single-leaf, paneled metal door with an inset semicircle light. This entrance is accessed via metal steps with metal hand rails. The elevation is further fenestrated by single and paired 1/1, double-hung, vinyl-sash windows with rowlock brick sills. Recessed brick panels are located below the openings on the second story.

Site Notes:

March 2010: This rowhouse is located on the west side of 6th Street, N.E. and is set back approximately ten feet from the brick sidewalk. The dwelling is adjacent to 610 and 614 6th Street, N.E. The flat, raised front yard contains plants, shrubs, and foundation plantings and is bounded by a concrete retaining wall. Concrete steps and a concrete walkway lead from the sidewalk and travel toward the primary and basement entrances. A yard, enclosed by a wood privacy fence, is located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component	Feature
-----------	---------

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Mansard (False) Sloped	Asphalt Not Visible		Shingled Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Brick & Stone		Stretcher Bond	
Structure Component	Material	Feature		Source
Foundation Walls	Concrete & Brick Brick & Stone			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Facade	Rectangular	Dbl-Hung	1/1	Vinyl
Door Location	Aperture Shape	Type	Panels	Material
Basement	Rectangular	Flush		Metal
Main Door	Rectangular	Single	Paneled	Wood/Glass

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Subdivision:

Ward/ANC:

Zoning:

Contributing:

Historic District(s)

Designation Event(s)

Survey(s)

Capitol Hill F & G Streets (2010)

Level(s) of Investigation

Permit Research

Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS**

Databases\F&G Street - 2 to 11th

St\Database\Pictures\Square 0834

File: **612_6th_Street_NE_facade_looking_NW.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Path: **C:\Users\CHRS\Documents\CHRS**

Databases\F&G Street - 2 to 11th

St\Database\Pictures\Square 0834

File: **612_6th_Street_NE_facade_looking_SW.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS**

Databases\F&G Street - 2 to 11th

St\Database\Pictures\Square 0834

File: **612_6th_Street_NE_rear_looking_E.JPG**

Date:: Photog:

Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code

Roll

Frame(s)

Date

Photographer

Caption

MISCELLANEOUS NOTES DATA

Notes:

--

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
06/03/1907	3857	Build	

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/6/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0073

BASICS DATA

ID Number: **0834-0073** Year Built: **1907** Data Source: **Permit**

Number Extended Street Quad Type of Address

614 **6th Street** **NE Current**

Name(s) Type of Name

Rowhouse, 614 6th Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0073 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1907** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1907** **Permit** **3200 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Schneider, A. M.**

Orig Construction **Owner** **Babbitt, Zeno B.**

Construction Notes:

One of eight rowhouses constructed from the same permit (#3857).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 8)**

Relate to Street: **Face on Setback Line**

Massing: **Row Building/Front Porch**

Footprint: **Rectangular**

Number Stories: **2 plus basement**

Bays Wide: **3**

Height:

Width: **20**

Depth/Length: **28**

SqFt:

Volume:

Lot Width


Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:



Outbuilding Type

Contributing Status

Garage

Outbuilding Notes:

March 2010: A one-story, one-bay garage is located west of the dwelling and was constructed ca. 1925. The garage is constructed of six-course, American-bond brick and is set on a solid foundation. A sloping roof caps the garage. A roll-up paneled wood door with a wood lintel pierces the façade (west

elevation), but has been mostly obscured by metal sheeting. The south (side) elevation is fenestrated with a 4/2, double-hung, wood-sash window and a single-leaf paneled wood door. These openings are highlighted by wood sills and two-course rowlock brick segmental arches.

STYLE/EXTERIOR DATA

Architectural Style(s)

Classical Revival

Exterior & Architectural Notes:

March 2010: This two-story, three-bay Classical Revival-style rowhouse was constructed by A.M. Schneider in 1907. It is one of eight similar rowhouses constructed from the same permit (#3857). The seven-course American-bond brick and stone structure sits on a solid concrete and brick foundation. The dwelling is capped by a sloping roof that is fronted by a false mansard of standing seam metal on the façade. The mansard is complemented by a gabled pediment and molded metal cornice with block modillions. The façade (east elevation) is faced with Flemish-bond brick. A four-course molded brick watertable is located above the foundation, which is pierced by a single-leaf flush door with one light in the southern end bay. The northernmost bay of the first story holds a single-leaf wood door with a one-light wood transom. All other openings on the façade hold 1/1, double-hung, vinyl-sash windows with concrete-lug sills and brick and concrete splayed arches. A one-story, one-bay porch projects from the façade and is set on a concrete block pier foundation. The half-hipped roof of the porch features overhanging eaves and is supported by metal Tuscan columns atop rusticated concrete block posts. Metal balusters encircle the porch, which is accessed via concrete steps in the northern end bay.

A two-story, full-width addition (ca. 1970s) is located on the rear (west) elevation of the dwelling. The addition is faced with horizontal vinyl siding. A central bay on the first story holds a single-leaf, flush door accessed via steps with metal hand rails. The elevation is further fenestrated by 1/1, double-hung, vinyl-sash windows.

Site Notes:

March 2010: This rowhouse is located on the west side of 6th Street, N.E. and is set back approximately ten feet from the brick sidewalk. The dwelling is adjacent to 612 and 616 6th Street, N.E. The flat, raised front yard contains mature shrubs and is bounded by a concrete retaining wall. Concrete steps lead from the sidewalk and travel toward the primary and basement entrances. A yard, enclosed by a wood privacy fence, and a garage are located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component Feature

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Mansard (False) Sloped	Metal Not Visible		Standing Seam Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Brick & Stone		Flemish Bond	
Structure Component	Material	Feature		Source
Foundation Walls	Concrete & Brick Brick & Stone			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Facade	Rectangular	Dbl-Hung	1/1	Vinyl
Door Location	Aperture Shape	Type	Panel(s)	Material
Basement	Rectangular	Flush		Wood/Glass
Main Door	Rectangular	Single	Paneled	Wood

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

--

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Historic District(s)

Subdivision:

Ward/ANC:

Zoning:

Designation Event(s)

Contributing:

Survey(s)

Level(s) of Investigation

Capitol Hill F & G Streets (2010)

Permit Research

Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **614_6th_Street_NE_facade_looking_NW.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **614_6th_Street_NE_facade_looking_SW.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **614_6th_Street_NE_rear.jpg**

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\

File: 614_6th_Street_NE_garage.jpg

Date:: Photog:

Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
-------------------	--------	------	---------

06/03/1907	3857	Build	
------------	------	-------	--

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/6/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0072

BASICS DATA

ID Number: **0834-0072** Year Built: **1907** Data Source: **Permit**

Number Extended Street Quad Type of Address

616 **6th Street** **NE Current**

Name(s) Type of Name

Rowhouse, 616 6th Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0072 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1907** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1907** **Permit** **3200 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Schneider, A. M.**

Orig Construction **Owner** **Babbitt, Zeno B.**

Construction Notes:

One of eight rowhouses constructed from the same permit (#3857).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 8)**

Relate to Street: **Face on Setback Line**

Massing: **Row Building/Front Porch**

Footprint: **Rectangular**

Number Stories: **2 plus basement**

Bays Wide: **3**

Height:

Width: **20**

Depth/Length: **28**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Garage

Contributing Status

Contributing

Outbuilding Notes:

March 2010: A one-story, one-bay garage is located west of the dwelling and was constructed ca. 1925. The garage is constructed of brick and is set on a solid foundation. A sloping roof, highlighted by a molded metal cornice, caps the garage. The original opening on the façade (west elevation) has been

infilled with plywood or metal sheeting. This opening has a metal-faced lug lintel.

STYLE/EXTERIOR DATA

Architectural Style(s)

Classical Revival

Exterior & Architectural Notes:

March 2010: This two-story, three-bay Classical Revival-style rowhouse was constructed by A.M. Schneider in 1907. It is one of eight similar rowhouses constructed from the same permit (#3857). The seven-course American-bond brick and stone structure sits on a solid concrete and brick foundation. The dwelling is capped by a sloping roof that is fronted by a false mansard of asphalt shingles on the façade, which is complemented by a molded and boxed metal cornice. The façade (east elevation) is faced with Flemish-bond brick. A four-course molded brick watertable is located above the foundation, which is pierced by a single-leaf flush wood door with one light in the southern end bay. The northernmost bay of the first story holds a single-leaf paneled wood door with lights and a one-light wood transom. All other openings on the façade hold 1/1, double-hung, vinyl-sash windows with false 6/6 muntins, concrete-lug sills, and brick and concrete splayed arches. A one-story, one-bay porch projects from the façade and is set on a solid concrete block foundation with decorative concrete blocks. The porch has a half-hipped roof with overhanging eaves and is supported by metal filigree posts. Metal pilasters are located on the façade between the porch and the porch roof. Metal balusters encircle the porch, which is accessed via concrete steps in the northern end bay.

A two-story, full-width addition (ca. 1975) is located on the rear (west) elevation of the dwelling and is clad in aluminum siding. An interior brick chimney with a plain cap is located on this elevation. The northern bay on the first story holds a door opening sheltered by a self-supporting metal awning. The elevation is further fenestrated by single and triple 1/1, double-hung, vinyl-sash windows.

Site Notes:

March 2010: This rowhouse is located on the west side of 6th Street, N.E. and is set back approximately ten feet from the brick sidewalk. The dwelling is adjacent to 614 and 618 6th Street, N.E. The flat, raised front yard contains mature shrubs and immature trees and is bounded by a concrete retaining wall and hairpin metal fencing. Concrete steps and a concrete walkway lead from the sidewalk and travel toward the primary and basement entrances. A yard, enclosed by a wood privacy fence, and a garage are located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component

Feature

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Mansard (False) Sloped	Asphalt Not Visible		Shingled Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Brick & Stone		Flemish Bond	
Structure Component	Material	Feature		Source
Foundation	Concrete & Brick			
Walls	Brick & Stone			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Facade	Rectangular	Dbl-Hung	1/1	Vinyl
Door Location	Aperture Shape	Type	Panels	Material
Basement	Rectangular	Flush		Wood/Glass
Main Door	Rectangular	Single	Paneled	Wood/Glass

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Historic District(s)

Subdivision:

Ward/ANC:

Zoning:

Designation Event(s)

Contributing:

Survey(s)

Level(s) of Investigation

Capitol Hill F & G Streets (2010)

Permit Research

Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **616_6th_Street_NE_facade_looking_NW.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **616_6th_Street_NE_facade_looking_SW.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **616_6th_Street_NE_garage_looking_SE.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 616_6th_Street_NE_rear_looking_NE.JPG

Date:: Photog:
Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
06/03/1907	3857	Build	

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/6/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0071

BASICS DATA

ID Number: **0834-0071** Year Built: **1907** Data Source: **Permit**

Number Extended Street Quad Type of Address

618 **6th Street** **NE Current**

Name(s) Type of Name

Rowhouse, 618 6th Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0071 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1907** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1907** **Permit** **3200 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Schneider, A. M.**

Orig Construction **Owner** **Babbitt, Zeno B.**

Construction Notes:

One of eight rowhouses constructed from the same permit (#3857).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 8)**

Relate to Street: **Face on Setback Line**

Massing: **Row Building/Front Porch**

Footprint: **Rectangular**

Number Stories: **2 plus basement**

Bays Wide: **3**

Height:

Width: **20**

Depth/Length: **28**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Garage

Contributing Status

Contributing

Outbuilding Notes:

March 2010: A one-story, one-bay garage is located west of the dwelling and was constructed ca. 1925. The garage is constructed of brick and is set on a solid foundation. A sloping roof, highlighted by a molded metal cornice, caps the garage. The façade (west elevation) is pierced by a six-leaf paneled

wood door.

STYLE/EXTERIOR DATA

Architectural Style(s)

Classical Revival

Exterior & Architectural Notes:

March 2010: This two-story, three-bay Classical Revival-style rowhouse was constructed by A.M. Schneider in 1907. It is one of eight similar rowhouses constructed from the same permit (#3857). The seven-course American-bond brick and stone structure sits on a solid concrete and brick foundation. The dwelling is capped by a sloping roof that is fronted by a false mansard of asphalt shingles on the façade. The mansard is complemented by a gabled pediment and a molded metal cornice with block modillions. The façade (east elevation) is faced with Flemish-bond brick. A four-course molded brick watertable is located above the foundation, which is pierced by a single-leaf paneled wood door with lights in the southern end bay. The northernmost bay of the first story holds a single-leaf paneled wood door with lights and a one-light wood transom. All other openings on the façade hold 6/1, double-hung, wood-sash windows with concrete-lug sills and brick and concrete splayed arches. A one-story, one-bay porch projects from the façade and is set on a concrete block piers with decorative brick infill. The porch has a half-hipped roof with overhanging eaves and is supported by metal filigree posts. Metal balusters encircle the porch, which is accessed via concrete steps in the northern end bay.

The rear (west) elevation of the dwelling and is clad in aluminum siding. An exterior brick chimney with a corbeled cap is located on the northernmost bay of this elevation. The elevation is fenestrated with 1/1, double-hung, vinyl-sash windows with wood sills. A one-story, one-bay enclosed porch with a shed roof extends from the northern end bay of the first story and is original. The wood-frame structure is infilled with mesh and a metal-frame door pierces the west elevation.

Site Notes:

March 2010: This rowhouse is located on the west side of 6th Street, N.E. and is set back approximately ten feet from the brick sidewalk. The dwelling is adjacent to 616 and 620 6th Street, N.E. The flat, raised front yard contains immature shrubs and trees and is bounded by a concrete retaining wall and hairpin metal fencing. Concrete steps and a concrete walkway lead from the sidewalk and travel toward the primary and basement entrances. A yard, enclosed by a wood privacy fence, and a garage are located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component

Feature

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Mansard (False) Sloped	Asphalt Not Visible		Shingled Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Brick & Stone		Flemish Bond	
Structure Component	Material	Feature		Source
Foundation Walls	Concrete & Brick Brick & Stone			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Facade	Rectangular	Dbl-Hung	6/1	Wood
Door Location	Aperture Shape	Type	Panels	Material
Basement	Rectangular	Single	Paneled	Wood
Main Door	Rectangular	Single	Paneled	Wood/Glass

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Historic District(s)

Subdivision:

Ward/ANC:

Zoning:

Designation Event(s)

Contributing:

Survey(s)

Level(s) of Investigation

Capitol Hill F & G Streets (2010)

Permit Research

Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS**

Databases\F&G Street - 2 to 11th

St\Database\Pictures\Square 0834

File: **618_6th_Street_NE_facade_looking_NW.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Path: **C:\Users\CHRS\Documents\CHRS**

Databases\F&G Street - 2 to 11th

St\Database\Pictures\Square 0834

File: **618_6th_Street_NE_facade_looking_SW.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS**

Databases\F&G Street - 2 to 11th

St\Database\Pictures\Square 0834

File: **618_6th_Street_NE_garage.jpg**

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\

File: 618_6th_Street_NE_rear.jpg

Date:: Photog:

Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
-------------------	--------	------	---------

06/03/1907	3857	Build	
------------	------	-------	--

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/6/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0070

BASICS DATA

ID Number: **0834-0070** Year Built: **1907** Data Source: **Permit**

Number Extended Street Quad Type of Address

620 **6th Street** **NE Current**

Name(s) Type of Name

Rowhouse, 620 6th Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0070 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1907** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1907** **Permit** **3200 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Schneider, A. M.**

Orig Construction **Owner** **Babbitt, Zeno B.**

Construction Notes:

One of eight rowhouses constructed from the same permit (#3857).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 8)**

Relate to Street: **Face on Setback Line**

Massing: **Row Building/Front Porch**

Footprint: **Rectangular**

Number Stories: **2 plus basement**

Bays Wide: **3**

Height:

Width: **20**

Depth/Length: **28**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Contributing Status

Outbuilding Notes:

STYLE/EXTERIOR DATA

Architectural Style(s)

Classical Revival

Exterior & Architectural Notes:

March 2010: This two-story, three-bay Classical Revival-style rowhouse was constructed by A.M. Schneider in 1907. It is one of eight similar rowhouses constructed from the same permit (#3857). The seven-course American-bond brick and stone structure sits on a solid concrete and brick foundation. The dwelling is capped by a sloping roof that is fronted by a false mansard of asphalt shingles on the façade. The mansard is complemented by a molded metal cornice with block modillions. The façade (east elevation) is faced with Flemish-bond brick. A four-course molded brick watertable is located above the foundation, which is pierced by a single-leaf metal door with lights in the southern end bay and 1/1, double-hung, vinyl-sash windows. The northernmost bay of the first story holds a single-leaf paneled wood door with lights and a blind wood transom. All other openings on the façade hold 1/1, double-hung, vinyl-sash windows with concrete-lug sills and brick and concrete splayed arches. A one-story, one-bay porch projects from the façade and is set on a brick pier foundation. The porch has a half-hipped roof with overhanging eaves and is supported by metal filigree posts atop brick posts. Metal balusters encircle the porch, which is accessed via concrete steps in the northern end bay.

The original two-story, two-bay porch with a shed roof on the rear (west) elevation of the dwelling has been enclosed and is clad in aluminum siding. An interior brick chimney with a plain cap is located on the northernmost bay of this elevation. The elevation is fenestrated with 1/1, double-hung, vinyl-sash windows. A one-story enclosed porch with a flat roof extends from the southern end bay of the first story. The wood-frame structure is infilled with mesh and a single-leaf, paneled wood door pierces the northernmost bay of the west elevation. This door is accessed via wooden steps with wooden hand rails.

Site Notes:

March 2010: This rowhouse is located on the west side of 6th Street, N.E. and is set back approximately ten feet from the brick sidewalk. The dwelling is adjacent to 618 and 622 6th Street, N.E. The flat, raised front yard is landscaped with immature shrubs and is bounded by a stone retaining wall and milled point metal fencing. Concrete steps and concrete walkways lead from the sidewalk and travel toward the primary and basement entrances. A yard and an asphalt-paved parking area are located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component	Feature
-----------	---------

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Mansard (False)	Asphalt		Shingled	
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Brick & Stone		Flemish Bond	
Structure Component	Material	Feature		Source
Foundation	Concrete & Brick			
Walls	Brick & Stone			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Facade	Rectangular	Dbl-Hung	1/1	Vinyl
Door Location	Aperture Shape	Type	Panels	Material
Basement	Rectangular	Single	Paneled	Metal
Main Door	Rectangular	Single	Paneled	Wood/Glass

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Historic District(s)

Subdivision:

Ward/ANC:

Zoning:

Designation Event(s)

Contributing:

Survey(s)

Level(s) of Investigation

Capitol Hill F & G Streets (2010)

Permit Research

Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **620_6th_Street_NE_facade_looking_NW.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **620_6th_Street_NE_facade_looking_SW.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **620_6th_Street_NE_rear_looking_E.JPG**

Date:: Photog:

Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Tuesday, June 25, 2013

ID_Number: 0834-0070 Page 3

Notes:

--

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
-------------------	--------	------	---------

06/03/1907	3857	Build	
------------	------	-------	--

Permit Notes:

--

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

--

SIGNIFICANCE DATA

Study Unit

--

Code	Criteria
------	----------

--	--

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/6/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0069

BASICS DATA

ID Number: **0834-0069** Year Built: **1907** Data Source: **Permit**

Number Extended Street Quad Type of Address

622 **6th Street** **NE Current**

Name(s) Type of Name

Rowhouse, 622 6th Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0069 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1907** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1907** **Permit** **3200 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Schneider, A. M.**

Orig Construction **Owner** **Babbitt, Zeno B.**

Construction Notes:

One of eight rowhouses constructed from the same permit (#3857).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 8)**

Relate to Street: **Face on Setback Line**

Massing: **Row Building/Front Porch**

Footprint: **Rectangular**

Number Stories: **2 plus basement**

Bays Wide: **3**

Height:

Width: **20**

Depth/Length: **28**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Contributing Status

Outbuilding Notes:

STYLE/EXTERIOR DATA

Architectural Style(s)

Classical Revival

Exterior & Architectural Notes:

March 2010: This two-story, three-bay Classical Revival-style rowhouse was constructed by A.M. Schneider in 1907. It is one of eight similar rowhouses constructed from the same permit (#3857). The seven-course American-bond brick and stone structure sits on a solid concrete and brick foundation. The dwelling is capped by a sloping roof that is fronted by a false mansard of asphalt shingles on the façade. The mansard is complemented by a gabled pediment and molded metal cornice with block modillions. The façade (east elevation) is faced with Flemish-bond brick. A four-course molded brick watertable is located above the foundation, which is pierced by a single-leaf flush wood door in the southern end bay. The northernmost bay of the first story holds a single-leaf paneled wood door with lights and a one-light wood transom. All other openings on the façade hold 1/1, double-hung, vinyl-sash windows with concrete-lug sills and brick and concrete splayed arches. A one-story, one-bay porch projects from the façade and is set on a foundation of concrete block piers that have been infilled with decorative concrete blocks. The porch has a half-hipped roof with overhanging eaves and is supported by metal filigree posts. Metal balusters encircle the porch, which is accessed via concrete steps in the northern end bay.

A two-story addition spans the width of the rear (west) elevation. This contemporary addition (ca. 2000) is constructed of concrete and is faced with horizontal siding. The first story is pierced by a large opening that holds metal-frame casement, fixed, and sliding windows and a single-leaf metal-frame glass door in the southern end bay. A single-light metal casement window is also located in the northern bay. The second story is fenestrated by a band of metal windows (and/or doors) that lead out onto a metal balcony with metal balusters.

Site Notes:

March 2010: This rowhouse is located on the west side of 6th Street, N.E. and is set back approximately ten feet from the brick sidewalk. The dwelling is adjacent to 620 and 624 6th Street, N.E. The flat, raised front yard is bounded by a stone retaining wall and metal chain link fencing. Concrete steps and a concrete walkway lead from the sidewalk and travel toward the primary and basement entrances. A yard enclosed by wood privacy and metal chain link fencing are located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component	Feature
-----------	---------

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Mansard (False)	Asphalt		Shingled	
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Brick & Stone		Flemish Bond	
Structure Component	Material	Feature		Source
Foundation	Concrete & Brick			
Walls	Brick & Stone			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Facade	Rectangular	Dbi-Hung	1/1	Vinyl
Door Location	Aperture Shape	Type	Panels	Material
Basement	Rectangular	Flush		Wood
Main Door	Rectangular	Single	Paneled	Wood/Glass

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Subdivision:

Ward/ANC:

Zoning:

Contributing:

Historic District(s)

Designation Event(s)

Survey(s)

Capitol Hill F & G Streets (2010)

Level(s) of Investigation

Permit Research

Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **622_6th_Street_NE_facade_looking_NW.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **622_6th_Street_NE_facade_looking_SW.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **622_6th_Street_NE_rear.jpg**

Date:: Photog:

Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Tuesday, June 25, 2013

ID_Number: 0834-0069 Page 3

Notes:

--

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
-------------------	--------	------	---------

06/03/1907	3857	Build	
------------	------	-------	--

Permit Notes:

--

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

--

SIGNIFICANCE DATA

Study Unit

--

Code	Criteria
------	----------

--	--

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/6/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0090

BASICS DATA

ID Number: **0834-0090** Year Built: **1912** Data Source: **Permit**

Number Extended Street Quad Type of Address

644 **6th Street** **NE Current**

Name(s) Type of Name

Rowhouse, 644 6th Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0090 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Fair**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1912** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1912** **Permit** **3500 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Powell, J.W.**

Orig Construction **Builder** **Powell, (J.W.) ?**

Orig Construction **Owner** **Norway, Fred A.**

Construction Notes:

One of three rowhouses constructed from the same permit (#4107).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 3)**

Relate to Street: **Face on Setback Line**

Massing: **Row Building/Front Porch**

Footprint: **Rectangular**

Number Stories: **2.5 plus basement**

Bays Wide: **3**

Height:

Width: **18**

Depth/Length: **33**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Contributing Status

Outbuilding Notes:

STYLE/EXTERIOR DATA

Architectural Style(s)

Colonial Revival

Exterior & Architectural Notes:

March 2010: This two-story, three-bay Colonial Revival-style rowhouse was constructed by J.W. Powell in 1912. It is one of three similar rowhouses constructed from the same permit (#4107). The brick structure sits on a solid concrete foundation. The dwelling is capped by a sloping roof that is fronted by a false mansard of slate fish scale shingles between two brick firewalls on the façade (east elevation). The mansard is pierced by two gabled dormers with molded wood cornices and raking that hold twelve-light fixed wood windows. A molded and boxed metal cornice with scroll modillions completes the roof. The façade is faced with Flemish-bond pressed brick. The foundation is pierced by a one-light wood window in the northern end bay. The southernmost bay of the first story holds a single-leaf paneled wood door with a one-light transom and a concrete-lug lintel. All other openings on the façade hold 1/1, double-hung, vinyl-sash windows with concrete-lug sills and lintels. A one-story, one-bay porch projects from the façade and is set on a brick pier foundation. The half-hipped roof features overhanging eaves with a molded wood cornice. The roof is supported by metal filigree posts set atop brick posts. Metal balusters encircle the porch, which is accessed via concrete steps in the southern end bay. Beneath the porch, the foundation of the main block is pierced by a single-leaf paneled wood door with lights.

A two-story, two-bay ell constructed of six-course American-bond brick is located on the southern end of the rear (west) elevation and is original. The ell is capped by a sloping roof and an exterior brick chimney with a parged cap is located at the northwest corner. The main block is fenestrated with 1/1, double-hung, wood-sash windows in segmental openings on the first and second stories. The foundation is also pierced by a window set in a segmental opening. On the west elevation of the ell, openings in the southernmost bay on the first and second stories hold single-leaf doors highlighted by single-light transoms. The northernmost bays on both stories hold 1/1, double-hung, wood-sash windows with concrete sills in segmental openings. A two-story, one-bay wood porch spans the elevation. The porch has a shed roof supported by wood posts. Wood balusters encircle the porch on the second story, which is accessed on the first story via wood steps in the southern end bay.

Site Notes:

March 2010: This rowhouse is located on the west side of 6th Street, N.E. and is set back approximately ten feet from the brick sidewalk. The dwelling is adjacent to 642 and 646 6th Street, N.E. There is a flat, grassy front yard. Concrete steps and a concrete walkway lead from the sidewalk and travel toward the primary and basement entrances. A yard enclosed by wood privacy fencing is located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component	Feature
-----------	---------

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Mansard (False) Sloped	Slate Not Visible		Shingled Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Brick		Flemish Bond	
Structure Component	Material	Feature		Source
Foundation	Concrete			
Walls	Brick			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Basemt Windows	Rectangular	Awning	1	Wood
Dormer	Rectangular	Fixed	12	Wood
Facade	Rectangular	Dbl-Hung	1/1	Vinyl
Door Location	Aperture Shape	Type	Panels	Material
Basement	Rectangular	Single	Paneled	Wood/Glass

Main Door Rectangular Single Paneled Wood

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Historic District(s)

Subdivision:

Ward/ANC:

Zoning:

Designation Event(s)

Contributing:

Survey(s)

Level(s) of Investigation

Capitol Hill F & G Streets (2010)

Permit Research

Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **644_6th_Street_NE_facade_looking_NW.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **644_6th_Street_NE_facade_looking_SW.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **644_6th_Street_NE_rear_looking_E.JPG**

Date:: Photog:

Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
03/20/1912	4107	Build	

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/7/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0085

BASICS DATA

ID Number: **0834-0085** Year Built: **1910** Data Source: **Permit**

Number Extended Street Quad Type of Address

617 **5th Street** **NE Current**

Name(s) Type of Name

Rowhouse, 617 5th Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0085 **Square/Lot** **Permit**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Excellent**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1910** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1910** **Permit** **4000 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Grimm, N. R.**

Orig Construction **Builder** **Breuniger, L.E.**

Orig Construction **Owner** **Breuniger, L.E.**

Construction Notes:

One of three buildings constructed from the same permit.

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 3)**

Relate to Street: **Face on Setback Line**

Massing: **Row Building/Canted Bay**

Footprint: **L-Shaped**

Number Stories: **2 plus basement**

Bays Wide: **2**

Height:

Width: **18**

Depth/Length: **49**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Garage

Contributing Status

Contributing

Outbuilding Notes:

March 2010: A one-story, one-bay garage is located east of the primary dwelling and was constructed in 1912 by A.S.J. Atkinson (permit #0093). The brick structure is set on a solid concrete foundation and is capped by a sloped roof. The

façade (east elevation) is pierced by a roll-up paneled metal vehicular door with a wood and rowlock brick lintel.

STYLE/EXTERIOR DATA

Architectural Style(s)

Classical Revival

Exterior & Architectural Notes:

March 2010: This two-story, two-bay Classical Revival-style rowhouse was constructed by L.E. Breuninger from the design of N.R. Grimm in 1910. It is one of three similar rowhouses constructed from the same permit (#4187). The six-course American-bond brick structure sits on a solid concrete foundation. The dwelling is capped by a sloping roof that is complemented by a molded and boxed metal cornice with egg and dart molding on the façade (west elevation), which is faced with stretcher-bond pressed brick. The northernmost bay of the first story holds a single-leaf paneled wood door with a one-light wood transom and a splayed concrete lintel with keystone. The entry is accessed via concrete steps with brick wing walls. A three-sided canted bay rises the full height of the dwelling and projects from the southern end bay. The bay shares the material treatment of the main block. The foundation is pierced by one-light fixed stained glass windows with splayed brick arches. All other openings on the façade hold 2/2, double-hung, wood-sash windows with concrete sills and splayed concrete lintels with keystones.

A two-story, two-bay brick ell projects from the southernmost bay of the rear elevation and is original to the dwelling. The ell was partially obscured by rear fencing. A single-leaf door with a one-light transom is located in the southern end bay on the first story. This opening features a three-course rowlock brick segmental arch. The second story in the southern bay holds a single-leaf wood French door with a one-light transom and the northern bay holds a 2/2, double-hung, wood-sash window; both openings are highlighted by concrete sills and three-course rowlock brick segmental arches.

Site Notes:

March 2010: This rowhouse is located on the east side of 5th Street, N.E. and is set back approximately ten feet from the concrete sidewalk. The dwelling is adjacent to 615 and 619 5th Street, N.E. The flat, raised front yard contains mature shrubs and trees and is bounded by a stone retaining wall. Concrete steps lead from the sidewalk and travel toward the primary entrance. A yard and a garage are located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component	Feature
-----------	---------

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Pressed Brick		Stretcher Bond	
Structure Component	Material	Feature		Source
Foundation	Concrete			
Walls	Brick			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Basemt Windows	Rectangular	Fixed	Stained	Unknown
Facade	Rectangular	Dbl-Hung	2/2	Wood
Door Location	Aperture Shape	Type	Panels	Material
Main Door	Rectangular	Single	Paneled	Wood

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Historic District(s) _____

Subdivision:

Ward/ANC:

Zoning:

Contributing:

Designation Event(s) _____

Survey(s)

Level(s) of Investigation _____

Capitol Hill F & G Streets (2010)

Permit Research

Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **617_5th_Street_NE_facade_looking_NE.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **617_5th_Street_NE_facade_looking_SE.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **617_5th_Street_NE_garage_looking_NW.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\

File: 617_5th_Street_NE_rear_looking_W.JPG

Date:: Photog:

Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
-------------------	--------	------	---------

01/24/1910	4187	Build	
------------	------	-------	--

07/05/1912	0093	Garage	
------------	------	--------	--

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/7/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Weishar (PJW), Paul	Record Updated
3/19/2010	Weishar (PJW), Paul	Record Created
3/19/2010	Litowitz (DDL), Dana	Record Updated

Resource All Data Report

ID Number: 0834-0086

BASICS DATA

ID Number: **0834-0086** Year Built: **1910** Data Source: **Permit**

Number Extended Street Quad Type of Address

619 **5th Street** **NE Current**

Name(s) Type of Name

Rowhouse, 619 5th Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0086 **Square/Lot** **Permit**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1910** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1910** **Permit** **4000 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Grimm, N. R.**

Orig Construction **Builder** **Breuniger, L.E.**

Orig Construction **Owner** **Breuniger, L.E.**

Construction Notes:

One of three constructed from the same permit.

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 3)**

Relate to Street: **Face on Setback Line**

Massing: **Row Building/Canted Bay**

Footprint: **L-Shaped**

Number Stories: **2 plus basement**

Bays Wide: **2**

Height:

Width: **18**

Depth/Length: **49**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Garage

Contributing Status

Contributing

Outbuilding Notes:

March 2010: A one-story, one-bay garage is located east of the primary dwelling and was constructed ca. 1915. The brick structure is set on a solid concrete foundation and is capped by a sloped roof. The façade (east elevation) is pierced by a

roll-up paneled metal vehicular door with a concrete lintel. The original opening has been partially infilled with aluminum siding.

STYLE/EXTERIOR DATA

Architectural Style(s)

Classical Revival

Exterior & Architectural Notes:

March 2010: This two-story, two-bay Classical Revival-style rowhouse was constructed by L.E. Breuninger from the design of N.R. Grimm in 1910. It is one of three similar rowhouses constructed from the same permit (#4187). The six-course American-bond brick structure sits on a solid concrete foundation. The dwelling is capped by a sloping roof that is complemented by a molded and boxed metal cornice with egg and dart molding on the façade (west elevation), which is faced with stretcher-bond pressed brick. The northernmost bay of the first story holds a single-leaf paneled wood door with a one-light wood transom and a splayed concrete lintel with keystone. The entry is accessed via concrete steps with brick wing walls and metal hand rails. A three-sided canted bay rises the full height of the dwelling and projects from the southern end bay. The bay shares the material treatment of the main block. The foundation is pierced by one-light fixed wood windows with splayed brick arches. All other openings on the façade hold 1/1, double-hung, wood-sash windows with concrete sills and splayed concrete lintels with keystones. The rear (east) elevation was not visible from the public right-of-way, but Sanborn maps show that there is a two-story, two-bay six-course American-bond brick ell on the north bay.

Site Notes:

March 2010: This rowhouse is located on the east side of 5th Street, N.E. and is set back approximately ten feet from the concrete sidewalk. The dwelling is adjacent to 617 and 621 5th Street, N.E. The flat, raised front yard contains immature shrubs and trees and foundation plantings and is bounded by a stone retaining wall. Concrete steps lead from the sidewalk and travel toward the primary entrance. A yard and a garage are located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component	Feature
-----------	---------

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Brick		Stretcher Bond	
Structure Component	Material	Feature		Source
Foundation	Concrete			
Walls	Brick			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Basemt Windows	Rectangular	Unknown	1	Wood
Facade	Rectangular	Dbl-Hung	1/1	Wood
Door Location	Aperture Shape	Type	Panels	Material
Main Door	Rectangular	Single	Paneled	Wood

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Tuesday, June 25, 2013

ID_Number: 0834-0086 Page 2

Neighborhood: **Capitol Hill**

Subdivision:

Ward/ANC:

Zoning:

Contributing:

Historic District(s)

Designation Event(s)

Survey(s)

Capitol Hill F & G Streets (2010)

Level(s) of Investigation

Permit Research

Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Undisplayable Image Format

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\

File: 619_5th_Street_NE_facade_looking_NE.JPG

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\

File: 619_5th_Street_NE_facade_looking_SE.JPG

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\

File: 619_5th_Street_NE_garage.JPG

Date:: Photog:

Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

--

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
01/24/1910	4187	Build	

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/7/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Weishar (PJW), Paul	Record Updated
3/19/2010	Weishar (PJW), Paul	Record Created

Resource All Data Report

ID Number: 0834-0087

BASICS DATA

ID Number: **0834-0087** Year Built: **1910** Data Source: **Permit**

Number Extended Street Quad Type of Address

621 **5th Street** **NE Current**

Name(s) Type of Name

Single Dwelling, 621 5th Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0087 **Square/Lot** **Permit**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Excellent**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1910** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1910** **Permit** **4000 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Grimm, N. R.**

Orig Construction **Builder** **Breuniger, L.E.**

Orig Construction **Owner** **Breuniger, L.E.**

Construction Notes:

One of three buildings constructed from the same permit.

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row End (1 of 3)**

Relate to Street: **Face on Setback Line**

Massing: **Row Building/Canted Bay**

Footprint: **L-Shaped**

Number Stories: **2 plus basement**

Bays Wide: **2**

Height:

Width: **18**

Depth/Length: **49**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Garage

Contributing Status

Contributing

Outbuilding Notes:

March 2010: A one-story, one-bay garage is located east of the primary dwelling and was constructed in 1913 by I.B. Bursey (permit #5180). The brick structure is set on a solid concrete foundation and is capped by a sloped roof. The façade (east

elevation) is pierced by a roll-up paneled metal vehicular door with a metal and rowlock brick lintel.

STYLE/EXTERIOR DATA

Architectural Style(s)

Classical Revival

Exterior & Architectural Notes:

March 2010: This two-story, two-bay Classical Revival-style rowhouse was constructed by L.E. Breuninger from the design of N.R. Grimm in 1910. It is one of three similar rowhouses constructed from the same permit (#4187). The six-course American-bond brick structure sits on a solid concrete foundation. The dwelling is capped by a sloping roof that is complemented by a molded and boxed metal cornice on the façade (west elevation), which is faced with stretcher-bond pressed brick. The foundation is pierced in the northern end bay by a single-leaf paneled wood door. The northernmost bay of the first story holds a single-leaf paneled wood door with a splayed concrete lintel with keystone. The entry is accessed via metal steps with metal hand rails. A three-sided canted bay rises the full height of the dwelling and projects from the southern end bay. The bay shares the material treatment of the main block. The foundation is pierced by 1/1, double-hung, vinyl-sash windows with concrete sills and splayed brick arches. All other openings on the façade hold 1/1, double-hung, vinyl-sash windows with concrete sills and splayed concrete lintels with keystones.

The rear (east) elevation has a two-story, two-bay six-course American-bond brick ell on the south bay. The ell is fenestrated with 1/1, double-hung, vinyl-sash windows with soldier brick lintels on the second story.

Site Notes:

March 2010: This end-unit rowhouse is located on the east side of 5th Street, N.E. and is set back approximately ten feet from the concrete sidewalk. The south (side) elevation is adjacent to 619 5th Street, N.E. and the north (side) elevation is adjacent to a small alleyway. The flat front yard contains immature shrubs and trees and is bounded by a brick retaining wall. Concrete walkways lead from the sidewalk and travel toward the primary and basement entrances. A yard and a garage are located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component	Feature
-----------	---------

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Brick		Stretcher Bond	
Structure Component	Material	Feature		Source
Foundation	Concrete			
Walls	Brick			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Facade	Rectangular	Dbl-Hung	1/1	Vinyl
Door Location	Aperture Shape	Type	Panels	Material
Basement	Rectangular	Single	Paneled	Wood
Main Door	Rectangular	Single	Paneled	Wood

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Subdivision:

Ward/ANC:

Zoning:

Contributing:

Historic District(s)

Designation Event(s)

Survey(s)

Capitol Hill F & G Streets (2010)

Level(s) of Investigation

Permit Research

Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **621_5th_Street_NE_facade_looking_E.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **621_5th_Street_NE_facade_looking_SE.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **621_5th_Street_NE_garage_looking_NW.JPG**

Date:: Photog:

Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

--

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
01/24/1910	4187	Build	
04/29/1913	5180	Garage	

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/7/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Weishar (PJW), Paul	Record Updated
3/19/2010	Weishar (PJW), Paul	Record Created

Resource All Data Report

ID Number: 0834-0089

BASICS DATA

ID Number: **0834-0089** Year Built: **1912** Data Source: **Permit**

Number Extended Street Quad Type of Address

646 **6th Street** **NE Current**

Name(s) Type of Name

Rowhouse, 646 6th Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0089 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1912** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1912** **Permit** **3500 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Powell, J.W.**

Orig Construction **Builder** **Powell (J.W.) ?**

Orig Construction **Owner** **Norway, Fred A.**

Construction Notes:

One of three rowhouses constructed from the same permit (#4107).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 3)**

Relate to Street: **Face on Setback Line**

Massing: **Row Building/Front Porch**

Footprint: **L-Shaped**

Number Stories: **2.5 plus basement**

Bays Wide: **3**

Height:

Width: **18**

Depth/Length: **33**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Garage

Contributing Status

Contributing

Outbuilding Notes:

March 2010: A one-story, one-bay garage constructed ca. 2000 is located west of the dwelling and sits on a solid foundation. This wood-frame structure is faced with aluminum siding and is capped by a sloped corrugated metal roof. The façade (west

elevation) is pierced by a roll-up paneled vehicular door set in a metal surround.

STYLE/EXTERIOR DATA

Architectural Style(s)

Colonial Revival

Exterior & Architectural Notes:

March 2010: This two-story, three-bay Colonial Revival-style rowhouse was constructed by J.W. Powell in 1912. It is one of three similar rowhouses constructed from the same permit (#4107). The brick structure sits on a solid concrete foundation. The dwelling is capped by a sloping roof that is fronted by a false mansard of slate fish scale shingles between two brick firewalls on the façade (east elevation). The mansard is pierced by a gabled dormer with a molded wood cornice and raking that holds twelve-light fixed wood windows. A molded and boxed metal cornice with scroll modillions completes the roof. The façade is faced with Flemish-bond pressed brick. The foundation is pierced by a one-light wood window with a concrete sill and lintel in the southern end bay. The northernmost bay of the first story holds a single-leaf paneled wood door with lights and a one-light transom with a concrete-lug lintel. All other openings on the façade hold 1/1, double-hung, vinyl-sash windows with concrete-lug sills and lintels. A one-story, one-bay porch projects from the façade and is set on a brick pier foundation. The half-hipped roof features overhanging eaves with a molded wood cornice. The roof is supported by metal Tuscan columns set atop square brick posts. Metal balusters encircle the porch, which is accessed via brick steps in the southern end bay. Beneath the porch, the foundation of the main block is pierced by a single-leaf paneled wood door with lights.

The rear (west) elevation is fenestrated by a single-leaf paneled wood door with lights at the foundation level and 2/2, double-hung, wood-sash windows on the first and second stories. A two-story, two-bay ell constructed of irregularly coursed American-bond brick is located on the northern end of the rear elevation and is original. The ell is capped by a sloping roof and an exterior brick chimney with a corbeled cap is located at the southwest corner. The northernmost bay on the first story holds a single-leaf wood French door with a single-light transom. The northernmost bay on the second story holds a single-leaf paneled wood door with lights with a one-light transom and a brick segmental arch. The southernmost bays on both stories hold 2/2, double-hung, wood-sash windows with concrete sills and two-course rowlock brick segmental arches. A two-story, one-bay porch spans the elevation and is supported by square wood piers. The porch has a shed roof supported by wood posts. The porch is enclosed with mesh on the first story and is accessed via a wood-frame mesh door and wood steps in the northern end bay. Wood balusters encircle the porch on the second story.

Site Notes:

March 2010: This rowhouse is located on the west side of 6th Street, N.E. and is set back approximately ten feet from the brick sidewalk. The dwelling is adjacent to 642 and 646 6th Street, N.E. There is a flat, grassy front yard. Concrete steps and a concrete walkway lead from the sidewalk and travel toward the primary and basement entrances. A yard with a concrete-paved patio enclosed by wood privacy fencing and metal picket fencing is located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component	Feature
-----------	---------

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Mansard (False)	Slate		Shingled	
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Brick		Flemish Bond	
Structure Component	Material	Feature		Source
Foundation	Concrete			
Walls	Brick			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Basemt Windows	Rectangular	Unknown	1	Wood
Dormer	Rectangular	Fixed	12	Wood

Facade	Rectangular	Dbl-Hung	1/1	Vinyl
Door Location	Aperture Shape	Type	Panels	Material
Basement	Rectangular	Single	Paneled	Wood/Glass
Main Door	Rectangular	Single	Paneled	Wood/Glass
Notable Interior Plan(s)			Notable Interior Feature(s)	

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood:	Capitol Hill	Historic District(s)
Subdivision:		
Ward/ANC:		
Zoning:		Designation Event(s)
Contributing:		
Survey(s)		Level(s) of Investigation
Capitol Hill F & G Streets (2010)		Permit Research
		Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Undisplayable Image Format

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 646_6th_Street_NE_facade_looking_NW.jpg
Date:: Photog:
Code:: R: Fr:

Caption:

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 646_6th_Street_NE_facade_looking_SW.jpg
Date:: Photog:
Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\

File: 646_6th_Street_NE_garage.jpg

Date:: Photog:

Code:: R: Fr:

Caption:

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\

File: 646_6th_Street_NE_rear (2).jpg

Date:: Photog:

Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
03/20/1912	4107	Build	

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/7/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0079

BASICS DATA

ID Number: **0834-0079** Year Built: **1907** Data Source: **Permit**

Number Extended Street Quad Type of Address

518 **F Street** **NE Current**

Name(s) Type of Name

Rowhouse, 518 F Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0079 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1907** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1907** **Permit** **3200 Permit**

Construction Event Association Associated Name

Orig Construction **Builder** **Schneider, A. M.**

Orig Construction **Owner** **Babbitt, Zeno B.**

Construction Notes:

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 5)**

Relate to Street: **Face on Setback Line**

Massing: **Row Building/Flat Front**

Footprint: **Rectangular**

Number Stories: **2 plus basement**

Bays Wide: **3**

Height:

Width: **20**

Depth/Length: **28**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Contributing Status

Outbuilding Notes:

STYLE/EXTERIOR DATA

Architectural Style(s)

Classical Revival

Exterior & Architectural Notes:

March 2010: This two-story, three-bay Classical Revival-style rowhouse was constructed by A.M. Schneider in 1907. It is one of five similar rowhouses constructed from the same permit (#3858). The brick and stone structure sits on a solid concrete and brick foundation. The dwelling is capped by a sloping roof that is fronted by a false mansard of asphalt shingles on the façade. The mansard is complemented by a molded metal cornice with block modillions. The façade (south elevation) is faced with Flemish-bond brick. A four-course molded brick watertable is located above the foundation, which is pierced by a single-leaf, paneled wood door with lights in the eastern end bay. The westernmost bay of the first story holds a single-leaf paneled wood door with a one-light transom. All other openings on the façade hold 6/6, double-hung, wood-sash windows. The windows feature concrete sills and brick and concrete splayed arches or two-course rowlock brick segmental arches. A one-story, one-bay porch projects from the façade and is set on a foundation of brick piers. Metal balusters encircle the porch, which is accessed via brick steps in the western end bay.

The rear (north) elevation was partially obscured by rear fencing. An exterior-end chimney with a corbeled cap is located in the westernmost bay. A single-leaf wood door with lights and a one-light transom is located in the western bay of the first story. This door is set in a two-course rowlock brick segmental arch shared with a 1/1, double-hung, vinyl-sash window. This entry is accessed via wooden steps with wood hand rails leading to a small wood deck with wood balusters. The second story is fenestrated with 1/1, double-hung, vinyl-sash windows with concrete sills and two-course rowlock brick segmental arches.

Site Notes:

March 2010: This rowhouse is located on the north side of F Street, N.E. and is set back approximately ten feet from the brick sidewalk. The dwelling is adjacent to 516 and 520 F Street, N.E. The flat, grassy front yard contains immature trees and shrubs and is bounded by a bow and picket metal fence. Brick steps and a brick walkway lead from the sidewalk and travel toward the primary and basement entrances. A yard, enclosed by a wood privacy fence, is located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component	Feature
-----------	---------

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Mansard (False) Sloped	Asphalt Not Visible		Shingled Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Brick & Stone		Flemish Bond	
Structure Component	Material	Feature		Source
Foundation Walls	Concrete & Brick Brick & Stone			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Facade	Rectangular	Dbl-Hung	6/6	Wood
Door Location	Aperture Shape	Type	Panels	Material
Basement	Rectangular	Single	Paneled	Wood/Glass
Main Door	Rectangular	Single	Paneled	Wood

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Subdivision:

Ward/ANC:

Zoning:

Contributing:

Historic District(s)

Designation Event(s)

Survey(s)

Capitol Hill F & G Streets (2010)

Level(s) of Investigation

Permit Research

Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Path: **C:\Users\CHRS\Documents\CHRS**

Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834

File: **518_F_Street_NE_facade_looking_N.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS**

Databases\F&G Street - 2 to 11th
St\Database\Pictures\Re-takes

File: **518_F_Street_NE_facade_looking_NW.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS**

Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834

File: **518_F_Street_NE_rear.JPG**

Date:: Photog:

Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code

Roll

Frame(s)

Date

Photographer

Caption

MISCELLANEOUS NOTES DATA

Notes:

--

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
06/03/1907	3858	Build	

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/21/2010	Litowitz (DDL), Dana	Record Updated
4/7/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Dayton (MSD), Maria	Record Updated
3/19/2010	Dayton (MSD), Maria	Record Created

Resource All Data Report

ID Number: 0834-0081

BASICS DATA

ID Number: **0834-0081** Year Built: **1907** Data Source: **Permit**

Number Extended Street Quad Type of Address

514 **F Street** **NE Current**

Name(s) Type of Name

Rowhouse, 514 F Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0081 **Square/Lot** **Permit**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1907** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1907** **Permit** **3200 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Schneider, A. M.**

Orig Construction **Owner** **Babbitt, Zeno B.**

Construction Notes:

One of five buildings constructed from the same permit.

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 5)**

Relate to Street: **Face on Setback Line**

Massing: **Row Building/Front Porch**

Footprint: **Rectangular**

Number Stories: **2 plus basement**

Bays Wide: **3**

Height:

Width: **20**

Depth/Length: **28**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Contributing Status

Outbuilding Notes:

STYLE/EXTERIOR DATA

Architectural Style(s)

Classical Revival

Exterior & Architectural Notes:

March 2010: This two-story, three-bay Classical Revival-style rowhouse was constructed by A.M. Schneider in 1907. It is one of five similar rowhouses constructed from the same permit (#3858). The brick and stone structure sits on a solid concrete and brick foundation. The dwelling is capped by a sloping roof that is fronted by a false mansard of asphalt shingles on the façade. The mansard is complemented by a molded metal cornice with block modillions. The façade (south elevation) is faced with Flemish-bond brick. A four-course molded brick watertable is located above the foundation, which is pierced by a single-leaf, wood-frame glass door in the eastern end bay. The westernmost bay of the first story holds a single-leaf wood-frame glass door with a one-light wood transom. All other openings on the façade hold 1/1, double-hung, vinyl-sash windows with false 6/1 muntins. The windows feature concrete-lug sills and brick and concrete splayed arches. A one-story, one-bay porch projects from the façade and is set on a solid brick foundation. The half-hipped roof of the porch features overhanging eaves and is supported by wood Tuscan columns. Square wood balusters encircle the porch, which is accessed via concrete steps in the western end bay.

The rear (north) elevation is fenestrated by single and paired 1/1, double-hung, vinyl-sash windows with concrete-lug sills and two-course rowlock brick segmental arches. An exterior-end chimney with a corbeled cap is located in the westernmost bay. The western bay of the elevation holds a two-story, one-bay wood deck supported by wood posts. The deck is encircled by square wood balusters and is accessed on the first and second stories by single-leaf, wood-frame glass doors.

Site Notes:

March 2010: This rowhouse is located on the north side of F Street, N.E. and is set back approximately ten feet from the brick sidewalk. The dwelling is adjacent to 512 and 516 F Street, N.E. The flat, grassy front yard contains plants and mature shrubs and is bounded by a wood retaining wall and bow and picket metal fence. Concrete steps and a concrete walkway lead from the sidewalk and travel toward the primary and basement entrances. A yard, enclosed by a wood privacy fence, is located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component	Feature
-----------	---------

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Mansard (False) Sloped	Asphalt Not Visible		Shingled Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Brick & Stone		Flemish Bond	
Structure Component	Material	Feature		Source
Foundation Walls	Concrete & Brick Brick & Stone			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Facade	Rectangular	Dbl-Hung	1/1	Vinyl
Door Location	Aperture Shape	Type	Panels	Material
Basement	Rectangular	Single	Full Glass	Wood
Main Door	Rectangular	Single	Full Glass	Wood

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Subdivision:

Ward/ANC:

Zoning:

Contributing:

Historic District(s)

Designation Event(s)

Survey(s)

Capitol Hill F & G Streets (2010)

Level(s) of Investigation

Permit Research

Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS**

Databases\F&G Street - 2 to 11th

St\Database\Pictures\Square 0834

File: **514_F_Street_NE_facade_looking_N.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS**

Databases\F&G Street - 2 to 11th

St\Database\Pictures\Square 0834

File: **514_F_Street_NE_facade_looking_NE.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Path: **C:\Users\CHRS\Documents\CHRS**

Databases\F&G Street - 2 to 11th

St\Database\Pictures\Square 0834

File: **514_F_Street_NE_facade_looking_NW.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\

File: 514_F_Street_NE_rear.JPG

Date:: Photog:

Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
06/03/1907	3858	Build	

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/7/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Weishar (PJW), Paul	Record Updated
3/19/2010	Weishar (PJW), Paul	Record Created

Resource All Data Report

ID Number: 0834-0078

BASICS DATA

ID Number: **0834-0078** Year Built: **1907** Data Source: **Permit**

Number Extended Street Quad Type of Address

520 **F Street** **NE Current**

Name(s) Type of Name

Rowhouse, 520 F Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0078 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1907** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1907** **Permit** **3200 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Schneider, A. M.**

Orig Construction **Owner** **Babbitt, Dr. Z.B.**

Construction Notes:

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 5)**

Relate to Street: **Face on Setback Line**

Massing: **Row Building/Front Porch**

Footprint: **Rectangular**

Number Stories: **2 plus basement**

Bays Wide: **3**

Height:

Width: **20**

Depth/Length: **28**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Shed

Contributing Status

Non-Contributing

Outbuilding Notes:

March 2010: A one-story, one-bay shed (ca. 1990) is located at the rear of the dwelling but was mostly obscured by rear fencing. The structure has a side gable roof.

STYLE/EXTERIOR DATA

Architectural Style(s)

Classical Revival

Exterior & Architectural Notes:

March 2010: This two-story, three-bay Classical Revival-style rowhouse was constructed by A.M. Schneider in 1907. It is one of five similar rowhouses constructed from the same permit (#3858). The brick and stone structure sits on a solid concrete and brick foundation. The dwelling is capped by a sloping roof that is fronted by a false mansard of asphalt shingles on the façade. The mansard is complemented by a gabled pediment and a molded metal cornice with block modillions. The façade (south elevation) is faced with Flemish-bond brick. A four-course molded brick watertable is located above the foundation, which is pierced by a single-leaf, paneled wood door with lights in the eastern end bay. The westernmost bay of the first story holds a single-leaf paneled wood door with a one-light wood transom. All other openings on the façade hold 1/1, double-hung, vinyl-sash windows with false 6/1 muntins. The windows feature concrete sills and brick and concrete splayed arches. A one-story, one-bay porch projects from the façade and is set on a solid brick foundation. The foundation is pierced on the south elevation by a one-light vinyl awning window and on the east elevation by a single-leaf wood door. The half-hipped roof of the porch features overhanging eaves and is supported by square wood posts. Square wood balusters encircle the porch, which is accessed via wood steps in the western end bay.

The rear (north) elevation was partially obscured by rear fencing. An exterior-end chimney with a parged cap is located in the westernmost bay. A single-leaf wood-frame glass door with a two-light transom is located in the western bay of the first story. This door is set in a two-course rowlock brick segmental arch shared with a 1/1, double-hung, wood-sash window. This entry is accessed via steps with metal hand rails. The elevation is further fenestrated by single and paired 1/1, double-hung, vinyl-sash windows with concrete sills and two-course rowlock brick segmental arches.

Site Notes:

March 2010: This rowhouse is located on the north side of F Street, N.E. and is set back approximately ten feet from the brick sidewalk. The dwelling is adjacent to 518 and 522 F Street, N.E. The flat front yard contains immature shrubs and is bounded by a brick retaining wall and milled point metal fence. Concrete steps and a concrete walkway lead from the sidewalk and travel toward the primary and basement entrances. A yard with a shed, enclosed by a wood privacy fence, is located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component	Feature
-----------	---------

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Mansard (False) Sloped	Asphalt Not Visible		Shingled Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Brick & Stone		Flemish Bond	
Structure Component	Material	Feature		Source
Foundation Walls	Concrete & Brick Brick & Stone			

Materials Notes:

--

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Facade	Rectangular	Dbl-Hung	6/1	Wood
Door Location	Aperture Shape	Type	Panels	Material
Basement	Rectangular	Single	Paneled	Wood/Glass
Main Door	Rectangular	Single	Paneled	Wood

Notable Interior Plan(s)	Notable Interior Feature(s)
--------------------------	-----------------------------

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Subdivision:

Ward/ANC:

Zoning:

Contributing:

Historic District(s)

Designation Event(s)

Survey(s)

Capitol Hill F & G Streets (2010)

Level(s) of Investigation

Permit Research

Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **520_F_Street_NE_facade_looking_NE.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **520_F_Street_NE_facade_looking_NW.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **520_F_Street_NE_rear_looking_SE.JPG**

Date:: Photog:

Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Tuesday, June 25, 2013

ID_Number: 0834-0078 Page 3

Notes:

--

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
-------------------	--------	------	---------

06/03/1907	3858	Build	
------------	------	-------	--

Permit Notes:

--

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

--

SIGNIFICANCE DATA

Study Unit

--

Code	Criteria
------	----------

--	--

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/7/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Dayton (MSD), Maria	Record Updated
3/19/2010	Dayton (MSD), Maria	Record Created

Resource All Data Report

ID Number: 0834-0088

BASICS DATA

ID Number: **0834-0088** Year Built: **1912** Data Source: **Permit**

Number Extended Street Quad Type of Address

648 **6th Street** **NE Current**

Name(s) Type of Name

Rowhouse, 648 6th Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0088 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1912** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1912** **Permit** **3500 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Powell, J.W.**

Orig Construction **Builder** **Powell, (J.W.) ?**

Orig Construction **Owner** **Powell, (J.W.) ?**

Construction Notes:

One of three rowhouses constructed from the same permit (#4107).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 3)**

Relate to Street: **Face on Setback Line**

Massing: **Row Building/Front Porch**

Footprint: **L-Shaped**

Number Stories: **2.5 plus basement**

Bays Wide: **3**

Height:

Width: **18**

Depth/Length: **33**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Contributing Status

Outbuilding Notes:

STYLE/EXTERIOR DATA

Architectural Style(s)

Colonial Revival

Exterior & Architectural Notes:

March 2010: This two-story, three-bay Colonial Revival-style rowhouse was constructed by J.W. Powell in 1912. It is one of three similar rowhouses constructed from the same permit (#4107). The brick structure sits on a solid concrete foundation. The dwelling is capped by a sloping roof that is fronted by a false mansard of slate fish scale shingles between two brick firewalls on the façade (east elevation). The mansard is pierced by two gabled dormers with molded wood cornices and raking that hold one-light fixed wood windows. A molded and boxed metal cornice with scroll modillions completes the roof. The façade is faced with Flemish-bond pressed brick. The foundation is pierced by a one-light vinyl awning window in the northern end bay. The southernmost bay of the first story holds a replacement single-leaf paneled door with lights with a one-light transom and a concrete-lug lintel. All other openings on the façade hold 1/1, double-hung, vinyl-sash windows with concrete-lug sills and lintels. A one-story, one-bay porch projects from the façade and is set on a brick pier foundation. The half-hipped roof features overhanging eaves with a molded wood cornice. The roof is supported by metal Tuscan columns set atop brick posts. Turned metal balusters span the porch on the sides, while the east elevation holds a decorative concrete block balustrade. The porch is accessed via concrete steps in the southern end bay. Beneath the porch, the foundation of the main block is pierced by a single-leaf paneled metal door with a semicircular light.

The rear (west) elevation is fenestrated with 1/1, double-hung, wood- and vinyl-sash windows in segmental openings on the first and second stories. A two-story, two-bay ell constructed of irregularly coursed American-bond brick is located on the southern end of the elevation and is original. The ell is capped by a sloping roof and an exterior brick chimney with a parged cap is located at the northwest corner. On the west elevation of the ell, openings in the southernmost bay on the first and second stories hold single-leaf doors highlighted by single-light transoms. The northernmost bays on both stories hold 1/1, double-hung, vinyl-sash windows with concrete sills and two-course rowlock brick segmental arches. A two-story, one-bay wood porch spans the elevation and is supported by wood posts. Wood balusters encircle the porch on both stories, which is accessed on the first story via wood steps in the southern end bay.

Site Notes:

March 2010: This rowhouse is located on the west side of 6th Street, N.E. and is set back approximately ten feet from the brick sidewalk. The dwelling is adjacent to 646 and 650 6th Street, N.E. There is a flat front yard with minimal grass and plantings. A brick walkway leads from the sidewalk and travels toward the primary and basement entrances. A yard enclosed by wood privacy fencing is located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component	Feature
-----------	---------

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Mansard (False) Sloped	Slate Not Visible		Shingled Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Brick		Flemish Bond	
Structure Component	Material	Feature		Source
Foundation	Concrete			
Walls	Brick			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Basemt Windows	Rectangular	Awning	1	Vinyl
Dormer	Rectangular	Fixed	1	Wood
Facade	Rectangular	Dbl-Hung	1/1	Vinyl
Door Location	Aperture Shape	Type	Pamels	Material
Basement	Rectangular	Single	Paneled	Metal/Glas

Main Door Rectangular Single Paneled Unknown w/Lights

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Historic District(s)

Subdivision:

Ward/ANC:

Zoning:

Designation Event(s)

Contributing:

Survey(s)

Level(s) of Investigation

Capitol Hill F & G Streets (2010)

Permit Research

Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **648_6th_Street_NE_facade_looking_NW.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **648_6th_Street_NE_facade_looking_SW.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834**

File: **648_6th_Street_NE_rear_looking_E.JPG**

Date:: Photog:

Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
-------------------	--------	------	---------

03/20/1912	4107	Build	
------------	------	-------	--

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/7/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

Resource All Data Report

ID Number: 0834-0077

BASICS DATA

ID Number: **0834-0077** Year Built: **1907** Data Source: **Permit**

Number Extended Street Quad Type of Address

522 **F Street** **NE Current**

Name(s) Type of Name

Rowhouse, 522 F Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0077 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1907** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1907** **Permit** **3200 Permit**

Construction Event Association Associated Name

Orig Construction **Builder** **Schneider, A. M.**

Orig Construction **Owner** **Babbitt, Zeno B.**

Construction Notes:

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row End (1 of 5)**

Relate to Street: **Face on Setback Line**

Massing: **Row Building/Front Porch**

Footprint: **Rectangular (w/ side bays)**

Number Stories: **2 plus basement**

Bays Wide: **3**

Height:

Width: **20**

Depth/Length: **28**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Shed

Contributing Status

Non-Contributing

Outbuilding Notes:

March 2010: A one-story, one-bay shed (ca. 1990) is located at the rear of the dwelling. It has a front gable roof and is faced with vinyl siding. The east elevation is pierced by a two-leaf paneled metal door.

STYLE/EXTERIOR DATA

Architectural Style(s)

Classical Revival

Exterior & Architectural Notes:

March 2010: This two-story, three-bay Classical Revival-style rowhouse was constructed by A.M. Schneider in 1907. It is one of five similar rowhouses constructed from the same permit (#3858). The brick and stone structure sits on a solid concrete and brick foundation. The dwelling is capped by a sloping roof that is fronted by a false mansard of asphalt shingles on the façade. The mansard is complemented by a molded metal cornice with block modillions. The façade (south elevation) is faced with Flemish-bond brick. A four-course molded brick watertable is located above the foundation, which is pierced by a single-leaf, paneled metal door with a semicircular light in the eastern end bay. The westernmost bay of the first story holds a single-leaf paneled wood door with a one-light wood transom. All other openings on the façade hold 1/1, double-hung, vinyl-sash windows with concrete sills and brick and concrete splayed arches. A one-story, one-bay porch projects from the façade and is set on a solid brick foundation. The foundation is pierced on the south elevation by a one-light vinyl awning window and on the east elevation by a single-leaf wood door. The half-hipped roof of the porch features overhanging eaves and is supported by square brick posts. Metal balusters encircle the porch, which is accessed via concrete steps in the western end bay.

The side (east) elevation received the same material treatment as the façade. An exterior side brick chimney with a corbeled cap rises the height of the elevation. The foundation is parged and pierced by 1/1, double-hung, vinyl-sash windows. The elevation is further fenestrated by 1/1, double-hung, vinyl-sash windows with concrete sills and brick and concrete splayed arches. A three-sided, two-story canted bay is located in the northern bay on the east elevation. The bay is capped by a flat roof and is spanned by concrete lintel courses. A single-leaf door is located on the foundation of the bay; the remainder of the bay is fenestrated with 1/1, double-hung, vinyl-sash windows with concrete sills. Some have brick and concrete splayed arches. A two-story, two bay appendage, possibly original, is located on the rear (north) elevation. It sits on a brick foundation pierced by sliding vinyl windows and is capped by a shed roof. It is faced with vinyl siding. A single-leaf paneled metal door with semicircular light is located in the westernmost bay on the first story and is accessed via brick steps to a concrete stoop supported by brick piers. A single-leaf door is located beneath this stoop. The appendage is further fenestrated by two-light vinyl sliding windows and a 1/1, double-hung, vinyl-sash window.

Site Notes:

March 2010: This end-unit rowhouse is located on the north side of F Street, N.E. at the intersection of F Street and 6th Street, N.E. and is set back approximately ten feet from the brick sidewalk. The west (side) elevation is adjacent to 520 F Street, N.E. A flat yard borders the front and side elevations and contains immature shrubs and trees. The yard is bounded by a stone retaining wall and chain link metal fence. Concrete steps and a concrete walkway lead from the sidewalk and travel toward the primary and basement entrances. A yard with a concrete-paved parking area and a shed, bordered by a concrete-block wall, is located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component	Feature
-----------	---------

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Mansard (False)	Asphalt		Shingled	
Sloped	Not Visible		Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Brick & Stone		Flemish Bond	
Structure Component	Material	Feature		Source
Foundation	Concrete & Brick			
Walls	Brick & Stone			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Facade	Rectangular	Dbi-Hung	1/1	Vinyl
Door Location	Aperture Shape	Type	Panels	Material
Basement	Rectangular	Single	Paneled	Metal/Glas

Main Door	Rectangular	Single	Paneled	Wood
Notable Interior Plan(s)			Notable Interior Feature(s)	

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: Capitol Hill	Historic District(s)
Subdivision:	
Ward/ANC:	
Zoning:	Designation Event(s)
Contributing:	
Survey(s)	Level(s) of Investigation
Capitol Hill F & G Streets (2010)	Permit Research
	Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Undisplayable Image Format

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 522_F_Street_NE_facade_looking_NE.JPG
Date:: Photog:
Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 522_F_Street_NE_NE_corner.JPG
Date:: Photog:
Code:: R: Fr:

Caption:

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 522_F_Street_NE_rear_looking_SW.JPG
Date:: Photog:
Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 522_F_Street_NE_rear_looking_W.JPG

Date:: Photog:
Code:: R: Fr:

Caption:

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 522_F_Street_NE_SE_corner.JPG

Date:: Photog:
Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 522_F_Street_NE_side_looking_NW.JPG

Date:: Photog:
Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
06/03/1907	3858	Build	

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

--

SIGNIFICANCE DATA

Study Unit

Code

Criteria

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/7/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Dayton (MSD), Maria	Record Updated
3/19/2010	Dayton (MSD), Maria	Record Created

Resource All Data Report

ID Number: 0834-0080

BASICS DATA

ID Number: **0834-0080** Year Built: **1907** Data Source: **Permit**

Number Extended Street Quad Type of Address

516 **F Street** **NE Current**

Name(s) Type of Name

Rowhouse, 516 F Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0080 **Square/Lot** **Permit**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Excellent**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1907** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1907** **Permit** **3200 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Babbitt, Zeno B.**

Orig Construction **Owner** **Schneider, A. M.**

Construction Notes:

One of three buildings constructed from the same permit.

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 5)**

Relate to Street: **Face on Setback Line**

Massing: **Row Building/Front Porch**

Footprint: **Rectangular**

Number Stories: **2 plus basement**

Bays Wide: **3**

Height:

Width: **20**

Depth/Length: **28**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Contributing Status

Outbuilding Notes:

STYLE/EXTERIOR DATA

Architectural Style(s)

Classical Revival

Exterior & Architectural Notes:

March 2010: This two-story, three-bay Classical Revival-style rowhouse was constructed by A.M. Schneider in 1907. It is one of five similar rowhouses constructed from the same permit (#3858). The brick and stone structure sits on a solid concrete and brick foundation. The dwelling is capped by a sloping roof that is fronted by a false mansard of asphalt shingles on the façade. The mansard is complemented by a gabled pediment and a molded metal cornice with block modillions. The façade (south elevation) is faced with Flemish-bond brick. A four-course molded brick watertable is located above the foundation, which is pierced by a single-leaf, paneled wood door with lights in the eastern end bay. The westernmost bay of the first story holds a single-leaf paneled wood door with lights and a one-light wood transom. All other openings on the façade hold 1/1, double-hung, vinyl-sash windows with false 6/1 muntins. The windows feature concrete sills and brick and concrete splayed arches. A one-story, one-bay porch projects from the façade and is set on a foundation of brick piers infilled with wood lattice. The half-hipped roof of the porch features overhanging eaves and is supported by wood Tuscan columns. Square wood balusters encircle the porch, which is accessed via concrete steps in the western end bay.

The rear (north) elevation is fenestrated by single and paired 1/1, double-hung, vinyl- and wood-sash windows with concrete-lug sills and two-course rowlock brick segmental arches. An exterior-end chimney with a corbeled cap is located in the westernmost bay. The western bay of the elevation holds a two-story, one-bay wood deck supported by wood posts. The deck is encircled by square wood balusters and is accessed on the first story by a single-leaf wood-frame glass door. This door is set in a two-course rowlock brick segmental arch with a 1/1, double-hung, vinyl-sash window. The second story holds a single-leaf, wood-frame glass door with a one-light transom. Wood steps with hand rails also access the first story of the deck.

Site Notes:

March 2010: This rowhouse is located on the north side of F Street, N.E. and is set back approximately ten feet from the brick sidewalk. The dwelling is adjacent to 514 and 518 F Street, N.E. The flat, grassy front yard contains mature trees and shrubs and is bounded by a stone retaining wall and bow and picket metal fence. Concrete steps and a concrete walkway lead from the sidewalk and travel toward the primary and basement entrances. A yard, enclosed by a wood privacy fence, is located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component

Feature

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Mansard (False) Sloped	Asphalt Not Visible		Shingled Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Brick & Stone		Flemish Bond	
Structure Component	Material	Feature		Source
Foundation Walls	Concrete & Brick Brick & Stone			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Facade	Rectangular	Dbl-Hung	1/1	Vinyl
Door Location	Aperture Shape	Type	Panels	Material
Basement	Rectangular	Single	Paneled	Wood/Glass
Main Door	Rectangular	Single	Paneled	Wood/Glass

Notable Interior Plan(s)

Notable Interior Feature(s)

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: **Capitol Hill**

Subdivision:

Ward/ANC:

Zoning:

Contributing:

Historic District(s)

Designation Event(s)

Survey(s)

Capitol Hill F & G Streets (2010)

Level(s) of Investigation

Permit Research

Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS**

Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834

File: **516_F_Street_NE_facade_looking_NE.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: **C:\Users\CHRS\Documents\CHRS**

Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834

File: **516_F_Street_NE_facade_looking_NW.JPG**

Date:: Photog:

Code:: R: Fr:

Caption:

Path: **C:\Users\CHRS\Documents\CHRS**

Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834

File: **516_F_Street_NE_rear_looking_SW.JPG**

Date:: Photog:

Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Tuesday, June 25, 2013

ID_Number: 0834-0080 Page 3

Notes:

--

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
06/03/1907	3858	Build	

Permit Notes:

--

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks

Bibliographic Notes:

--

SIGNIFICANCE DATA

Study Unit

Code	Criteria

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/7/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Weishar (PJW), Paul	Record Updated
3/19/2010	Weishar (PJW), Paul	Record Created

Resource All Data Report

ID Number: 0834-0093

BASICS DATA

ID Number: **0834-0093** Year Built: **1912** Data Source: **Permit**

Number Extended Street Quad Type of Address

624 **6th Street** **NE Current**

Name(s) Type of Name

Rowhouse, 624 6th Street, N.E. **Common**

TaxCode1 TaxCode2 TaxCode3 Type Explain

0834/0093 **Square/Lot** **Current**

STATUS/PURPOSE/USE DATA

Resource Type: **Building** Status Current: **Extant**

Desig. Status: **Historic** Quality:

Purpose: **Rowhouse** Condition: **Good**

Function/Use Start Source Stop Source Explain

Residential (Single-Family) **1912** **Permit** **Historic/Current**

CONSTRUCTION DATA

Construction Event Start Source Stop Source Cost Source

Orig Construction **1912** **Permit** **3500 Permit**

Construction Event Association Associated Name

Orig Construction **Architect** **Powell, J.W.**

Orig Construction **Builder** **Powell, J.W.**

Orig Construction **Owner** **Norway, Fred A.**

Construction Notes:

One of three rowhouses constructed from the same permit (#4713).

PEOPLE/EVENTS DATA

Racial Segregation Status:

SETTING/SHAPE/SIZE DATA

Surroundings: **Urban**

Streetscape: **Intact**

Relate to Othr Bldgs: **Row (1 of 3)**

Relate to Street: **Face on Setback Line**

Massing: **Row Building/Front Porch**

Footprint: **L-Shaped**

Number Stories: **2.5 plus basement**

Bays Wide: **3**

Height:

Width: **18**

Depth/Length: **33**

SqFt:

Volume:

Lot Width

Lot Depth/Length:

Lot SqFt:

Acreage:

Has Driveway: ☐

Cross Reference Notes:

Outbuilding Type

Garage

Contributing Status

Contributing

Outbuilding Notes:

March 2010: A one-story, one-bay garage is located west of the dwelling and was constructed ca. 1920. The garage is constructed of 6-course American-bond brick and is set on a solid foundation. A sloping roof, highlighted by a metal

cornice, caps the garage. The façade (west elevation) is pierced by a roll-up paneled metal vehicular door. The original opening has been partially infilled with metal. The north elevation is fenestrated by a single-leaf paneled door with a rowlock brick segmental arch and a window with a brick sill and a two-course rowlock brick segmental arch.

STYLE/EXTERIOR DATA

Architectural Style(s)

Colonial Revival

Exterior & Architectural Notes:

March 2010: This two-and-a-half-story, three-bay Colonial Revival-style rowhouse was constructed by J.W. Powell in 1912. It is one of three similar rowhouses constructed from the same permit (#4713). The brick structure sits on a solid concrete foundation. The dwelling is capped by a sloping roof that is fronted by a false mansard of slate fish scale shingles between two brick firewalls on the façade (east elevation). The mansard is pierced by two gabled dormers with molded wood cornices and raking that hold twelve-light fixed wood windows. A molded and boxed metal cornice with scroll modillions completes the roof. The façade is faced with Flemish-bond pressed brick. The foundation is pierced by a 1/1, double-hung, vinyl-sash window with false 6/1 muntins and a concrete-lug lintel in the southern end bay. The northernmost bay of the first story holds a single-leaf paneled wood door with a one-light wood transom and a concrete-lug lintel. All other openings on the façade hold 1/1, double-hung, vinyl-sash windows with concrete sills and concrete-lug lintels. The opening in the southernmost bay on the first story is sheltered by a self-supporting metal awning. A one-story, one-bay porch projects from the façade and is set on a solid brick foundation. The foundation is pierced by a single-leaf metal-frame glass door. The porch has a half-hipped roof with overhanging eaves and is supported by wood Tuscan columns atop brick posts. A self-supporting metal awning is located on the east elevation of the porch and shelters the basement entry. Wood balusters encircle the porch, which is accessed via concrete steps in the northern end bay.

A two-story, two-bay ell constructed of five-course American-bond brick is located on the northern end of the rear (west) elevation and is original. The ell is capped by a sloping roof and an exterior brick chimney with a parged cap is located at the southwest corner. Openings in the northernmost bay on the first and second stories of the west elevation hold single-leaf paneled wood doors with lights. These openings are highlighted by single-light transoms and brick segmental arches. The southernmost bays on both stories hold 1/1, double-hung, sash windows (materials not visible) with concrete sills and brick segmental arches. A two-story, one-bay porch spans the elevation and is supported by square wood piers and is infilled with wood lattice on the first story. The porch has a shed roof supported by wood posts. Wood balusters encircle the porch, which is accessed on the first story via wood steps in the northern end bay.

Site Notes:

March 2010: This rowhouse is located on the west side of 6th Street, N.E. and is set back approximately ten feet from the brick sidewalk. The dwelling is adjacent to 622 and 626 6th Street, N.E. The flat, raised front yard is planted with mature shrubs and is bounded by a brick retaining wall and metal bow and hairpin fencing. Concrete steps and a concrete walkway lead from the sidewalk and travel toward the primary and basement entrances. A yard enclosed by metal chain link fencing and a garage are located at the rear of the dwelling.

NOTABLE FEATURES DATA

Component	Feature
-----------	---------

EXTERIOR MATERIALS DATA

Roof Component	Material	Color	Treatment	Source
Mansard (False) Sloped	Slate Not Visible		Shingled Not Visible	
Wall Component	Material	Color	Treatment	Source
Facade	Pressed Brick		Flemish Bond	
Structure Component	Material	Feature		Source
Foundation Walls	Concrete Brick			

Materials Notes:

WINDOW/DOOR/INTERIOR DATA

Window Location	Aperture Shape	Type	Lights	Material
Dormer	Rectangular	Fixed	12	Wood
Facade	Rectangular	Dbl-Hung	1/1	Vinyl
Door Location	Aperture Shape	Type	Panels	Material
Basement	Rectangular	Single	Full Glass	Metal
Main Door	Rectangular	Single	Paneled	Wood
Notable Interior Plan(s)		Notable Interior Feature(s)		

Interior Notes:

PLAN/SURVEY/DESIGNATION DATA

Neighborhood: Capitol Hill	Historic District(s)
Subdivision:	
Ward/ANC:	
Zoning:	Designation Event(s)
Contributing:	
Survey(s)	Level(s) of Investigation
Capitol Hill F & G Streets (2010)	Permit Research
	Reconnaissance Survey

PHOTOS - DIGITIZED

Caption:

Undisplayable Image Format

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 624_6th_Street_NE_facade_looking_NW.JPG
Date:: Photog:
Code:: R: Fr:

Caption:

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 624_6th_Street_NE_facade_looking_S.JPG
Date:: Photog:
Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 624_6th_Street_NE_garage_looking_SE.JPG
Date:: Photog:
Code:: R: Fr:

Caption:

Undisplayable Image Format

Path: C:\Users\CHRS\Documents\CHRS
Databases\F&G Street - 2 to 11th
St\Database\Pictures\Square 0834\
File: 624_6th_Street_NE_rear_looking_SE.JPG
Date:: Photog:
Code:: R: Fr:

PHOTOS - B/W OR NON-DIGITIZED

Photo Code	Roll	Frame(s)	Date	Photographer	Caption
------------	------	----------	------	--------------	---------

MISCELLANEOUS NOTES DATA

Notes:

PERMIT DATA

Permit Issue Date	Number	Type	Remarks
04/17/1912	4713	Build	

Permit Notes:

BIBLIOGRAPHIC DATA

Short Citation	Type	Date	Remarks
----------------	------	------	---------

Bibliographic Notes:

SIGNIFICANCE DATA

Study Unit

Code	Criteria
------	----------

DATA PROCESSING EVENTS DATA

Date	Individual	Action
4/6/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Updated
3/19/2010	Litowitz (DDL), Dana	Record Created

